

POPULATION BASED CANCER REGISTRY, DELHI

Dr. B.R. Ambedkar Institute Rotary Cancer Hospital

All India Institute of Medical Sciences, New Delhi

Dr P.K. Julka, MD

Professor & Head of Radiation Oncology and Head, Delhi Cancer Registry

N. Manoharan, MSc, PGDCA

Scientist - II, Delhi Cancer Registry

Dr G.K. Rath, MD

Professor of Radiation Oncology and Chief

The Population Based Cancer Registry at Dr. B.R. Ambedkar Institute Rotary Cancer Hospital, All India Institute of Medical Sciences (AIIMS), New Delhi was established in January 1986 with the aim of obtaining reliable morbidity and mortality cancer data among the Delhi residents.

Delhi covering an area of 1483 square kilometre is a densely populated urban metropolis situated between the Himalayas and the Aravalli range in the heart of the Indian sub-continent. It lies between 28°25' and 28°53' North latitude and 76°50' and 73°20' East longitude. It is surrounded on the north, west and south by Haryana and on the east by the Uttar Pradesh.

According to the 2001 census the population in Delhi UT Urban is 1,28,77,470 (Males: 70,69,371; Females: 58,08,099). The sex ratio in Delhi is 822 females per 1000 males. The density of population is 9294 persons per sq. km.

The registry covers an urban area of 891.09 square kilometres of Delhi and collects morbidity and mortality data on cancer patients from 168 major govt. hospitals and institutions, more than 250 private hospitals and nursing homes, the Dept. of Vital Statistics of the Delhi Municipal Corporation, the New Delhi Municipal Committee and the Cantonment Board. The estimated population of Delhi Urban during 2008-09 was 3,59,02,448 with 1,97,77,794 males and 1,64,24,654 females.

During 2008-09 a total of 29027 incident cases were registered with 15189 (52.3%) males and 13838 (47.7%) females. For males and females, the Crude (CR), Age adjusted (AAR) for the world population and truncated (TR) incidence rates per 100,000 were 76.8, 125.2, 216.3 and 85.8, 120.6, 261.6 respectively. The common sites of cancer among males were lung (9.8%; AAR: 13.9 per 100,000), prostate (6.8%; AAR: 10.7 per 100,000), tongue (6.4%; AAR: 8.0 per 100,000), mouth (5.8%; AAR: 6.8 per 100,000) and larynx (5.5%; AAR: 7.6 per 100,000). Among females breast cancer (26.8%; AAR: 32.1 per 100,000) was the leading site followed by cervix uteri (12.5%; AAR: 15.4 per 100,000), gallbladder (7.2%; AAR: 9.2 per 100,000), ovary (7.1%; AAR: 8.2 per 100,000) and corpus uteri (3.3%; AAR: 4.4 per 100,000).

The registry publishes yearly/biennial report regularly. The registry data has been widely used by the Government for National Cancer Control Programme and by researchers in the field of cancer.

Staff of Delhi Cancer Registry

Mr N. Manoharan	:	Scientist - II
Dr Sunil Kumar Varma	:	Scientist - I
Mr Ashok Kumar Singh, MSW	:	MSSO (Gr. I)
Mr Shambu Prasad Bhadola, MA	:	MSSO (Gr. II)
Ms Gayatri Sharma, MA	:	MSSO (Gr. II)
Ms Indu Gaur, MSW	:	MSSO (Gr. II)
Mr S.K. Rai, MSW	:	MSSO (Gr. II)
Ms Sudha Saxena, MA	:	MSSO (Gr. II)
Mr C.P. Singh Yadav, MSW	:	MSSO (Gr. II)
Mr Anand Sharma, MSW	:	MSSO (Gr. II)
Ms Garima Negi	:	LDC (Ad-hoc)

TABLE DEL-1: Main Sources of Registration of Incident Cases of Cancer: 2008-2009**Delhi**

Name of the Institution	Number	%
AIIMS/IRCH	5900	20.3
Rajiv Gandhi C.H.	4757	16.4
Safdarjung	3212	11.1
CRC/MAMC/LNJP	2704	9.3
Gangaram	1607	5.5
Batra	1578	5.4
Dharamshila H.	1170	4.0
Apollo H.	1119	3.9
UCMS/GTB/Delhi State Cancer Institute	916	3.2
RMLH	895	3.1
LHMC/KSH	598	2.1
Unknown	589	2.0
Max Devki Devi Hospital, Saket	477	1.6
ESI	457	1.6
Shanthy Mukund Hospital	447	1.5
GB Pant	434	1.5
St. Stephen	391	1.3
Deen Dayal/DDU Hospital	317	1.1
Hindu Rao	304	1.0
Others	1155	4.0
Total	29027	100.0

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2008-2009.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

Figure DEL -1
Population Pyramid showing Age Distribution:2008-2009
DELHI




TABLE DEL-2
Population by Five Year Age Group and Gender:2008-2009
Number and Relative Proportion (%)
DELHI

Age Group	Males		Females	
	Number	%	Number	%
00-04	1734367	8.77	1443486	8.95
05-09	2072907	10.48	1764456	10.94
10-14	2214294	11.20	1924181	11.93
15-19	2193348	11.09	1622366	10.06
20-24	2148195	10.86	1531086	9.50
25-29	1914027	9.68	1541495	9.56
30-34	1623855	8.21	1376111	8.53
35-39	1541175	7.79	1318090	8.17
40-44	1270730	6.43	971606	6.03
45-49	961711	4.86	750897	4.66
50-54	684585	3.46	509499	3.16
55-59	436132	2.21	374876	2.32
60-64	326885	1.65	341854	2.12
65-69	266697	1.35	285304	1.77
70-74	191013	0.97	184057	1.14
75+	197873	1.00	185290	1.15
Total	19777794	100.00	16124654	100.00

TABLE DEL-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):2008-2009 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	1	-	1	3	3	3	4	8	8	7	7	7	17	6	4	6	1	86	0.57
C01-C02	Tongue	-	-	2	1	6	22	45	57	86	119	144	100	167	106	56	56	9	976	6.43
C03-C06	Mouth	-	-	1	2	7	29	58	73	84	108	120	127	110	65	51	40	4	879	5.79
C07-C08	Salivary Gland	-	1	-	2	8	3	8	13	10	10	10	14	10	13	8	3	-	113	0.74
C09	Tonsil	-	-	-	-	2	6	3	7	22	33	34	46	45	22	16	13	1	250	1.65
C10	Oth. Oropharynx	-	-	-	-	-	-	1	5	9	11	33	33	36	19	10	7	1	165	1.09
C11	Nasopharynx	-	-	7	2	3	1	2	5	7	5	9	12	12	5	2	3	-	75	0.49
C12-C13	Hypopharynx	-	-	-	1	-	1	-	4	9	27	34	42	55	33	21	21	1	249	1.64
C14	Pharynx Unspecified	-	-	-	-	-	1	-	1	4	9	3	5	6	9	4	2	-	44	0.29
C15	Oesophagus	-	-	-	-	2	1	8	18	28	56	94	84	96	70	52	47	3	559	3.68
C16	Stomach	-	-	-	-	3	8	9	23	22	39	57	53	50	47	45	41	4	401	2.64
C17	Small Intestine	-	-	-	-	2	2	5	3	3	3	5	1	2	4	3	4	1	38	0.25
C18	Colon	-	1	1	2	6	18	15	26	32	25	46	49	39	35	27	48	1	371	2.44
C19-C20	Rectum	-	-	1	11	15	19	25	22	24	10	34	36	30	29	17	33	1	307	2.02
C21	Anus & Anal Canal	-	-	-	3	-	3	3	7	8	6	14	4	9	5	3	3	-	68	0.45
C22	Liver	8	2	-	1	1	7	5	10	20	25	33	38	53	46	30	28	1	308	2.03
C23-C24	Gallbladder etc.	-	-	-	1	3	9	19	27	25	53	69	70	74	51	47	39	3	490	3.23
C25	Pancreas	-	-	-	1	1	2	4	4	13	20	21	27	30	30	26	20	1	200	1.32
C30-C31	Nose, Sinuses etc.	-	-	-	-	1	2	2	1	3	10	2	3	2	4	3	2	-	35	0.23
C32	Larynx	1	-	-	2	1	5	10	23	53	63	139	93	171	122	72	71	10	836	5.50
C33-C34	Lung etc.	1	-	2	2	2	9	24	20	75	125	175	202	279	230	178	155	7	1486	9.78
C37-C38	Other Thoracic Organs	-	1	-	4	-	2	1	1	4	2	9	7	8	4	3	1	-	47	0.31
C40-C41	Bone	13	19	41	54	31	26	20	16	15	28	24	21	22	12	11	7	3	363	2.39
C43	Melanoma of Skin	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	5	0.03
C44	Other Skin	1	-	3	2	2	4	5	9	17	15	19	26	25	22	22	30	-	202	1.33
C45	Mesothelioma	-	1	-	-	2	-	-	1	-	2	1	1	-	-	1	-	-	9	0.06
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	14	11	12	10	15	14	24	12	15	16	20	19	23	13	8	13	3	242	1.59
C50	Breast	-	-	-	-	-	4	3	7	6	16	14	13	19	10	19	12	3	126	0.83
C60	Penis	-	-	-	-	1	1	8	5	9	7	10	9	15	14	5	12	1	97	0.64
C61	Prostate	-	-	-	1	2	-	3	1	7	7	36	61	141	190	228	345	8	1030	6.78
C62	Testis	9	1	-	6	19	23	18	12	5	10	5	3	1	1	2	-	2	117	0.77
C63	Other Male Genital	-	-	-	-	1	-	-	-	-	1	1	1	-	-	1	1	-	6	0.04
C64	Kidney etc.	35	15	3	6	4	4	8	9	10	34	33	48	48	30	17	25	2	331	2.18
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.01
C66	Ureter	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	6	0.04
C67	Bladder	1	1	-	1	7	9	16	18	29	55	78	91	103	96	99	134	1	739	4.87
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	7	0.05
C69	Eye	36	5	1	1	1	-	-	-	1	-	-	2	-	-	1	1	-	49	0.32
C70-C72	Brain, NS	41	33	32	21	33	40	39	43	39	52	51	39	38	30	18	19	2	570	3.75
C73	Thyroid	-	2	-	6	8	14	15	10	20	9	11	12	13	6	11	6	-	143	0.94
C74	Adrenal Gland	8	5	-	2	1	-	2	1	1	2	1	-	-	2	-	-	-	25	0.16
C81	Hodgkins Disease	9	40	33	30	16	18	20	16	15	18	11	13	9	5	7	3	2	265	1.74
C82-C85,C96	NHL	13	34	25	38	32	29	25	45	46	51	56	68	78	56	50	59	9	714	4.70
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.01
C90	Multiple Myeloma	-	1	-	2	2	1	4	10	15	19	27	36	42	37	29	30	3	258	1.70
C91	Lymphoid Leuk.	83	77	60	56	28	15	10	18	13	10	17	26	15	29	10	17	1	485	3.19
C92-C94	Myeloid Leukaemia	12	21	14	26	27	31	27	35	24	29	26	23	21	26	13	17	-	372	2.45
C95	Leukaemia Uns	12	17	19	14	9	11	7	9	7	11	5	5	3	3	7	3	1	143	0.94
O&U*	Other and Uns	5	9	12	11	22	25	22	39	60	74	112	95	133	112	82	80	7	900	5.93
	All Sites	304	297	270	325	329	422	527	674	905	1232	1651	1668	2053	1652	1322	1461	97	15189	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):2008-2009 - Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	1	-	-	3	2	2	3	-	1	1	-	3	1	-	17	0.12
C01-C02	Tongue	1	1	-	-	1	6	8	11	18	26	36	34	53	15	22	20	3	255	1.84
C03-C06	Mouth	1	-	-	-	3	7	7	13	23	29	33	19	42	29	23	24	3	256	1.85
C07-C08	Salivary Gland	-	1	1	1	6	7	4	3	8	6	6	5	9	3	-	1	-	61	0.44
C09	Tonsil	-	-	-	-	-	1	2	1	2	1	3	6	13	6	4	3	-	42	0.30
C10	Oth. Oropharynx	-	-	-	-	-	-	-	1	-	2	2	1	9	3	4	1	-	23	0.17
C11	Nasopharynx	-	-	-	3	3	1	3	2	4	3	3	1	3	1	1	2	-	30	0.22
C12-C13	Hypopharynx	-	-	-	-	-	-	-	3	2	1	3	5	6	3	4	-	-	27	0.20
C14	Pharynx Unspecified	-	-	-	-	1	-	1	-	1	1	-	-	2	1	2	1	2	12	0.09
C15	Oesophagus	-	-	-	-	2	2	5	14	16	33	46	37	46	30	30	41	4	306	2.21
C16	Stomach	-	-	-	1	2	3	14	9	13	22	17	23	31	18	10	11	-	174	1.26
C17	Small Intestine	-	-	-	1	1	1	3	-	2	3	-	6	-	3	2	2	-	24	0.17
C18	Colon	-	-	-	1	2	8	5	17	18	31	18	23	27	22	29	9	-	210	1.52
C19-C20	Rectum	1	-	-	3	15	10	11	17	10	28	19	14	25	33	6	19	1	212	1.53
C21	Anus & Anal Canal	-	-	-	-	1	1	-	5	1	8	3	5	6	4	2	6	-	42	0.30
C22	Liver	6	-	1	-	1	2	9	10	13	18	13	19	25	16	8	12	1	154	1.11
C23-C24	Gallbladder etc.	-	-	1	-	8	18	33	63	94	126	146	113	159	99	63	72	7	1002	7.24
C25	Pancreas	-	-	-	2	-	1	2	4	6	9	20	6	22	13	17	17	1	120	0.87
C30-C31	Nose, Sinuses etc.	-	-	-	-	1	4	-	-	4	1	2	2	1	1	2	-	-	18	0.13
C32	Larynx	-	-	1	-	-	1	6	5	9	8	18	7	21	8	14	7	1	106	0.77
C33-C34	Lung etc.	-	-	-	-	3	6	8	19	20	39	56	74	74	62	25	43	1	430	3.11
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	4	5	-	3	5	2	3	2	-	24	0.17
C40-C41	Bone	5	11	24	21	22	18	13	14	15	7	14	11	11	12	2	6	-	206	1.49
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	0.01
C44	Other Skin	1	-	1	-	2	5	5	3	20	12	10	7	14	11	11	8	-	110	0.79
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	5	0.04
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	4	0.03
C47+C49	Conn. & Soft Tissue	6	5	5	12	10	10	11	9	16	22	15	6	12	7	4	3	1	154	1.11
C50	Breast	-	-	1	6	22	77	172	319	466	521	582	399	453	285	212	168	23	3706	26.78
C51	Vulva	-	-	-	-	1	-	3	1	4	7	4	1	7	6	6	10	-	50	0.36
C52	Vagina	-	1	-	1	1	1	1	4	4	7	6	5	7	6	2	2	-	48	0.35
C53	Cervix Uteri	-	-	1	3	7	18	63	130	224	273	253	206	278	143	63	62	9	1733	12.52
C54	Corpus Uteri	-	-	-	-	2	2	7	13	21	51	86	85	78	59	32	13	4	453	3.27
C55	Uterus Unspecified	-	-	-	-	-	2	3	6	3	8	5	8	9	4	7	2	-	57	0.41
C56	Ovary etc.	2	2	6	22	38	49	42	80	101	126	136	114	92	74	53	39	5	981	7.09
C57	Other Female Genital	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	1	-	7	0.05
C58	Placenta	-	-	-	-	1	1	1	1	-	-	-	-	1	-	1	-	-	6	0.04
C64	Kidney etc.	22	5	1	3	-	4	2	5	10	9	15	23	15	10	6	7	-	137	0.99
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.01
C66	Ureter	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	0.01
C67	Bladder	-	-	-	-	4	3	5	7	18	16	14	18	23	31	10	20	1	170	1.23
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	0.01
C69	Eye	17	9	-	-	-	-	1	-	-	-	-	-	4	1	-	1	1	34	0.25
C70-C72	Brain, NS	11	9	13	12	17	27	22	23	32	29	17	19	24	15	12	4	5	291	2.10
C73	Thyroid	-	1	2	22	27	25	41	42	34	35	37	18	27	11	9	10	1	342	2.47
C74	Adrenal Gland	11	-	1	-	2	1	1	2	2	1	-	1	-	2	-	-	-	24	0.17
C81	Hodgkins Disease	4	6	3	3	16	11	5	4	5	7	11	8	5	4	5	3	-	100	0.72
C82-C85,C96	NHL	11	12	8	20	11	14	19	20	17	33	35	37	48	38	24	35	-	382	2.76
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	-	-	1	-	-	-	3	7	14	20	19	23	22	15	16	-	141	1.02
C91	Lymphoid Leuk.	51	49	17	17	16	11	5	6	2	9	9	11	13	13	4	10	2	245	1.77
C92-C94	Myeloid Leukaemia	14	6	12	9	18	21	18	25	23	22	36	16	15	14	13	11	3	276	1.99
C95	Leukaemia Uns	7	4	4	7	3	6	7	5	5	3	8	5	1	3	4	2	-	74	0.53
O&U*	Other and Uns	5	3	6	6	13	20	23	41	49	57	72	52	74	43	42	40	4	550	3.97
	All Sites	177	126	109	178	283	405	594	963	1349	1674	1834	1478	1815	1187	814	767	85	13838	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population:2008-2009 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	0.1	-	-	0.1	0.1	0.2	0.2	0.5	0.6	0.7	1.0	1.6	5.2	2.2	2.1	3.0	0.4	0.67	0.08	1.4
C01-C02	-	-	0.1	-	0.3	1.1	2.8	3.7	6.8	12.4	21.0	22.9	51.1	39.7	29.3	28.3	4.9	8.02	0.27	17.4
C03-C06	-	-	-	0.1	0.3	1.5	3.6	4.7	6.6	11.2	17.5	29.1	33.7	24.4	26.7	20.2	4.4	6.79	0.25	15.3
C07-C08	-	-	-	0.1	0.4	0.2	0.5	0.8	0.8	1.0	1.5	3.2	3.1	4.9	4.2	1.5	0.6	0.83	0.08	1.6
C09	-	-	-	-	0.1	0.3	0.2	0.5	1.7	3.4	5.0	10.5	13.8	8.2	8.4	6.6	1.3	2.15	0.14	5.0
C10	-	-	-	-	-	-	0.1	0.3	0.7	1.1	4.8	7.6	11.0	7.1	5.2	3.5	0.8	1.51	0.12	3.6
C11	-	-	0.3	0.1	0.1	0.1	0.1	0.3	0.6	0.5	1.3	2.8	3.7	1.9	1.0	1.5	0.4	0.57	0.07	1.3
C12-C13	-	-	-	-	-	0.1	-	0.3	0.7	2.8	5.0	9.6	16.8	12.4	11.0	10.6	1.3	2.34	0.15	4.9
C14	-	-	-	-	-	0.1	-	0.1	0.3	0.9	0.4	1.1	1.8	3.4	2.1	1.0	0.2	0.39	0.06	0.7
C15	-	-	-	-	0.1	0.1	0.5	1.2	2.2	5.8	13.7	19.3	29.4	26.2	27.2	23.8	2.8	5.03	0.22	10.3
C16	-	-	-	-	0.1	0.4	0.6	1.5	1.7	4.1	8.3	12.2	15.3	17.6	23.6	20.7	2.0	3.44	0.18	6.3
C17	-	-	-	-	0.1	0.1	0.3	0.2	0.2	0.3	0.7	0.2	0.6	1.5	1.6	2.0	0.2	0.27	0.05	0.4
C18	-	-	-	0.1	0.3	0.9	0.9	1.7	2.5	2.6	6.7	11.2	11.9	13.1	14.1	24.3	1.9	3.00	0.17	5.4
C19-C20	-	-	-	0.5	0.7	1.0	1.5	1.4	1.9	1.0	5.0	8.3	9.2	10.9	8.9	16.7	1.6	2.32	0.14	3.9
C21	-	-	-	0.1	-	0.2	0.2	0.5	0.6	0.6	2.0	0.9	2.8	1.9	1.6	1.5	0.3	0.51	0.07	1.1
C22	0.5	0.1	-	-	-	0.4	0.3	0.6	1.6	2.6	4.8	8.7	16.2	17.2	15.7	14.2	1.6	2.76	0.16	4.9
C23-C24	-	-	-	-	0.1	0.5	1.2	1.8	2.0	5.5	10.1	16.1	22.6	19.1	24.6	19.7	2.5	4.19	0.20	8.4
C25	-	-	-	-	-	0.1	0.2	0.3	1.0	2.1	3.1	6.2	9.2	11.2	13.6	10.1	1.0	1.81	0.13	3.1
C30-C31	-	-	-	-	-	0.1	0.1	0.1	0.2	1.0	0.3	0.7	0.6	1.5	1.6	1.0	0.2	0.26	0.05	0.5
C32	0.1	-	-	0.1	-	0.3	0.6	1.5	4.2	6.6	20.3	21.3	52.3	45.7	37.7	35.9	4.2	7.61	0.28	15.1
C33-C34	0.1	-	0.1	0.1	0.1	0.5	1.5	1.3	5.9	13.0	25.6	46.3	85.4	86.2	93.2	78.3	7.5	13.93	0.37	25.0
C37-C38	-	-	-	0.2	-	0.1	0.1	0.1	0.3	0.2	1.3	1.6	2.4	1.5	1.6	0.5	0.2	0.38	0.06	0.8
C40-C41	0.7	0.9	1.9	2.5	1.4	1.4	1.2	1.0	1.2	2.9	3.5	4.8	6.7	4.5	5.8	3.5	1.8	2.13	0.12	3.0
C43	0.1	-	-	-	-	-	-	-	0.1	-	-	-	-	0.4	-	1.0	-	0.04	0.02	-
C44	0.1	-	0.1	0.1	0.1	0.2	0.3	0.6	1.3	1.6	2.8	6.0	7.6	8.2	11.5	15.2	1.0	1.74	0.13	2.9
C45	-	-	-	-	0.1	-	-	0.1	-	0.2	0.1	0.2	-	-	0.5	-	-	0.06	0.02	0.1
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.8	0.5	0.5	0.5	0.7	0.7	1.5	0.8	1.2	1.7	2.9	4.4	7.0	4.9	4.2	6.6	1.2	1.62	0.11	2.6
C50	-	-	-	-	-	0.2	0.2	0.5	0.5	1.7	2.0	3.0	5.8	3.7	9.9	6.1	0.6	1.07	0.10	2.0
C60	-	-	-	-	-	0.1	0.5	0.3	0.7	0.7	1.5	2.1	4.6	5.2	2.6	6.1	0.5	0.81	0.09	1.4
C61	-	-	-	-	0.1	-	0.2	0.1	0.6	0.7	5.3	14.0	43.1	71.2	119.4	174.4	5.2	10.66	0.34	8.5
C62	0.5	-	-	0.3	0.9	1.2	1.1	0.8	0.4	1.0	0.7	0.7	0.3	0.4	1.0	-	0.6	0.57	0.06	0.7
C63	-	-	-	-	-	-	-	-	-	0.1	0.1	0.2	-	-	0.5	0.5	-	0.05	0.02	0.1
C64	2.0	0.7	0.1	0.3	0.2	0.2	0.5	0.6	0.8	3.5	4.8	11.0	14.7	11.2	8.9	12.6	1.7	2.74	0.16	5.0
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	0.01	0.01	-
C66	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.3	0.4	0.5	0.5	-	0.06	0.03	0.1
C67	0.1	-	-	-	0.3	0.5	1.0	1.2	2.3	5.7	11.4	20.9	31.5	36.0	51.8	67.7	3.7	6.82	0.26	10.4
C68	-	-	-	-	-	-	-	-	-	-	-	0.5	0.6	0.4	0.5	0.5	-	0.07	0.03	0.1
C69	2.1	0.2	-	-	-	-	-	-	0.1	-	-	0.5	-	-	0.5	0.5	0.2	0.33	0.05	0.1
C70-C72	2.4	1.6	1.4	1.0	1.5	2.1	2.4	2.8	3.1	5.4	7.4	8.9	11.6	11.2	9.4	9.6	2.9	3.68	0.17	6.0
C73	-	0.1	-	0.3	0.4	0.7	0.9	0.6	1.6	0.9	1.6	2.8	4.0	2.2	5.8	3.0	0.7	0.96	0.09	1.7
C74	0.5	0.2	-	0.1	-	-	0.1	0.1	0.1	0.2	0.1	-	-	0.7	-	-	0.1	0.15	0.03	0.1
C81	0.5	1.9	1.5	1.4	0.7	0.9	1.2	1.0	1.2	1.9	1.6	3.0	2.8	1.9	3.7	1.5	1.3	1.44	0.10	1.8
C82-C85,C96	0.7	1.6	1.1	1.7	1.5	1.5	1.5	2.9	3.6	5.3	8.2	15.6	23.9	21.0	26.2	29.8	3.6	5.29	0.22	8.7
C88	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	0.1	0.1	0.1	0.2	0.6	1.2	2.0	3.9	8.3	12.8	13.9	15.2	15.2	1.3	2.33	0.15	4.1
C91	4.8	3.7	2.7	2.6	1.3	0.8	0.6	1.2	1.0	1.0	2.5	6.0	4.6	10.9	5.2	8.6	2.5	2.97	0.15	2.4
C92-C94	0.7	1.0	0.6	1.2	1.3	1.6	1.7	2.3	1.9	3.0	3.8	5.3	6.4	9.7	6.8	8.6	1.9	2.37	0.13	3.5
C95	0.7	0.8	0.9	0.6	0.4	0.6	0.4	0.6	0.6	1.1	0.7	1.1	0.9	1.1	3.7	1.5	0.7	0.80	0.07	0.8
O&U *	0.3	0.4	0.5	0.5	1.0	1.3	1.4	2.5	4.7	7.7	16.4	21.8	40.7	42.0	42.9	40.4	4.6	7.58	0.27	13.6
All	17.5	14.3	12.2	14.8	15.3	22.0	32.5	43.7	71.2	128.1	241.2	382.5	628.0	619.4	692.1	738.4	76.8	125.2	1.08	216.3

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population:2008-2009 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	0.1	-	-	0.2	0.2	0.2	0.4	-	0.3	0.3	-	1.6	0.5	0.1	0.13	0.03	0.2
C01-C02	0.1	0.1	-	-	0.1	0.4	0.6	0.8	1.9	3.5	7.1	9.1	15.5	5.3	12.0	10.8	1.6	2.40	0.16	5.5
C03-C06	0.1	-	-	-	0.2	0.5	0.5	1.0	2.4	3.9	6.5	5.1	12.3	10.2	12.5	13.0	1.6	2.36	0.15	4.7
C07-C08	-	0.1	0.1	0.1	0.4	0.5	0.3	0.2	0.8	0.8	1.2	1.3	2.6	1.1	-	0.5	0.4	0.47	0.06	1.1
C09	-	-	-	-	-	0.1	0.1	0.1	0.2	0.1	0.6	1.6	3.8	2.1	2.2	1.6	0.3	0.42	0.07	0.9
C10	-	-	-	-	-	-	-	0.1	-	0.3	0.4	0.3	2.6	1.1	2.2	0.5	0.1	0.24	0.05	0.5
C11	-	-	-	0.2	0.2	0.1	0.2	0.2	0.4	0.4	0.6	0.3	0.9	0.4	0.5	1.1	0.2	0.23	0.04	0.4
C12-C13	-	-	-	-	-	-	-	0.2	0.2	0.1	0.6	1.3	1.8	1.1	2.2	-	0.2	0.26	0.05	0.6
C14	-	-	-	-	0.1	-	0.1	-	0.1	0.1	-	-	0.6	0.4	1.1	0.5	0.1	0.09	0.03	0.1
C15	-	-	-	-	0.1	0.1	0.4	1.1	1.6	4.4	9.0	9.9	13.5	10.5	16.3	22.1	1.9	2.94	0.17	5.8
C16	-	-	-	0.1	0.1	0.2	1.0	0.7	1.3	2.9	3.3	6.1	9.1	6.3	5.4	5.9	1.1	1.58	0.12	3.5
C17	-	-	-	0.1	0.1	0.1	0.2	-	0.2	0.4	-	1.6	-	1.1	1.1	1.1	0.1	0.20	0.04	0.3
C18	-	-	-	0.1	0.1	0.5	0.4	1.3	1.9	4.1	3.5	6.1	7.9	7.7	15.8	4.9	1.3	1.90	0.14	3.8
C19-C20	0.1	-	-	0.2	1.0	0.6	0.8	1.3	1.0	3.7	3.7	3.7	7.3	11.6	3.3	10.3	1.3	1.81	0.13	3.2
C21	-	-	-	-	0.1	0.1	-	0.4	0.1	1.1	0.6	1.3	1.8	1.4	1.1	3.2	0.3	0.38	0.06	0.8
C22	0.4	-	0.1	-	0.1	0.1	0.7	0.8	1.3	2.4	2.6	5.1	7.3	5.6	4.3	6.5	1.0	1.39	0.12	2.9
C23-C24	-	-	0.1	-	0.5	1.2	2.4	4.8	9.7	16.8	28.7	30.1	46.5	34.7	34.2	38.9	6.2	9.16	0.30	20.6
C25	-	-	-	0.1	-	0.1	0.1	0.3	0.6	1.2	3.9	1.6	6.4	4.6	9.2	9.2	0.7	1.17	0.11	2.1
C30-C31	-	-	-	-	0.1	0.3	-	-	0.4	0.1	0.4	0.5	0.3	0.4	1.1	-	0.1	0.14	0.04	0.3
C32	-	-	0.1	-	-	0.1	0.4	0.4	0.9	1.1	3.5	1.9	6.1	2.8	7.6	3.8	0.7	0.99	0.10	2.1
C33-C34	-	-	-	-	0.2	0.4	0.6	1.4	2.1	5.2	11.0	19.7	21.6	21.7	13.6	23.2	2.7	4.20	0.21	8.8
C37-C38	-	-	-	-	-	-	-	-	0.4	0.7	-	0.8	1.5	0.7	1.6	1.1	0.1	0.23	0.05	0.5
C40-C41	0.3	0.6	1.2	1.3	1.4	1.2	0.9	1.1	1.5	0.9	2.7	2.9	3.2	4.2	1.1	3.2	1.3	1.41	0.10	1.9
C43	-	-	-	-	-	-	-	-	-	-	0.2	-	-	0.4	-	-	-	0.02	0.01	-
C44	0.1	-	0.1	-	0.1	0.3	0.4	0.2	2.1	1.6	2.0	1.9	4.1	3.9	6.0	4.3	0.7	0.96	0.10	1.8
C45	-	-	-	-	-	-	-	-	-	0.1	0.4	0.3	-	-	0.5	-	-	0.05	0.02	0.1
C46	-	-	-	-	-	-	-	0.1	-	-	0.2	0.3	0.3	-	-	-	-	0.04	0.02	0.1
C47+C49	0.4	0.3	0.3	0.7	0.7	0.6	0.8	0.7	1.6	2.9	2.9	1.6	3.5	2.5	2.2	1.6	1.0	1.14	0.10	2.2
C50	-	-	0.1	0.4	1.4	5.0	12.5	24.2	48.0	69.4	114.2	106.4	132.5	99.9	115.2	90.7	23.0	32.18	0.55	76.7
C51	-	-	-	-	0.1	-	0.2	0.1	0.4	0.9	0.8	0.3	2.0	2.1	3.3	5.4	0.3	0.47	0.07	0.7
C52	-	0.1	-	0.1	0.1	0.1	0.1	0.3	0.4	0.9	1.2	1.3	2.0	2.1	1.1	1.1	0.3	0.43	0.06	0.9
C53	-	-	0.1	0.2	0.5	1.2	4.6	9.9	23.1	36.4	49.7	55.0	81.3	50.1	34.2	33.5	10.7	15.37	0.38	39.0
C54	-	-	-	-	0.1	0.1	0.5	1.0	2.2	6.8	16.9	22.7	22.8	20.7	17.4	7.0	2.8	4.42	0.21	10.5
C55	-	-	-	-	-	0.1	0.2	0.5	0.3	1.1	1.0	2.1	2.6	1.4	3.8	1.1	0.4	0.51	0.07	1.1
C56	0.1	0.1	0.3	1.4	2.5	3.2	3.1	6.1	10.4	16.8	26.7	30.4	26.9	25.9	28.8	21.0	6.1	8.21	0.27	18.1
C57	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.8	-	-	-	0.5	-	0.07	0.03	0.2
C58	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	0.3	-	0.5	-	-	0.04	0.02	0.1
C64	1.5	0.3	0.1	0.2	-	0.3	0.1	0.4	1.0	1.2	2.9	6.1	4.4	3.5	3.3	3.8	0.8	1.23	0.11	2.3
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	0.01	0.01	-
C66	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	0.01	-
C67	-	-	-	-	0.3	0.2	0.4	0.5	1.9	2.1	2.7	4.8	6.7	10.9	5.4	10.8	1.1	1.58	0.12	2.8
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	0.01	0.01	-
C69	1.2	0.5	-	-	-	-	0.1	-	-	-	-	-	1.2	0.4	-	0.5	0.2	0.26	0.05	0.2
C70-C72	0.8	0.5	0.7	0.7	1.1	1.8	1.6	1.7	3.3	3.9	3.3	5.1	7.0	5.3	6.5	2.2	1.8	2.11	0.13	3.8
C73	-	0.1	0.1	1.4	1.8	1.6	3.0	3.2	3.5	4.7	7.3	4.8	7.9	3.9	4.9	5.4	2.1	2.46	0.14	5.0
C74	0.8	-	0.1	-	0.1	0.1	0.1	0.2	0.2	0.1	-	0.3	-	0.7	-	-	0.1	0.18	0.04	0.1
C81	0.3	0.3	0.2	0.2	1.0	0.7	0.4	0.3	0.5	0.9	2.2	2.1	1.5	1.4	2.7	1.6	0.6	0.75	0.08	1.2
C82-C85,C96	0.8	0.7	0.4	1.2	0.7	0.9	1.4	1.5	1.7	4.4	6.9	9.9	14.0	13.3	13.0	18.9	2.4	3.32	0.18	5.7
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	0.1	-	-	0.1	-	-	-	0.2	0.7	1.9	3.9	5.1	6.7	7.7	8.1	8.6	0.9	1.42	0.12	2.7
C91	3.5	2.8	0.9	1.0	1.0	0.7	0.4	0.5	0.2	1.2	1.8	2.9	3.8	4.6	2.2	5.4	1.5	1.80	0.12	1.5
C92-C94	1.0	0.3	0.6	0.6	1.2	1.4	1.3	1.9	2.4	2.9	7.1	4.3	4.4	4.9	7.1	5.9	1.7	2.08	0.13	3.6
C95	0.5	0.2	0.2	0.4	0.2	0.4	0.5	0.4	0.5	0.4	1.6	1.3	0.3	1.1	2.2	1.1	0.5	0.53	0.07	0.7
O&U*	0.3	0.2	0.3	0.4	0.8	1.3	1.7	3.1	5.0	7.6	14.1	13.9	21.6	15.1	22.8	21.6	3.4	4.80	0.21	9.9
All	12.3	7.1	5.7	11.0	18.5	26.3	43.2	73.1	138.8	222.9	360.0	394.3	530.9	416.0	442.3	413.9	85.8	120.6	1.07	261.6

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis:2008-2009 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	3.5	72	83.7	10	11.6	-	-	1	1.2	-	-	86	100.0
C01-C02	Tongue	42	4.3	822	84.2	65	6.7	6	0.6	41	4.2	-	-	976	100.0
C03-C06	Mouth	39	4.4	740	84.2	41	4.7	6	0.7	53	6.0	-	-	879	100.0
C07-C08	Salivary Gland	9	8.0	97	85.8	5	4.4	-	-	1	0.9	1	0.9	113	100.0
C09	Tonsil	6	2.4	223	89.2	10	4.0	2	0.8	9	3.6	-	-	250	100.0
C10	Oth. Oropharynx	1	0.6	143	86.7	9	5.5	2	1.2	10	6.1	-	-	165	100.0
C11	Nasopharynx	3	4.0	57	76.0	6	8.0	2	2.7	7	9.3	-	-	75	100.0
C12-C13	Hypopharynx	6	2.4	196	78.7	23	9.2	1	0.4	23	9.2	-	-	249	100.0
C14	Pharynx Unspecified	-	-	42	95.5	2	4.5	-	-	-	-	-	-	44	100.0
C15	Oesophagus	7	1.3	450	80.5	7	1.3	11	2.0	84	15.0	-	-	559	100.0
C16	Stomach	10	2.5	327	81.5	11	2.7	4	1.0	49	12.2	-	-	401	100.0
C17	Small Intestine	3	7.9	29	76.3	-	-	-	-	6	15.8	-	-	38	100.0
C18	Colon	10	2.7	312	84.1	5	1.3	1	0.3	43	11.6	-	-	371	100.0
C19-C20	Rectum	18	5.9	263	85.7	4	1.3	1	0.3	21	6.8	-	-	307	100.0
C21	Anus & Anal Canal	1	1.5	59	86.8	1	1.5	-	-	7	10.3	-	-	68	100.0
C22	Liver	7	2.3	276	89.6	8	2.6	3	1.0	13	4.2	1	0.3	308	100.0
C23-C24	Gallbladder etc.	15	3.1	383	78.2	34	6.9	2	0.4	56	11.4	-	-	490	100.0
C25	Pancreas	10	5.0	140	70.0	16	8.0	2	1.0	32	16.0	-	-	200	100.0
C30-C31	Nose, Sinuses etc.	-	-	35	100.0	-	-	-	-	-	-	-	-	35	100.0
C32	Larynx	22	2.6	662	79.2	73	8.7	12	1.4	66	7.9	1	0.1	836	100.0
C33-C34	Lung etc.	27	1.8	1237	83.2	107	7.2	22	1.5	91	6.1	2	0.1	1486	100.0
C37-C38	Other Thoracic Organs	4	8.5	39	83.0	1	2.1	2	4.3	1	2.1	-	-	47	100.0
C40-C41	Bone	8	2.2	332	91.5	10	2.8	2	0.6	11	3.0	-	-	363	100.0
C43	Melanoma of Skin	2	40.0	2	40.0	-	-	-	-	1	20.0	-	-	5	100.0
C44	Other Skin	4	2.0	192	95.0	3	1.5	1	0.5	1	0.5	1	0.5	202	100.0
C45	Mesothelioma	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	0.4	236	97.5	-	-	-	-	5	2.1	-	-	242	100.0
C50	Breast	-	-	111	88.1	12	9.5	-	-	3	2.4	-	-	126	100.0
C60	Penis	5	5.2	80	82.5	2	2.1	-	-	9	9.3	1	1.0	97	100.0
C61	Prostate	72	7.0	828	80.4	45	4.4	2	0.2	82	8.0	1	0.1	1030	100.0
C62	Testis	1	0.9	109	93.2	6	5.1	-	-	1	0.9	-	-	117	100.0
C63	Other Male Genital	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C64	Kidney etc.	4	1.2	312	94.3	6	1.8	1	0.3	8	2.4	-	-	331	100.0
C65	Renal Pelvis	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	1	16.7	4	66.7	1	16.7	-	-	-	-	-	-	6	100.0
C67	Bladder	18	2.4	632	85.5	33	4.5	4	0.5	52	7.0	-	-	739	100.0
C68	Uns. Urinary Organs	1	14.3	6	85.7	-	-	-	-	-	-	-	-	7	100.0
C69	Eye	2	4.1	47	95.9	-	-	-	-	-	-	-	-	49	100.0
C70-C72	Brain, Nervous System	14	2.5	523	91.8	18	3.2	5	0.9	9	1.6	1	0.2	570	100.0
C73	Thyroid	2	1.4	134	93.7	5	3.5	-	-	2	1.4	-	-	143	100.0
C74	Adrenal Gland	-	-	24	96.0	1	4.0	-	-	-	-	-	-	25	100.0
C81	Hodgkins Disease	-	-	265	100.0	-	-	-	-	-	-	-	-	265	100.0
C82-C85,C96	NHL	-	-	712	99.7	-	-	1	0.1	1	0.1	-	-	714	100.0
C88	Malig Imn.Prol D	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C90	Multiple Myeloma	-	-	258	100.0	-	-	-	-	-	-	-	-	258	100.0
C91	Lymphoid Leuk.	-	-	484	99.8	-	-	-	-	-	-	1	0.2	485	100.0
C92-C94	Myeloid Leukaemia	-	-	371	99.7	-	-	1	0.3	-	-	-	-	372	100.0
C95	Leukaemia Uns	-	-	142	99.3	-	-	-	-	-	-	1	0.7	143	100.0
O&U*	Other and Uns	140	15.6	692	76.9	11	1.2	14	1.6	43	4.8	-	-	900	100.0
	All Sites	518	3.4	13117	86.4	591	3.9	110	0.7	842	5.5	11	0.1	15189	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis:2008-2009 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	5.9	14	82.4	-	-	-	-	2	11.8	-	-	17	100.0
C01-C02	Tongue	14	5.5	224	87.8	5	2.0	1	0.4	11	4.3	-	-	255	100.0
C03-C06	Mouth	11	4.3	223	87.1	7	2.7	1	0.4	14	5.5	-	-	256	100.0
C07-C08	Salivary Gland	5	8.2	49	80.3	5	8.2	-	-	2	3.3	-	-	61	100.0
C09	Tonsil	-	-	40	95.2	1	2.4	-	-	1	2.4	-	-	42	100.0
C10	Oth. Oropharynx	2	8.7	17	73.9	2	8.7	-	-	2	8.7	-	-	23	100.0
C11	Nasopharynx	2	6.7	23	76.7	2	6.7	-	-	3	10.0	-	-	30	100.0
C12-C13	Hypopharynx	1	3.7	18	66.7	2	7.4	1	3.7	5	18.5	-	-	27	100.0
C14	Pharynx Unspecified	-	-	11	91.7	-	-	-	-	1	8.3	-	-	12	100.0
C15	Oesophagus	7	2.3	261	85.3	4	1.3	2	0.7	31	10.1	1	0.3	306	100.0
C16	Stomach	6	3.4	144	82.8	1	0.6	1	0.6	21	12.1	1	0.6	174	100.0
C17	Small Intestine	3	12.5	17	70.8	-	-	-	-	4	16.7	-	-	24	100.0
C18	Colon	8	3.8	178	84.8	2	1.0	-	-	22	10.5	-	-	210	100.0
C19-C20	Rectum	7	3.3	183	86.3	3	1.4	1	0.5	18	8.5	-	-	212	100.0
C21	Anus & Anal Canal	1	2.4	39	92.9	-	-	-	-	2	4.8	-	-	42	100.0
C22	Liver	5	3.2	142	92.2	4	2.6	-	-	3	1.9	-	-	154	100.0
C23-C24	Gallbladder etc.	30	3.0	804	80.2	61	6.1	9	0.9	98	9.8	-	-	1002	100.0
C25	Pancreas	6	5.0	91	75.8	10	8.3	3	2.5	10	8.3	-	-	120	100.0
C30-C31	Nose, Sinuses etc.	-	-	16	88.9	1	5.6	-	-	1	5.6	-	-	18	100.0
C32	Larynx	2	1.9	98	92.5	2	1.9	-	-	4	3.8	-	-	106	100.0
C33-C34	Lung etc.	5	1.2	346	80.5	38	8.8	6	1.4	35	8.1	-	-	430	100.0
C37-C38	Other Thoracic Organs	-	-	22	91.7	-	-	-	-	2	8.3	-	-	24	100.0
C40-C41	Bone	3	1.5	183	88.8	7	3.4	1	0.5	12	5.8	-	-	206	100.0
C43	Melanoma of Skin	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	-	-	108	98.2	-	-	-	-	2	1.8	-	-	110	100.0
C45	Mesothelioma	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C46	Kaposi Sarcoma	-	-	3	75.0	-	-	-	-	1	25.0	-	-	4	100.0
C47+C49	Conn. & Soft Tissue	2	1.3	149	96.8	-	-	1	0.6	2	1.3	-	-	154	100.0
C50	Breast	25	0.7	3248	87.6	303	8.2	10	0.3	117	3.2	3	0.1	3706	100.0
C51	Vulva	9	18.0	38	76.0	1	2.0	-	-	2	4.0	-	-	50	100.0
C52	Vagina	4	8.3	41	85.4	2	4.2	1	2.1	-	-	-	-	48	100.0
C53	Cervix Uteri	115	6.6	1509	87.1	39	2.3	3	0.2	67	3.9	-	-	1733	100.0
C54	Corpus Uteri	36	7.9	396	87.4	1	0.2	2	0.4	18	4.0	-	-	453	100.0
C55	Uterus Unspecified	6	10.5	42	73.7	4	7.0	-	-	5	8.8	-	-	57	100.0
C56	Ovary etc.	23	2.3	767	78.2	110	11.2	2	0.2	78	8.0	1	0.1	981	100.0
C57	Other Female Genital	1	14.3	6	85.7	-	-	-	-	-	-	-	-	7	100.0
C58	Placenta	2	33.3	3	50.0	-	-	-	-	1	16.7	-	-	6	100.0
C64	Kidney etc.	3	2.2	126	92.0	3	2.2	1	0.7	4	2.9	-	-	137	100.0
C65	Renal Pelvis	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C67	Bladder	4	2.4	146	85.9	10	5.9	-	-	10	5.9	-	-	170	100.0
C68	Uns. Urinary Organs	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C69	Eye	-	-	29	85.3	3	8.8	-	-	2	5.9	-	-	34	100.0
C70-C72	Brain, Nervous System	9	3.1	263	90.4	11	3.8	-	-	8	2.7	-	-	291	100.0
C73	Thyroid	1	0.3	322	94.2	11	3.2	-	-	8	2.3	-	-	342	100.0
C74	Adrenal Gland	1	4.2	19	79.2	1	4.2	-	-	2	8.3	1	4.2	24	100.0
C81	Hodgkins Disease	-	-	100	100.0	-	-	-	-	-	-	-	-	100	100.0
C82-C85,C96	NHL	-	-	382	100.0	-	-	-	-	-	-	-	-	382	100.0
C88	Malig Imn.Prol	D	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	141	100.0	-	-	-	-	-	-	-	-	141	100.0
C91	Lymphoid Leuk.	-	-	245	100.0	-	-	-	-	-	-	-	-	245	100.0
C92-C94	Myeloid Leukaemia	-	-	276	100.0	-	-	-	-	-	-	-	-	276	100.0
C95	Leukaemia Uns	-	-	73	98.6	-	-	1	1.4	-	-	-	-	74	100.0
O&U*	Other and Uns	121	22.0	397	72.2	1	0.2	8	1.5	22	4.0	1	0.2	550	100.0
	All Sites	483	3.5	11982	86.6	657	4.7	55	0.4	653	4.7	8	0.1	13838	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis:2008-2009 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	65	75.6	-	-	7	8.1	-	-	-	-	14	16.3	86	100.0
C01-C02	Tongue	689	70.6	-	-	133	13.6	-	-	-	-	154	15.8	976	100.0
C03-C06	Mouth	665	75.7	-	-	75	8.5	-	-	-	-	139	15.8	879	100.0
C07-C08	Salivary Gland	72	63.7	-	-	25	22.1	-	-	-	-	16	14.2	113	100.0
C09	Tonsil	193	77.2	-	-	30	12.0	-	-	-	-	27	10.8	250	100.0
C10	Oth. Oropharynx	115	69.7	-	-	28	17.0	-	-	-	-	22	13.3	165	100.0
C11	Nasopharynx	44	58.7	-	-	13	17.3	-	-	-	-	18	24.0	75	100.0
C12-C13	Hypopharynx	162	65.1	-	-	34	13.7	-	-	-	-	53	21.3	249	100.0
C14	Pharynx Unspecified	33	75.0	-	-	9	20.5	-	-	-	-	2	4.5	44	100.0
C15	Oesophagus	425	76.0	-	-	25	4.5	-	-	-	-	109	19.5	559	100.0
C16	Stomach	266	66.3	-	-	61	15.2	-	-	-	-	74	18.5	401	100.0
C17	Small Intestine	23	60.5	-	-	6	15.8	-	-	-	-	9	23.7	38	100.0
C18	Colon	271	73.0	-	-	41	11.1	-	-	-	-	59	15.9	371	100.0
C19-C20	Rectum	243	79.2	-	-	20	6.5	-	-	-	-	44	14.3	307	100.0
C21	Anus & Anal Canal	53	77.9	-	-	6	8.8	-	-	-	-	9	13.2	68	100.0
C22	Liver	200	64.9	-	-	76	24.7	-	-	-	-	32	10.4	308	100.0
C23-C24	Gallbladder etc.	306	62.4	-	-	77	15.7	-	-	-	-	107	21.8	490	100.0
C25	Pancreas	98	49.0	-	-	42	21.0	-	-	-	-	60	30.0	200	100.0
C30-C31	Nose, Sinuses etc.	30	85.7	-	-	5	14.3	-	-	-	-	-	-	35	100.0
C32	Larynx	550	65.8	-	-	112	13.4	-	-	-	-	174	20.8	836	100.0
C33-C34	Lung etc.	724	48.7	1	0.1	512	34.5	-	-	-	-	249	16.8	1486	100.0
C37-C38	Other Thoracic Organs	32	68.1	-	-	7	14.9	-	-	-	-	8	17.0	47	100.0
C40-C41	Bone	302	83.2	-	-	30	8.3	-	-	-	-	31	8.5	363	100.0
C43	Melanoma of Skin	1	20.0	-	-	1	20.0	-	-	-	-	3	60.0	5	100.0
C44	Other Skin	147	72.8	-	-	45	22.3	-	-	-	-	10	5.0	202	100.0
C45	Mesothelioma	7	77.8	-	-	2	22.2	-	-	-	-	-	-	9	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	202	83.5	-	-	34	14.0	-	-	-	-	6	2.5	242	100.0
C50	Breast	59	46.8	-	-	52	41.3	-	-	-	-	15	11.9	126	100.0
C60	Penis	72	74.2	-	-	8	8.2	-	-	-	-	17	17.5	97	100.0
C61	Prostate	720	69.9	-	-	108	10.5	-	-	-	-	202	19.6	1030	100.0
C62	Testis	91	77.8	-	-	18	15.4	-	-	-	-	8	6.8	117	100.0
C63	Other Male Genital	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C64	Kidney etc.	258	77.9	-	-	54	16.3	-	-	-	-	19	5.7	331	100.0
C65	Renal Pelvis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	4	66.7	-	-	-	-	-	-	-	-	2	33.3	6	100.0
C67	Bladder	612	82.8	-	-	20	2.7	-	-	-	-	107	14.5	739	100.0
C68	Uns.Urinary Organs	5	71.4	-	-	1	14.3	-	-	-	-	1	14.3	7	100.0
C69	Eye	38	77.6	-	-	9	18.4	-	-	-	-	2	4.1	49	100.0
C70-C72	Brain, Nervous System	516	90.5	-	-	7	1.2	-	-	-	-	47	8.2	570	100.0
C73	Thyroid	113	79.0	-	-	21	14.7	-	-	-	-	9	6.3	143	100.0
C74	Adrenal Gland	19	76.0	-	-	5	20.0	-	-	-	-	1	4.0	25	100.0
C81	Hodgkins Disease	258	97.4	-	-	1	0.4	1	0.4	5	1.9	-	-	265	100.0
C82-C85,C96	NHL	702	98.3	-	-	1	0.1	-	-	9	1.3	2	0.3	714	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C90	Multiple Myeloma	7	2.7	-	-	-	-	-	-	251	97.3	-	-	258	100.0
C91	Lymphoid Leuk.	5	1.0	-	-	-	-	1	0.2	478	98.6	1	0.2	485	100.0
C92-C94	Myeloid Leukaemia	8	2.2	-	-	-	-	-	-	363	97.6	1	0.3	372	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	2	1.4	140	97.9	1	0.7	143	100.0
O&U*	Other and Uns	129	14.3	409	45.4	153	17.0	-	-	1	0.1	208	23.1	900	100.0
	All Sites	9541	62.8	410	2.7	1914	12.6	4	-	1248	8.2	2072	13.6	15189	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis:2008-2009 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	12	70.6	1	5.9	1	5.9	-	-	-	-	3	17.6	17	100.0
C01-C02	Tongue	204	80.0	-	-	20	7.8	-	-	-	-	31	12.2	255	100.0
C03-C06	Mouth	202	78.9	-	-	21	8.2	-	-	-	-	33	12.9	256	100.0
C07-C08	Salivary Gland	40	65.6	-	-	9	14.8	-	-	-	-	12	19.7	61	100.0
C09	Tonsil	36	85.7	-	-	4	9.5	-	-	-	-	2	4.8	42	100.0
C10	Oth. Oropharynx	12	52.2	1	4.3	4	17.4	-	-	-	-	6	26.1	23	100.0
C11	Nasopharynx	18	60.0	-	-	5	16.7	-	-	-	-	7	23.3	30	100.0
C12-C13	Hypopharynx	17	63.0	-	-	1	3.7	-	-	-	-	9	33.3	27	100.0
C14	Pharynx Unspecified	10	83.3	-	-	1	8.3	-	-	-	-	1	8.3	12	100.0
C15	Oesophagus	250	81.7	-	-	11	3.6	-	-	-	-	45	14.7	306	100.0
C16	Stomach	131	75.3	-	-	13	7.5	-	-	-	-	30	17.2	174	100.0
C17	Small Intestine	15	62.5	-	-	2	8.3	-	-	-	-	7	29.2	24	100.0
C18	Colon	162	77.1	-	-	16	7.6	-	-	-	-	32	15.2	210	100.0
C19-C20	Rectum	173	81.6	-	-	10	4.7	-	-	-	-	29	13.7	212	100.0
C21	Anus & Anal Canal	37	88.1	-	-	2	4.8	-	-	-	-	3	7.1	42	100.0
C22	Liver	109	70.8	-	-	33	21.4	-	-	-	-	12	7.8	154	100.0
C23-C24	Gallbladder etc.	597	59.6	1	0.1	206	20.6	-	-	-	-	198	19.8	1002	100.0
C25	Pancreas	65	54.2	-	-	26	21.7	-	-	-	-	29	24.2	120	100.0
C30-C31	Nose, Sinuses etc.	15	83.3	-	-	1	5.6	-	-	-	-	2	11.1	18	100.0
C32	Larynx	84	79.2	1	0.9	13	12.3	-	-	-	-	8	7.5	106	100.0
C33-C34	Lung etc.	202	47.0	-	-	144	33.5	-	-	-	-	84	19.5	430	100.0
C37-C38	Other Thoracic Organs	16	66.7	-	-	6	25.0	-	-	-	-	2	8.3	24	100.0
C40-C41	Bone	166	80.6	1	0.5	16	7.8	-	-	-	-	23	11.2	206	100.0
C43	Melanoma of Skin	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	94	85.5	-	-	14	12.7	-	-	-	-	2	1.8	110	100.0
C45	Mesothelioma	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C46	Kaposi Sarcoma	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C47 + C49	Conn. & Soft Tissue	124	80.5	-	-	25	16.2	-	-	-	-	5	3.2	154	100.0
C50	Breast	1806	48.7	-	-	1442	38.9	-	-	-	-	458	12.4	3706	100.0
C51	Vulva	32	64.0	-	-	6	12.0	-	-	-	-	12	24.0	50	100.0
C52	Vagina	39	81.3	-	-	2	4.2	-	-	-	-	7	14.6	48	100.0
C53	Cervix Uteri	1360	78.5	-	-	149	8.6	-	-	-	-	224	12.9	1733	100.0
C54	Corpus Uteri	376	83.0	-	-	20	4.4	-	-	-	-	57	12.6	453	100.0
C55	Uterus Unspecified	37	64.9	-	-	5	8.8	-	-	-	-	15	26.3	57	100.0
C56	Ovary etc.	605	61.7	1	0.1	161	16.4	-	-	-	-	214	21.8	981	100.0
C57	Other Female Genital	5	71.4	-	-	1	14.3	-	-	-	-	1	14.3	7	100.0
C58	Placenta	2	33.3	-	-	1	16.7	-	-	-	-	3	50.0	6	100.0
C64	Kidney etc.	115	83.9	-	-	11	8.0	-	-	-	-	11	8.0	137	100.0
C65	Renal Pelvis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C67	Bladder	140	82.4	-	-	6	3.5	-	-	-	-	24	14.1	170	100.0
C68	Uns. Urinary Organs	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C69	Eye	25	73.5	-	-	4	11.8	-	-	-	-	5	14.7	34	100.0
C70-C72	Brain, Nervous System	257	88.3	1	0.3	5	1.7	-	-	-	-	28	9.6	291	100.0
C73	Thyroid	244	71.3	-	-	77	22.5	-	-	1	0.3	20	5.8	342	100.0
C74	Adrenal Gland	17	70.8	-	-	2	8.3	-	-	-	-	5	20.8	24	100.0
C81	Hodgkins Disease	99	99.0	-	-	-	-	-	-	1	1.0	-	-	100	100.0
C82-C85,C96	NHL	375	98.2	-	-	-	-	-	-	7	1.8	-	-	382	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	0.7	-	-	-	-	-	-	140	99.3	-	-	141	100.0
C91	Lymphoid Leuk.	3	1.2	-	-	-	-	-	-	242	98.8	-	-	245	100.0
C92-C94	Myeloid Leukaemia	1	0.4	-	-	-	-	-	-	275	99.6	-	-	276	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	73	98.6	1	1.4	74	100.0
O&U*	Other and Uns	72	13.1	248	45.1	76	13.8	-	-	1	0.2	153	27.8	550	100.0
	All Sites	8414	60.8	255	1.8	2573	18.6	-	-	740	5.3	1856	13.4	13838	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):2008-2009 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	5	0.25
C01-C02	Tongue	-	-	-	-	1	-	3	5	8	10	14	7	13	7	5	6	2	81	4.05
C03-C06	Mouth	-	-	-	-	1	3	2	14	11	12	13	10	7	5	-	6	1	85	4.25
C07-C08	Salivary Gland	-	-	-	1	-	-	-	2	-	2	2	1	1	1	2	1	-	13	0.65
C09	Tonsil	-	-	-	-	-	-	-	1	2	2	2	2	4	-	1	1	-	15	0.75
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	2	-	1	2	4	7	3	2	-	21	1.05
C11	Nasopharynx	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	-	-	8	0.40
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	-	3	2	5	5	4	5	3	1	29	1.45
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	0.15
C15	Oesophagus	-	-	-	-	1	-	-	4	3	7	15	19	8	13	12	8	3	93	4.65
C16	Stomach	-	-	-	-	-	2	-	3	3	6	7	13	8	8	6	9	2	67	3.35
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	5	0.25
C18	Colon	-	1	-	-	-	2	2	3	1	2	3	5	7	2	7	10	-	45	2.25
C19-C20	Rectum	-	-	1	-	4	-	4	1	2	1	5	1	3	1	4	3	-	30	1.50
C21	Anus & Anal Canal	-	-	-	-	-	1	-	-	-	-	2	-	3	-	-	-	-	6	0.30
C22	Liver	1	-	-	-	-	2	-	3	5	3	9	12	12	8	5	8	-	68	3.40
C23-C24	Gallbladder etc.	-	-	-	-	-	1	1	3	2	11	12	10	11	9	8	10	-	78	3.90
C25	Pancreas	-	-	-	-	-	-	1	-	3	3	1	10	10	7	6	5	-	46	2.30
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	3	0.15
C32	Larynx	-	-	-	-	-	-	-	-	5	3	13	8	19	17	9	8	-	82	4.10
C33-C34	Lung etc.	-	-	-	1	-	2	5	2	18	30	31	44	70	36	31	43	2	315	15.74
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	1	-	1	3	3	1	-	-	-	-	9	0.45
C40-C41	Bone	1	3	2	9	1	1	-	2	2	1	2	-	1	-	1	-	-	26	1.30
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	1	-	-	1	-	1	1	-	4	-	-	-	8	0.40
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	3	1	-	2	-	1	1	-	2	1	2	1	2	1	1	2	-	20	1.00
C50	Breast	-	-	-	-	-	-	-	-	1	1	1	5	2	-	1	1	-	12	0.60
C60	Penis	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	3	0.15
C61	Prostate	-	-	-	-	-	-	-	2	-	-	1	4	9	12	9	37	-	74	3.70
C62	Testis	-	-	-	-	1	3	2	1	-	-	1	-	-	-	-	-	1	9	0.45
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	1	1	-	1	-	1	-	-	2	3	4	6	5	7	5	-	37	1.85
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.05
C67	Bladder	-	-	-	-	-	1	-	1	3	2	2	8	7	8	4	12	-	48	2.40
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.05
C70-C72	Brain, Nervous System	6	8	3	3	8	3	5	4	1	7	8	6	4	5	1	9	1	82	4.10
C73	Thyroid	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	1	-	6	0.30
C74	Adrenal Gland	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	0.10
C81	Hodgkins Disease	-	2	-	2	3	1	1	4	1	1	2	1	2	1	-	2	1	24	1.20
C82-C85,C96	NHL	3	4	3	4	4	1	4	4	12	9	9	18	12	13	10	19	1	130	6.50
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.05
C90	Multiple Myeloma	-	-	-	-	1	-	2	-	2	4	7	5	5	5	9	4	1	45	2.25
C91	Lymphoid Leuk.	14	10	8	23	7	5	4	5	2	2	1	3	3	3	3	4	-	97	4.85
C92-C94	Myeloid Leukaemia	1	3	4	7	5	9	2	12	8	14	3	7	6	6	6	8	-	101	5.05
C95	Leukaemia Uns	1	5	3	6	4	6	2	3	3	1	-	-	-	1	6	2	-	43	2.15
O&U*	Other and Uns	-	1	1	2	5	3	3	3	9	10	10	17	13	15	12	20	-	124	6.20
	All Sites	32	39	26	60	47	49	45	84	117	152	196	239	266	208	175	250	16	2001	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):2008-2009 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.07
C01-C02	Tongue	-	-	-	-	-	1	1	-	-	4	3	2	9	1	3	2	-	26	1.79
C03-C06	Mouth	-	-	-	-	-	-	-	2	-	1	4	1	4	1	3	2	-	18	1.24
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	3	0.21
C11	Nasopharynx	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	4	0.28
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	4	0.28
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	0.21
C15	Oesophagus	-	-	-	-	-	1	-	5	1	3	9	5	7	6	2	10	-	49	3.37
C16	Stomach	-	-	-	1	1	2	3	3	2	4	5	-	5	1	4	1	-	32	2.20
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	4	0.28
C18	Colon	-	-	-	-	1	-	1	2	2	3	2	4	6	5	6	2	-	34	2.34
C19-C20	Rectum	-	-	-	1	2	2	2	2	-	5	1	-	2	2	1	3	-	23	1.58
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.07
C22	Liver	-	-	-	-	-	-	1	1	1	1	3	4	2	6	1	3	-	23	1.58
C23-C24	Gallbladder etc.	-	-	-	-	-	1	3	11	18	12	23	19	24	17	9	15	2	154	10.61
C25	Pancreas	-	-	-	-	-	-	1	1	1	2	3	2	4	3	3	7	-	27	1.86
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	-	-	6	0.41
C33-C34	Lung etc.	-	-	-	-	-	-	-	6	3	7	7	13	19	13	4	12	-	84	5.79
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	3	0.21
C40-C41	Bone	-	-	1	3	-	-	2	1	1	1	2	1	-	3	-	-	-	15	1.03
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	1	-	6	0.41
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.07
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.07
C47+C49	Conn. & Soft Tissue	1	2	-	2	1	-	1	2	-	-	2	-	1	2	1	1	-	16	1.10
C50	Breast	-	-	-	-	2	3	10	22	20	27	36	18	26	16	12	23	3	218	15.01
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	4	0.28
C53	Cervix Uteri	-	-	-	-	-	-	4	13	22	15	12	12	14	13	5	16	1	127	8.75
C54	Corpus Uteri	-	-	-	-	-	-	-	-	2	1	3	4	6	3	4	-	1	24	1.65
C55	Uterus Unspecified	-	-	-	-	-	1	-	-	-	2	1	-	2	-	1	-	-	7	0.48
C56	Ovary etc.	-	-	1	2	4	2	8	8	3	10	13	14	12	15	7	8	1	108	7.44
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	1	1	-	-	-	1	1	-	2	1	1	-	-	-	8	0.55
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	1	-	1	1	-	-	-	1	2	1	2	-	9	0.62
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.07
C70-C72	Brain, NS	2	2	2	-	1	1	3	3	5	3	1	8	3	6	4	-	1	45	3.10
C73	Thyroid	-	-	-	-	-	-	1	2	1	-	1	-	4	1	-	1	-	11	0.76
C74	Adrenal Gland	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4	0.28
C81	Hodgkins Disease	1	-	-	-	1	2	-	-	-	1	2	3	-	1	1	-	-	12	0.83
C82-C85,C96	NHL	2	2	-	2	3	2	1	1	2	7	6	4	9	7	4	8	-	60	4.13
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	1	4	2	4	3	3	2	3	5	-	27	1.86
C91	Lymphoid Leuk.	9	6	5	5	4	7	2	1	-	5	3	2	3	3	-	1	-	56	3.86
C92-C94	Myeloid Leukaemia	3	2	3	4	4	8	4	10	3	4	15	2	3	2	3	3	1	74	5.10
C95	Leukaemia Uns	1	-	3	2	-	6	3	4	2	-	4	2	-	2	3	-	-	32	2.20
O&U*	Other and Uns	2	-	1	-	3	3	2	4	9	7	10	5	21	4	11	4	1	87	5.99
	All Sites	24	14	17	23	29	44	53	108	107	136	178	133	195	144	101	135	11	1452	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population:2008-2009 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	0.1	0.1	-	0.2	0.3	-	-	0.5	-	-	0.02	0.1
C01-C02	-	-	-	-	-	-	0.2	0.3	0.6	1.0	2.0	1.6	4.0	2.6	2.6	3.0	0.4	0.7	0.08	1.4
C03-C06	-	-	-	-	-	0.2	0.1	0.9	0.9	1.2	1.9	2.3	2.1	1.9	-	3.0	0.4	0.6	0.07	1.5
C07-C08	-	-	-	-	-	-	-	0.1	-	0.2	0.3	0.2	0.3	0.4	1.0	0.5	0.1	0.1	0.03	0.2
C09	-	-	-	-	-	-	-	0.1	0.2	0.2	0.3	0.5	1.2	-	0.5	0.5	0.1	0.1	0.03	0.3
C10	-	-	-	-	-	-	-	-	0.2	-	0.1	0.5	1.2	2.6	1.6	1.0	0.1	0.2	0.05	0.3
C11	-	-	-	-	-	-	-	-	0.1	-	0.3	0.5	0.6	0.4	-	-	-	0.1	0.03	0.2
C12-C13	-	-	-	-	-	-	-	0.1	-	0.3	0.3	1.1	1.5	1.5	2.6	1.5	0.1	0.3	0.05	0.5
C14	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.4	0.5	-	-	-	0.02	-
C15	-	-	-	-	-	-	-	0.3	0.2	0.7	2.2	4.4	2.4	4.9	6.3	4.0	0.5	0.8	0.09	1.5
C16	-	-	-	-	-	0.1	-	0.2	0.2	0.6	1.0	3.0	2.4	3.0	3.1	4.5	0.3	0.6	0.08	1.1
C17	-	-	-	-	-	-	-	-	-	-	0.3	0.2	0.3	0.4	-	-	-	-	0.02	0.1
C18	-	-	-	-	-	0.1	0.1	0.2	0.1	0.2	0.4	1.1	2.1	0.7	3.7	5.1	0.2	0.4	0.06	0.6
C19-C20	-	-	-	-	0.2	-	0.2	0.1	0.2	0.1	0.7	0.2	0.9	0.4	2.1	1.5	0.2	0.2	0.04	0.3
C21	-	-	-	-	-	0.1	-	-	-	-	0.3	-	0.9	-	-	-	-	0.1	0.02	0.2
C22	0.1	-	-	-	-	0.1	-	0.2	0.4	0.3	1.3	2.8	3.7	3.0	2.6	4.0	0.3	0.6	0.08	1.2
C23-C24	-	-	-	-	-	0.1	0.1	0.2	0.2	1.1	1.8	2.3	3.4	3.4	4.2	5.1	0.4	0.7	0.08	1.3
C25	-	-	-	-	-	-	0.1	-	0.2	0.3	0.1	2.3	3.1	2.6	3.1	2.5	0.2	0.5	0.07	0.8
C30-C31	-	-	-	-	-	-	-	-	-	-	0.3	0.2	-	-	-	-	-	-	0.01	0.1
C32	-	-	-	-	-	-	-	-	0.4	0.3	1.9	1.8	5.8	6.4	4.7	4.0	0.4	0.8	0.09	1.4
C33-C34	-	-	-	-	-	0.1	0.3	0.1	1.4	3.1	4.5	10.1	21.4	13.5	16.2	21.7	1.6	3.0	0.17	5.7
C37-C38	-	-	-	-	-	-	-	0.1	-	0.1	0.4	0.7	0.3	-	-	-	-	0.1	0.02	0.2
C40-C41	0.1	0.1	0.1	0.4	-	0.1	-	0.1	0.2	0.1	0.3	-	0.3	-	0.5	-	0.1	0.1	0.03	0.2
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	0.1	-	-	0.1	-	0.1	0.2	-	1.5	-	-	-	0.1	0.03	0.1
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.2	-	-	0.1	-	0.1	0.1	-	0.2	0.1	0.3	0.2	0.6	0.4	0.5	1.0	0.1	0.1	0.04	0.2
C50	-	-	-	-	-	-	-	-	0.1	0.1	0.1	1.1	0.6	-	0.5	0.5	0.1	0.1	0.03	0.3
C60	-	-	-	-	-	-	-	-	0.1	-	0.1	-	0.3	-	-	-	-	-	0.02	0.1
C61	-	-	-	-	-	-	-	0.1	-	-	0.1	0.9	2.8	4.5	4.7	18.7	0.4	0.8	0.09	0.5
C62	-	-	-	-	-	0.2	0.1	0.1	-	-	0.1	-	-	-	-	-	-	-	0.01	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	0.1	-	-	-	-	-	0.1	-	-	0.2	0.4	0.9	1.8	1.9	3.7	2.5	0.2	0.3	0.06	0.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	0.2	-	-	-	-	-	-	0.01	-
C67	-	-	-	-	-	0.1	-	0.1	0.2	0.2	0.3	1.8	2.1	3.0	2.1	6.1	0.2	0.5	0.07	0.7
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-
C70-C72	0.3	0.4	0.1	0.1	0.4	0.2	0.3	0.3	0.1	0.7	1.2	1.4	1.2	1.9	0.5	4.5	0.4	0.5	0.07	0.7
C73	-	-	-	-	-	0.1	-	-	-	-	-	0.2	0.6	0.4	-	0.5	-	0.1	0.03	0.1
C74	0.1	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	0.01	-
C81	-	0.1	-	0.1	0.1	0.1	0.1	0.3	0.1	0.1	0.3	0.2	0.6	0.4	-	1.0	0.1	0.1	0.03	0.2
C82-C85,C96	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	0.9	0.9	1.3	4.1	3.7	4.9	5.2	9.6	0.7	1.1	0.10	1.6
C88	-	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.01	-
C90	-	-	-	-	-	-	0.1	-	0.2	0.4	1.0	1.1	1.5	1.9	4.7	2.0	0.2	0.4	0.06	0.6
C91	0.8	0.5	0.4	1.0	0.3	0.3	0.2	0.3	0.2	0.2	0.1	0.7	0.9	1.1	1.6	2.0	0.5	0.6	0.06	0.4
C92-C94	0.1	0.1	0.2	0.3	0.2	0.5	0.1	0.8	0.6	1.5	0.4	1.6	1.8	2.2	3.1	4.0	0.5	0.7	0.07	1.1
C95	0.1	0.2	0.1	0.3	0.2	0.3	0.1	0.2	0.2	0.1	-	-	-	0.4	3.1	1.0	0.2	0.2	0.04	0.1
O&U*	-	-	-	0.1	0.2	0.2	0.2	0.2	0.7	1.0	1.5	3.9	4.0	5.6	6.3	10.1	0.6	1.1	0.10	1.6
All	1.8	1.9	1.2	2.7	2.2	2.6	2.8	5.5	9.2	15.8	28.6	54.8	81.4	78.0	91.6	126.3	10.1	16.7	0.40	28.1

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE DEL-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population:2008-2009 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	0.01	-
C01-C02	-	-	-	-	-	0.1	0.1	-	-	0.5	0.6	0.5	2.6	0.4	1.6	1.1	0.2	0.3	0.05	0.6
C03-C06	-	-	-	-	-	-	-	0.2	-	0.1	0.8	0.3	1.2	0.4	1.6	1.1	0.1	0.2	0.04	0.4
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	0.1	-	-	-	0.4	0.5	-	-	-	0.02	-
C11	-	-	-	-	-	-	-	-	-	0.1	-	0.3	0.3	0.4	-	-	-	-	0.02	0.1
C12-C13	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	0.4	-	0.5	-	-	0.02	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.4	0.5	-	-	-	0.02	-
C15	-	-	-	-	-	0.1	-	0.4	0.1	0.4	1.8	1.3	2.0	2.1	1.1	5.4	0.3	0.5	0.07	0.9
C16	-	-	-	0.1	0.1	0.1	0.2	0.2	0.2	0.5	1.0	-	1.5	0.4	2.2	0.5	0.2	0.3	0.05	0.5
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.5	0.5	-	-	0.02	-
C18	-	-	-	-	0.1	-	0.1	0.2	0.2	0.4	0.4	1.1	1.8	1.8	3.3	1.1	0.2	0.3	0.06	0.6
C19-C20	-	-	-	0.1	0.1	0.1	0.1	0.2	-	0.7	0.2	-	0.6	0.7	0.5	1.6	0.1	0.2	0.04	0.3
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	0.01	-
C22	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.6	1.1	0.6	2.1	0.5	1.6	0.1	0.2	0.05	0.4
C23-C24	-	-	-	-	-	0.1	0.2	0.8	1.9	1.6	4.5	5.1	7.0	6.0	4.9	8.1	1.0	1.4	0.12	3.1
C25	-	-	-	-	-	-	0.1	0.1	0.1	0.3	0.6	0.5	1.2	1.1	1.6	3.8	0.2	0.3	0.05	0.4
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	0.1	0.1	0.1	0.2	-	0.3	-	0.5	-	-	0.1	0.02	0.1
C33-C34	-	-	-	-	-	-	-	0.5	0.3	0.9	1.4	3.5	5.6	4.6	2.2	6.5	0.5	0.8	0.09	1.7
C37-C38	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.5	-	-	-	0.01	-
C40-C41	-	-	0.1	0.2	-	-	0.1	0.1	0.1	0.1	0.4	0.3	-	1.1	-	-	0.1	0.1	0.03	0.2
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	0.1	-	-	-	0.1	0.2	0.3	0.3	-	-	0.5	-	0.1	0.02	0.1
C45	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	0.01	-
C46	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.01	-
C47+C49	0.1	0.1	-	0.1	0.1	-	0.1	0.2	-	-	0.4	-	0.3	0.7	0.5	0.5	0.1	0.1	0.03	0.1
C50	-	-	-	-	0.1	0.2	0.7	1.7	2.1	3.6	7.1	4.8	7.6	5.6	6.5	12.4	1.4	1.9	0.13	4.2
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	0.3	0.2	-	-	-	-	0.5	-	-	0.02	0.1
C53	-	-	-	-	-	-	0.3	1.0	2.3	2.0	2.4	3.2	4.1	4.6	2.7	8.6	0.8	1.1	0.10	2.3
C54	-	-	-	-	-	-	-	-	0.2	0.1	0.6	1.1	1.8	1.1	2.2	-	0.1	0.2	0.05	0.5
C55	-	-	-	-	-	0.1	-	-	-	0.3	0.2	-	0.6	-	0.5	-	-	0.1	0.03	0.2
C56	-	-	0.1	0.1	0.3	0.1	0.6	0.6	0.3	1.3	2.6	3.7	3.5	5.3	3.8	4.3	0.7	1.0	0.10	1.8
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	0.1	0.1	-	-	-	0.1	0.1	-	0.5	0.3	0.4	-	-	-	0.1	0.03	0.2
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	0.1	-	0.1	0.1	-	-	-	0.3	0.7	0.5	1.1	0.1	0.1	0.03	0.1
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	-
C70-C72	0.1	0.1	0.1	-	0.1	0.1	0.2	0.2	0.5	0.4	0.2	2.1	0.9	2.1	2.2	-	0.3	0.4	0.06	0.6
C73	-	-	-	-	-	-	0.1	0.2	0.1	-	0.2	-	1.2	0.4	-	0.5	0.1	0.1	0.03	0.2
C74	0.1	-	0.1	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	-
C81	0.1	-	-	-	0.1	0.1	-	-	-	0.1	0.4	0.8	-	0.4	0.5	-	0.1	0.1	0.03	0.2
C82-C85,C96	0.1	0.1	-	0.1	0.2	0.1	0.1	0.1	0.2	0.9	1.2	1.1	2.6	2.5	2.2	4.3	0.4	0.6	0.07	0.9
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	0.1	0.4	0.3	0.8	0.8	0.9	0.7	1.6	2.7	0.2	0.3	0.05	0.5
C91	0.6	0.3	0.3	0.3	0.3	0.5	0.1	0.1	-	0.7	0.6	0.5	0.9	1.1	-	0.5	0.3	0.4	0.06	0.4
C92-C94	0.2	0.1	0.2	0.2	0.3	0.5	0.3	0.8	0.3	0.5	2.9	0.5	0.9	0.7	1.6	1.6	0.5	0.5	0.07	1.0
C95	0.1	-	0.2	0.1	-	0.4	0.2	0.3	0.2	-	0.8	0.5	-	0.7	1.6	-	0.2	0.2	0.04	0.3
O&U*	0.1	-	0.1	-	0.2	0.2	0.1	0.3	0.9	0.9	2.0	1.3	6.1	1.4	6.0	2.2	0.5	0.8	0.09	1.7
All	1.7	0.8	0.9	1.4	1.9	2.9	3.9	8.2	11.0	18.1	34.9	35.5	57.0	50.5	54.9	72.9	9.0	12.9	0.35	24.9

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE DEL-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years)2008-2009 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.1	0.1	0.1	0.1
C01-C02	Tongue	0.6	0.6	1.0	1.0
C03-C06	Mouth	0.5	0.5	0.8	0.8
C07-C08	Salivary Gland	0.1	0.1	0.1	0.1
C09	Tonsil	0.2	0.2	0.3	0.3
C10	Oth. Oropharynx	0.1	0.1	0.2	0.2
C11	Nasopharynx	-	-	0.1	0.1
C12-C13	Hypopharynx	0.2	0.2	0.3	0.3
C14	Pharynx Unspecified	-	-	0.1	0.1
C15	Oesophagus	0.4	0.4	0.6	0.6
C16	Stomach	0.2	0.2	0.4	0.4
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.3	0.3
C19-C20	Rectum	0.2	0.2	0.3	0.3
C21	Anus & Anal Canal	-	-	0.1	0.1
C22	Liver	0.2	0.2	0.3	0.3
C23-C24	Gallbladder etc.	0.3	0.3	0.5	0.5
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.5	0.5	0.9	1.0
C33-C34	Lung etc.	0.9	0.9	1.8	1.8
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.2	0.2	0.2	0.2
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.2	0.2
C50	Breast	0.1	0.1	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.3	0.3	1.3	1.3
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.2	0.2	0.3	0.3
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.4	0.4	0.8	0.8
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.3	0.3	0.4	0.4
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.3	0.3	0.6	0.6
C88	Malig. Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.3	0.3
C91	Lymphoid Leuk.	0.2	0.2	0.2	0.2
C92-C94	Myeloid Leukaemia	0.2	0.2	0.2	0.2
C95	Leukaemia Uns	-	-	0.1	0.1
O&U*	Other and Uns	0.5	0.5	0.9	0.9
	All Sites	8.12	7.80	14.67	13.65

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE DEL-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years)2008-2009 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.3	0.3
C03-C06	Mouth	0.2	0.2	0.3	0.3
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	0.1	0.1
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.2	0.2	0.3	0.3
C16	Stomach	0.1	0.1	0.2	0.2
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	0.7	0.7	1.0	1.0
C25	Pancreas	0.1	0.1	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.1	0.1	0.1	0.1
C33-C34	Lung etc.	0.3	0.3	0.5	0.5
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47 + C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	2.6	2.5	3.6	3.6
C51	Vulva	-	-	0.1	0.1
C52	Vagina	-	-	-	-
C53	Cervix Uteri	1.3	1.3	1.7	1.7
C54	Corpus Uteri	0.4	0.4	0.6	0.6
C55	Uterus Unspecified	-	-	0.1	0.1
C56	Ovary etc.	0.6	0.6	0.9	0.9
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.2	0.2
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.2	0.2
C73	Thyroid	0.2	0.2	0.2	0.2
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.2	0.2	0.4	0.4
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	-	-	0.1	0.1
O&U *	Other and Uns	0.4	0.4	0.5	0.5
	All Sites	9.22	8.81	13.51	12.64

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)