

DISTRICT CANCER REGISTRY, KOLLAM, KERALA

(Regional Cancer Centre, Thiruvananthapuram, Kerala)

Dr Paul Sebastian

Principal Investigator & Director, RCC, Trivandrum

Dr P. Jayalekshmi

Co-Principal Investigator & Officer-in-Charge, District Cancer Registry

The District Cancer Registry Kollam, Kerala, India initiated in 01-01-2006 is an extension of a special purpose rural cancer registry started on 01-01-1990 to study the effect of radiation on cancer in Karunagappally taluk of Kollam district. This is the first population based cancer registry in Kerala and the second rural registry in India. This registry caters to an area of 2491 sq. km. and a population of 25,85,208 as per 2001 census. The major religions are Hindus (65.2%), Christians (16.4%) and Muslims (18.3%). Major occupations are fishing, cashew processing and coir making.

There is no dedicated cancer diagnostic or treatment facility in this area. There are Medical practitioners and hospitals both in Pvt. and Govt. sector where people can approach for health care. Health facilities are provided by workers of Health & Family Welfare and National Rural Health Mission.

Cancer registration is voluntary and the method adopted is active case finding covering more than 200 data sources mainly medical colleges, hospitals, pathological labs, etc. Mortality information on all deaths is collected from corporation, municipalities and panchayats.

The core proforma is filled after which the data is entered into the computer. Following this the data is processed and submitted to NCRP for final checks and table preparations.

The registry data is utilised for implementing cancer control and cancer patient support services. The data of Karunagappally taluk has thrown light on the effect of natural radiation on cancer.

Staff Members

Senior Investigators	:	Mrs R. Jyothisree , BSc, DPCS (NCVT) Mrs M.L. Geetha , B.Sc
Research Assistant & Computer Programmer	:	Mr K. Harikrishnan , BSc, PGDCA.
Junior Field Investigators	:	Mrs S. Reeja , BSc, BEd Mrs M. Salila , BSc Ms S. Soumya , BCom Mrs R. Ajitha , BSc Mrs K. Jayasree , BSc Mrs Lalitha Bhai , MSc
Data Processing Assistant	:	Mrs R. Sandhya , BSc, COPA (NCVT)
Data Entry Operator	:	Mrs K. Beena , Pre-Degree, COPA (NCVT)

TABLE KLM-1: Main Sources of Registration of Incident Cases of Cancer: 2009-2010
Kollam

Name of the Institution	Number	%
Regional Cancer Centre, Thiruvananthapuram	1979	30.4
Medical College, Thiruvananthapuram	1720	26.4
Vital Statistics Division of 71 Panchayats in Kollam District	270	4.2
Holy Cross Hospital, Kottiyam	242	3.7
Amrita Institute of Medical Science, Ernakulam	236	3.6
E.S.I Hospital, Asramam	219	3.4
Benziger Hospital, Kollam	195	3.0
District Hospital, Kollam	192	3.0
Medical College, Alappuzha	101	1.6
Nair's Hospital, Kollam	74	1.1
Sankers Hospital, Kollam	74	1.1
S.C.T., Thiruvananthapuram	70	1.1
T.H.Q.H., Karunagappally	62	1.0
T.H.Q.H., Kottarakkara	62	1.0
Others	1007	15.5
Total	6503	100.0

- 1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2009-2010.*
- 2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.*

Figure KLM -1
Population Pyramid showing Age Distribution: 2009-2010
KOLLAM




TABLE KLM-2
Population by Five Year Age Group and Gender: 2009-2010
Number and Relative Proportion (%)
KOLLAM

Age Group	Males		Females	
	Number	%	Number	%
00-04	223950	8.54	220182	7.64
05-09	172180	6.56	155951	5.41
10-14	197992	7.55	190789	6.62
15-19	207709	7.92	196899	6.83
20-24	217642	8.30	233693	8.10
25-29	219143	8.35	265650	9.21
30-34	211559	8.06	262699	9.11
35-39	209284	7.98	264781	9.18
40-44	189270	7.21	216477	7.51
45-49	211131	8.05	213417	7.40
50-54	154657	5.89	152092	5.27
55-59	109961	4.19	117394	4.07
60-64	91770	3.50	110825	3.84
65-69	80564	3.07	105698	3.67
70-74	59768	2.28	75830	2.63
75+	66977	2.55	101260	3.51
Total	2623557	100.00	2883637	100.00

TABLE KLM-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2010 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	1	-	6	0.18
C01-C02	Tongue	-	-	-	-	-	1	4	3	12	19	16	19	24	13	11	15	-	137	4.06
C03-C06	Mouth	-	-	-	-	-	-	-	2	6	12	19	28	31	20	28	25	-	171	5.07
C07-C08	Salivary Gland	-	-	-	1	-	2	1	1	1	2	1	-	1	-	1	2	-	13	0.39
C09	Tonsil	-	-	-	-	-	-	-	-	2	1	2	9	5	1	4	1	-	25	0.74
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	5	9	10	12	6	10	9	1	63	1.87
C11	Nasopharynx	-	-	-	2	-	-	-	-	1	1	2	1	-	2	1	5	-	15	0.44
C12-C13	Hypopharynx	-	-	-	-	-	-	-	2	3	3	12	12	15	7	7	9	-	70	2.07
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	5	0.15
C15	Oesophagus	-	-	-	-	1	1	-	3	5	11	18	14	23	29	23	22	-	150	4.44
C16	Stomach	-	-	-	-	1	-	3	4	7	10	23	22	25	23	38	34	1	191	5.66
C17	Small Intestine	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	-	-	7	0.21
C18	Colon	-	-	-	-	-	-	1	2	2	6	9	11	15	17	14	14	-	91	2.70
C19-C20	Rectum	-	-	-	-	-	-	1	5	11	12	10	33	23	17	22	26	1	161	4.77
C21	Anus & Anal Canal	-	-	-	-	-	-	-	1	-	2	-	1	1	1	-	-	-	6	0.18
C22	Liver	5	-	-	-	1	2	2	1	6	12	9	23	23	28	23	29	-	164	4.86
C23-C24	Gallbladder etc.	-	-	-	-	-	1	-	1	3	3	4	5	5	2	5	2	1	32	0.95
C25	Pancreas	-	-	-	-	-	-	1	2	4	8	16	15	8	9	12	5	-	80	2.37
C30-C31	Nose, Sinuses etc.	-	1	-	1	-	-	-	1	-	-	-	2	-	-	1	4	-	10	0.30
C32	Larynx	-	-	-	-	-	-	-	4	4	7	17	24	29	19	12	12	-	128	3.79
C33-C34	Lung etc.	-	-	-	-	-	1	1	5	11	35	40	88	107	90	93	77	2	550	16.30
C37-C38	Other Thoracic Organs	1	-	-	2	-	1	-	1	-	-	1	1	-	1	-	1	-	9	0.27
C40-C41	Bone	-	-	3	3	-	-	-	-	4	2	-	1	1	3	-	3	-	20	0.59
C43	Melanoma of Skin	-	-	-	-	-	-	-	1	2	1	3	2	1	1	-	-	-	11	0.33
C44	Other Skin	-	-	-	-	-	1	1	1	1	2	8	3	6	6	10	16	-	55	1.63
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	-	-	3	-	-	1	4	1	2	4	3	3	3	2	4	-	31	0.92
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.06
C60	Penis	-	-	-	-	-	-	1	1	-	4	1	1	9	1	1	3	-	22	0.65
C61	Prostate	-	-	-	-	-	-	-	-	1	1	1	16	33	27	35	48	-	162	4.80
C62	Testis	-	-	-	-	2	1	4	-	-	-	-	-	-	-	1	1	-	9	0.27
C63	Other Male Genital	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	1	-	6	0.18
C64	Kidney etc.	3	-	-	-	-	-	1	2	-	3	7	7	8	6	2	4	-	43	1.27
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.06
C67	Bladder	-	-	-	-	-	1	-	1	-	5	11	18	14	23	14	22	-	109	3.23
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	6	0.18
C70-C72	Brain, NS	3	5	4	2	3	8	10	8	8	8	8	5	5	8	2	2	-	89	2.64
C73	Thyroid	-	-	1	1	6	1	2	15	9	9	3	6	2	6	5	2	1	69	2.04
C74	Adrenal Gland	-	1	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	5	0.15
C81	Hodgkins Disease	-	-	1	2	2	4	3	1	-	2	2	3	3	1	1	-	-	25	0.74
C82-C85,C96	NHL	-	2	1	3	1	3	5	7	10	14	10	16	18	10	9	11	-	120	3.56
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	1	-	-	2	4	5	10	20	19	14	13	9	1	98	2.90
C91	Lymphoid Leuk.	12	10	1	1	2	1	-	1	1	3	1	1	-	-	1	1	-	36	1.07
C92-C94	Myeloid Leukaemia	-	1	5	4	4	5	7	2	4	5	4	3	8	2	3	4	-	61	1.81
C95	Leukaemia Uns	-	1	-	1	1	-	2	1	-	2	-	-	1	1	1	3	-	14	0.41
O&U*	Other and Uns	4	1	2	-	1	5	1	9	17	14	20	42	36	42	37	64	1	296	8.77
	All Sites	31	22	19	27	26	39	52	98	144	232	303	473	518	448	443	491	9	3375	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2010 - Females

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	7	-	14	0.45
C01-C02	Tongue	-	-	1	-	-	2	2	3	3	9	7	12	11	4	17	11	-	82	2.62
C03-C06	Mouth	-	-	-	-	-	-	-	1	2	3	9	12	18	22	22	36	-	125	4.00
C07-C08	Salivary Gland	-	-	2	1	2	1	1	-	-	-	3	4	1	-	-	3	-	18	0.58
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.06
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	3	-	9	0.29
C11	Nasopharynx	-	-	-	-	1	1	-	-	-	1	2	1	1	1	-	-	-	8	0.26
C12-C13	Hypopharynx	-	-	-	-	-	2	-	-	-	-	-	1	2	1	1	1	-	8	0.26
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.06
C15	Oesophagus	-	-	-	-	-	-	-	4	1	-	2	7	5	2	9	15	2	47	1.50
C16	Stomach	-	-	-	-	-	-	5	3	4	5	7	10	8	7	10	14	-	73	2.33
C17	Small Intestine	-	-	-	-	-	-	-	1	-	-	2	-	-	2	3	1	-	9	0.29
C18	Colon	-	-	-	-	-	-	-	-	3	4	9	7	14	13	6	11	-	67	2.14
C19-C20	Rectum	-	-	-	-	1	1	2	6	5	9	8	16	20	15	13	16	-	112	3.58
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.06
C22	Liver	1	-	-	-	1	-	-	1	4	5	5	10	6	9	6	7	-	55	1.76
C23-C24	Gallbladder etc.	-	-	-	-	-	-	2	2	-	5	4	3	-	1	6	6	-	29	0.93
C25	Pancreas	-	-	-	-	-	-	-	1	6	7	11	4	7	3	5	7	1	52	1.66
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	1	-	1	-	1	3	2	2	3	1	2	-	16	0.51
C32	Larynx	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	2	-	7	0.22
C33-C34	Lung etc.	-	-	-	-	-	-	3	3	8	13	5	15	13	12	7	16	-	95	3.04
C37-C38	Other Thoracic Organs	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	0.06
C40-C41	Bone	2	2	1	-	-	1	2	-	2	-	1	-	1	1	1	1	-	15	0.48
C43	Melanoma of Skin	-	-	-	1	-	-	-	1	3	3	-	4	3	1	1	2	-	19	0.61
C44	Other Skin	-	-	-	-	-	1	1	2	3	4	3	7	6	6	8	7	-	48	1.53
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	1	1	2	-	-	2	1	3	4	2	-	1	3	3	-	23	0.74
C50	Breast	-	-	-	-	2	8	30	81	112	150	130	115	86	78	45	47	1	885	28.29
C51	Vulva	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3	0.10
C52	Vagina	-	-	-	-	-	-	-	-	1	-	-	1	3	4	-	2	-	11	0.35
C53	Cervix Uteri	-	-	-	-	-	1	1	5	17	31	31	38	27	29	23	30	-	233	7.45
C54	Corpus Uteri	-	-	-	-	1	-	1	1	8	8	12	12	19	9	9	4	-	84	2.69
C55	Uterus Unspecified	-	-	-	-	-	-	1	-	2	2	-	-	1	-	1	1	-	8	0.26
C56	Ovary etc.	-	-	-	1	4	4	3	11	17	23	26	29	14	14	13	10	-	169	5.40
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	4	0.13
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	2	-	-	-	-	-	1	-	1	2	-	1	3	3	-	-	14	0.45
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.03
C67	Bladder	-	1	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-	8	0.26
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	0.06
C69	Eye	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	5	0.16
C70-C72	Brain, NS	3	4	2	2	-	8	4	5	4	7	2	7	5	3	3	3	-	62	1.98
C73	Thyroid	-	-	1	7	21	22	32	43	30	28	17	21	11	7	8	8	-	256	8.18
C74	Adrenal Gland	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	3	0.10
C81	Hodgkins Disease	-	-	-	2	1	-	-	3	3	-	-	-	3	-	2	-	-	14	0.45
C82-C85,C96	NHL	-	-	1	-	1	3	4	7	5	7	9	8	14	6	4	3	-	72	2.30
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	1	2	2	4	5	4	7	11	9	5	-	50	1.60
C91	Lymphoid Leuk.	1	4	3	2	2	1	-	1	-	2	2	5	2	-	1	1	-	27	0.86
C92-C94	Myeloid Leukaemia	1	-	3	-	8	4	4	2	6	9	5	8	3	5	4	3	-	65	2.08
C95	Leukaemia Uns	1	1	-	2	-	2	1	2	-	1	-	1	-	2	2	3	-	18	0.58
O&U*	Other and Uns	1	2	-	1	-	-	3	6	7	13	18	22	25	23	21	52	1	195	6.23
	All Sites	13	16	15	21	47	64	103	204	261	362	350	397	348	302	275	345	5	3128	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2010 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	0.5	-	1.8	-	2.5	-	1.5	0.2	0.21	0.08	0.3
C01-C02	-	-	-	-	-	0.5	1.9	1.4	6.3	9.0	10.3	17.3	26.2	16.1	18.4	22.4	5.2	4.71	0.41	10.5
C03-C06	-	-	-	-	-	-	-	1.0	3.2	5.7	12.3	25.5	33.8	24.8	46.8	37.3	6.5	6.00	0.46	11.5
C07-C08	-	-	-	0.5	-	0.9	0.5	0.5	0.5	0.9	0.6	-	1.1	-	1.7	3.0	0.5	0.43	0.12	0.6
C09	-	-	-	-	-	-	-	-	1.1	0.5	1.3	8.2	5.4	1.2	6.7	1.5	1.0	0.90	0.18	2.3
C10	-	-	-	-	-	-	-	-	0.5	2.4	5.8	9.1	13.1	7.4	16.7	13.4	2.4	2.18	0.28	4.4
C11	-	-	-	1.0	-	-	-	-	0.5	0.5	1.3	0.9	-	2.5	1.7	7.5	0.6	0.51	0.13	0.5
C12-C13	-	-	-	-	-	-	-	1.0	1.6	1.4	7.8	10.9	16.3	8.7	11.7	13.4	2.7	2.48	0.30	5.5
C14	-	-	-	-	-	-	-	-	0.5	-	-	0.9	1.1	2.5	-	-	0.2	0.19	0.08	0.4
C15	-	-	-	-	0.5	0.5	-	1.4	2.6	5.2	11.6	12.7	25.1	36.0	38.5	32.8	5.7	5.23	0.43	8.6
C16	-	-	-	-	0.5	-	1.4	1.9	3.7	4.7	14.9	20.0	27.2	28.5	63.6	50.8	7.3	6.52	0.48	10.5
C17	-	-	-	-	-	-	-	0.5	-	-	-	1.8	1.1	2.5	1.7	-	0.3	0.25	0.10	0.5
C18	-	-	-	-	-	-	0.5	1.0	1.1	2.8	5.8	10.0	16.3	21.1	23.4	20.9	3.5	3.18	0.34	5.3
C19-C20	-	-	-	-	-	-	0.5	2.4	5.8	5.7	6.5	30.0	25.1	21.1	36.8	38.8	6.1	5.53	0.44	10.8
C21	-	-	-	-	-	-	-	0.5	-	0.9	-	0.9	1.1	1.2	-	-	0.2	0.20	0.08	0.5
C22	2.2	-	-	-	0.5	0.9	0.9	0.5	3.2	5.7	5.8	20.9	25.1	34.8	38.5	43.3	6.3	5.80	0.46	8.7
C23-C24	-	-	-	-	-	0.5	-	0.5	1.6	1.4	2.6	4.5	5.4	2.5	8.4	3.0	1.2	1.08	0.20	2.4
C25	-	-	-	-	-	-	0.5	1.0	2.1	3.8	10.3	13.6	8.7	11.2	20.1	7.5	3.0	2.74	0.31	5.9
C30-C31	-	0.6	-	0.5	-	-	-	0.5	-	-	-	1.8	-	-	1.7	6.0	0.4	0.36	0.12	0.3
C32	-	-	-	-	-	-	-	1.9	2.1	3.3	11.0	21.8	31.6	23.6	20.1	17.9	4.9	4.59	0.41	10.1
C33-C34	-	-	-	-	-	0.5	0.5	2.4	5.8	16.6	25.9	80.0	116.6	111.7	155.6	115.0	21.0	19.47	0.84	34.3
C37-C38	0.4	-	-	1.0	-	0.5	-	0.5	-	-	0.6	0.9	-	1.2	-	1.5	0.3	0.34	0.12	0.3
C40-C41	-	-	1.5	1.4	-	-	-	-	2.1	0.9	-	0.9	1.1	3.7	-	4.5	0.8	0.73	0.17	0.9
C43	-	-	-	-	-	-	-	0.5	1.1	0.5	1.9	1.8	1.1	1.2	-	-	0.4	0.37	0.11	1.1
C44	-	-	-	-	-	0.5	0.5	0.5	0.5	0.9	5.2	2.7	6.5	7.4	16.7	23.9	2.1	1.85	0.25	2.4
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.4	-	-	1.4	-	-	0.5	1.9	0.5	0.9	2.6	2.7	3.3	3.7	3.3	6.0	1.2	1.08	0.20	1.8
C50	-	-	-	-	-	-	-	-	-	-	-	0.9	-	1.2	-	-	0.1	0.07	0.05	0.1
C60	-	-	-	-	-	-	0.5	0.5	-	1.9	0.6	0.9	9.8	1.2	1.7	4.5	0.8	0.79	0.17	1.9
C61	-	-	-	-	-	-	-	-	0.5	0.5	0.6	14.6	36.0	33.5	58.6	71.7	6.2	5.72	0.45	6.8
C62	-	-	-	-	0.9	0.5	1.9	-	-	-	-	-	-	-	1.7	1.5	0.3	0.29	0.10	-
C63	-	-	-	-	-	-	-	1.0	0.5	-	-	0.9	-	1.2	-	1.5	0.2	0.19	0.08	0.4
C64	1.3	-	-	-	-	-	0.5	1.0	-	1.4	4.5	6.4	8.7	7.4	3.3	6.0	1.6	1.57	0.24	3.1
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	0.9	-	1.2	-	-	0.1	0.07	0.05	0.1
C67	-	-	-	-	-	0.5	-	0.5	-	2.4	7.1	16.4	15.3	28.5	23.4	32.8	4.2	3.81	0.37	5.8
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.9	-	-	0.5	-	-	-	-	0.5	-	-	-	2.2	-	-	-	0.2	0.27	0.11	0.4
C70-C72	1.3	2.9	2.0	1.0	1.4	3.7	4.7	3.8	4.2	3.8	5.2	4.5	5.4	9.9	3.3	3.0	3.4	3.20	0.35	4.4
C73	-	-	0.5	0.5	2.8	0.5	0.9	7.2	4.8	4.3	1.9	5.5	2.2	7.4	8.4	3.0	2.6	2.23	0.27	4.4
C74	-	0.6	0.5	-	-	-	-	0.5	-	-	1.3	-	-	-	-	-	0.2	0.20	0.09	0.3
C81	-	-	0.5	1.0	0.9	1.8	1.4	0.5	-	0.9	1.3	2.7	3.3	1.2	1.7	-	1.0	0.90	0.18	1.3
C82-C85,C96	-	1.2	0.5	1.4	0.5	1.4	2.4	3.3	5.3	6.6	6.5	14.6	19.6	12.4	15.1	16.4	4.6	4.19	0.39	8.4
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	0.5	-	-	1.0	2.1	2.4	6.5	18.2	20.7	17.4	21.8	13.4	3.7	3.47	0.36	7.1
C91	5.4	5.8	0.5	0.5	0.9	0.5	-	0.5	0.5	1.4	0.6	0.9	-	-	1.7	1.5	1.4	1.70	0.29	0.7
C92-C94	-	0.6	2.5	1.9	1.8	2.3	3.3	1.0	2.1	2.4	2.6	2.7	8.7	2.5	5.0	6.0	2.3	2.19	0.29	2.9
C95	-	0.6	-	0.5	0.5	-	0.9	0.5	-	0.9	-	-	1.1	1.2	1.7	4.5	0.5	0.48	0.13	0.4
O&U*	1.8	0.6	1.0	-	0.5	2.3	0.5	4.3	9.0	6.6	12.9	38.2	39.2	52.1	61.9	95.6	11.3	10.26	0.60	15.9
All	13.8	12.8	9.6	13.0	11.9	17.8	24.6	46.8	76.1	109.9	195.9	430.2	564.5	556.1	741.2	733.1	128.6	118.5	2.06	205.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2010 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	0.5	-	0.9	0.9	0.9	4.0	6.9	0.5	0.34	0.09	0.3
C01-C02	-	-	0.5	-	-	0.8	0.8	1.1	1.4	4.2	4.6	10.2	9.9	3.8	22.4	10.9	2.8	2.37	0.27	4.6
C03-C06	-	-	-	-	-	-	-	0.4	0.9	1.4	5.9	10.2	16.2	20.8	29.0	35.6	4.3	3.43	0.31	4.9
C07-C08	-	-	1.0	0.5	0.9	0.4	0.4	-	-	-	2.0	3.4	0.9	-	-	3.0	0.6	0.59	0.14	0.9
C09	-	-	-	-	-	-	-	-	-	-	-	0.9	0.9	-	-	-	0.1	0.07	0.05	0.2
C10	-	-	-	-	-	-	-	-	-	0.5	1.3	1.7	-	-	1.3	3.0	0.3	0.25	0.08	0.5
C11	-	-	-	-	0.4	0.4	-	-	-	0.5	1.3	0.9	0.9	0.9	-	-	0.3	0.26	0.09	0.5
C12-C13	-	-	-	-	-	0.8	-	-	-	-	-	0.9	1.8	0.9	1.3	1.0	0.3	0.24	0.09	0.3
C14	-	-	-	-	-	-	-	-	-	-	-	0.9	0.9	-	-	-	0.1	0.07	0.05	0.2
C15	-	-	-	-	-	-	-	1.5	0.5	-	1.3	6.0	4.5	1.9	11.9	14.8	1.6	1.19	0.18	1.9
C16	-	-	-	-	-	-	1.9	1.1	1.8	2.3	4.6	8.5	7.2	6.6	13.2	13.8	2.5	2.03	0.24	3.8
C17	-	-	-	-	-	-	-	0.4	-	-	1.3	-	-	1.9	4.0	1.0	0.3	0.24	0.08	0.3
C18	-	-	-	-	-	-	-	-	1.4	1.9	5.9	6.0	12.6	12.3	7.9	10.9	2.3	1.98	0.25	4.0
C19-C20	-	-	-	-	0.4	0.4	0.8	2.3	2.3	4.2	5.3	13.6	18.0	14.2	17.1	15.8	3.9	3.25	0.31	6.6
C21	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	1.0	0.1	0.06	0.04	0.1
C22	0.5	-	-	-	0.4	-	-	0.4	1.8	2.3	3.3	8.5	5.4	8.5	7.9	6.9	1.9	1.64	0.23	3.2
C23-C24	-	-	-	-	-	-	0.8	0.8	-	2.3	2.6	2.6	-	0.9	7.9	5.9	1.0	0.77	0.15	1.4
C25	-	-	-	-	-	-	-	0.4	2.8	3.3	7.2	3.4	6.3	2.8	6.6	6.9	1.8	1.49	0.21	3.7
C30-C31	-	-	-	-	-	0.4	-	0.4	-	0.5	2.0	1.7	1.8	2.8	1.3	2.0	0.6	0.47	0.12	0.9
C32	-	-	-	-	-	-	-	-	0.9	-	0.7	0.9	0.9	-	-	2.0	0.2	0.20	0.08	0.5
C33-C34	-	-	-	-	-	-	1.1	1.1	3.7	6.1	3.3	12.8	11.7	11.4	9.2	15.8	3.3	2.71	0.28	5.8
C37-C38	-	-	-	0.5	-	-	-	0.4	-	-	-	-	-	-	-	-	0.1	0.07	0.05	0.1
C40-C41	0.9	1.3	0.5	-	-	0.4	0.8	-	0.9	-	0.7	-	0.9	0.9	1.3	1.0	0.5	0.56	0.16	0.4
C43	-	-	-	0.5	-	-	-	0.4	1.4	1.4	-	3.4	2.7	0.9	1.3	2.0	0.7	0.57	0.13	1.4
C44	-	-	-	-	-	0.4	0.4	0.8	1.4	1.9	2.0	6.0	5.4	5.7	10.5	6.9	1.7	1.37	0.20	2.6
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	0.5	0.5	0.9	-	-	0.8	0.5	1.4	2.6	1.7	-	0.9	4.0	3.0	0.8	0.69	0.15	1.2
C50	-	-	-	-	0.9	3.0	11.4	30.6	51.7	70.3	85.5	98.0	77.6	73.8	59.3	46.4	30.7	25.78	0.88	66.0
C51	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	1.3	1.0	0.1	0.08	0.05	0.1
C52	-	-	-	-	-	-	-	-	0.5	-	-	0.9	2.7	3.8	-	2.0	0.4	0.32	0.10	0.5
C53	-	-	-	-	-	0.4	0.4	1.9	7.9	14.5	20.4	32.4	24.4	27.4	30.3	29.6	8.1	6.82	0.45	15.3
C54	-	-	-	-	0.4	-	0.4	0.4	3.7	3.7	7.9	10.2	17.1	8.5	11.9	4.0	2.9	2.59	0.29	6.3
C55	-	-	-	-	-	-	0.4	-	0.9	0.9	-	-	0.9	-	1.3	1.0	0.3	0.22	0.08	0.5
C56	-	-	-	0.5	1.7	1.5	1.1	4.2	7.9	10.8	17.1	24.7	12.6	13.2	17.1	9.9	5.9	5.02	0.39	12.0
C57	-	-	-	-	-	-	-	-	-	0.9	0.7	-	0.9	-	-	-	0.1	0.13	0.06	0.4
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	0.5	1.3	-	-	-	-	-	0.4	-	0.5	1.3	-	0.9	2.8	4.0	-	0.5	0.50	0.14	0.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	0.03	0.03	-
C67	-	0.6	-	-	-	-	-	-	-	-	-	0.9	0.9	1.9	4.0	-	0.3	0.27	0.10	0.2
C68	-	-	-	-	-	-	-	0.4	-	-	-	-	0.9	-	-	-	0.1	0.06	0.04	0.2
C69	0.9	-	-	-	-	-	-	-	-	-	0.7	0.9	0.9	-	-	-	0.2	0.21	0.10	0.3
C70-C72	1.4	2.6	1.0	1.0	-	3.0	1.5	1.9	1.8	3.3	1.3	6.0	4.5	2.8	4.0	3.0	2.2	2.07	0.28	2.9
C73	-	-	0.5	3.6	9.0	8.3	12.2	16.2	13.9	13.1	11.2	17.9	9.9	6.6	10.5	7.9	8.9	7.31	0.47	13.8
C74	-	-	-	-	-	0.4	-	0.4	-	-	-	-	0.9	-	-	-	0.1	0.09	0.05	0.2
C81	-	-	-	1.0	0.4	-	-	1.1	1.4	-	-	-	2.7	-	2.6	-	0.5	0.44	0.12	0.8
C82-C85,C96	-	-	0.5	-	0.4	1.1	1.5	2.6	2.3	3.3	5.9	6.8	12.6	5.7	5.3	3.0	2.5	2.17	0.26	5.1
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	0.4	0.8	0.9	1.9	3.3	3.4	6.3	10.4	11.9	4.9	1.7	1.44	0.21	2.5
C91	0.5	2.6	1.6	1.0	0.9	0.4	-	0.4	-	0.9	1.3	4.3	1.8	-	1.3	1.0	0.9	1.08	0.22	1.2
C92-C94	0.5	-	1.6	-	3.4	1.5	1.5	0.8	2.8	4.2	3.3	6.8	2.7	4.7	5.3	3.0	2.3	2.00	0.25	3.3
C95	0.5	0.6	-	1.0	-	0.8	0.4	0.8	-	0.5	-	0.9	-	1.9	2.6	3.0	0.6	0.57	0.14	0.3
O&U *	0.5	1.3	-	0.5	-	-	1.1	2.3	3.2	6.1	11.8	18.7	22.6	21.8	27.7	51.4	6.8	5.47	0.41	9.5
All	5.9	10.3	7.9	10.7	20.1	24.1	39.2	77.0	120.6	169.6	230.1	338.2	314.0	285.7	362.7	340.7	108.5	91.6	1.67	192.3

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2010 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C01-C02	Tongue	5	3.6	132	96.4	-	-	-	-	-	-	-	-	137	100.0
C03-C06	Mouth	9	5.3	161	94.2	-	-	1	0.6	-	-	-	-	171	100.0
C07-C08	Salivary Gland	-	-	13	100.0	-	-	-	-	-	-	-	-	13	100.0
C09	Tonsil	1	4.0	23	92.0	-	-	-	-	1	4.0	-	-	25	100.0
C10	Oth. Oropharynx	1	1.6	60	95.2	1	1.6	-	-	1	1.6	-	-	63	100.0
C11	Nasopharynx	-	-	14	93.3	1	6.7	-	-	-	-	-	-	15	100.0
C12-C13	Hypopharynx	-	-	64	91.4	2	2.9	-	-	4	5.7	-	-	70	100.0
C14	Pharynx Unspecified	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C15	Oesophagus	-	-	134	89.3	10	6.7	3	2.0	3	2.0	-	-	150	100.0
C16	Stomach	-	-	158	82.7	27	14.1	3	1.6	3	1.6	-	-	191	100.0
C17	Small Intestine	-	-	6	85.7	1	14.3	-	-	-	-	-	-	7	100.0
C18	Colon	-	-	79	86.8	8	8.8	2	2.2	2	2.2	-	-	91	100.0
C19-C20	Rectum	1	0.6	149	92.5	8	5.0	2	1.2	1	0.6	-	-	161	100.0
C21	Anus & Anal Canal	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C22	Liver	-	-	59	36.0	99	60.4	4	2.4	-	-	2	1.2	164	100.0
C23-C24	Gallbladder etc.	-	-	19	59.4	12	37.5	-	-	1	3.1	-	-	32	100.0
C25	Pancreas	-	-	40	50.0	38	47.5	1	1.3	1	1.3	-	-	80	100.0
C30-C31	Nose, Sinuses etc.	-	-	9	90.0	1	10.0	-	-	-	-	-	-	10	100.0
C32	Larynx	1	0.8	117	91.4	5	3.9	-	-	4	3.1	1	0.8	128	100.0
C33-C34	Lung etc.	-	-	404	73.5	140	25.5	6	1.1	-	-	-	-	550	100.0
C37-C38	Other Thoracic Organs	-	-	8	88.9	1	11.1	-	-	-	-	-	-	9	100.0
C40-C41	Bone	-	-	18	90.0	2	10.0	-	-	-	-	-	-	20	100.0
C43	Melanoma of Skin	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C44	Other Skin	1	1.8	54	98.2	-	-	-	-	-	-	-	-	55	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	31	100.0	-	-	-	-	-	-	-	-	31	100.0
C50	Breast	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C60	Penis	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C61	Prostate	1	0.6	138	85.2	21	13.0	-	-	2	1.2	-	-	162	100.0
C62	Testis	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C63	Other Male Genital	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C64	Kidney etc.	-	-	42	97.7	1	2.3	-	-	-	-	-	-	43	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C67	Bladder	-	-	92	84.4	16	14.7	-	-	1	0.9	-	-	109	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	16.7	4	66.7	1	16.7	-	-	-	-	-	-	6	100.0
C70-C72	Brain, Nervous System	-	-	53	59.6	30	33.7	6	6.7	-	-	-	-	89	100.0
C73	Thyroid	-	-	67	97.1	2	2.9	-	-	-	-	-	-	69	100.0
C74	Adrenal Gland	-	-	4	80.0	1	20.0	-	-	-	-	-	-	5	100.0
C81	Hodgkins Disease	-	-	25	100.0	-	-	-	-	-	-	-	-	25	100.0
C82-C85,C96	NHL	-	-	120	100.0	-	-	-	-	-	-	-	-	120	100.0
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	96	98.0	2	2.0	-	-	-	-	-	-	98	100.0
C91	Lymphoid Leuk.	-	-	36	100.0	-	-	-	-	-	-	-	-	36	100.0
C92-C94	Myeloid Leukaemia	-	-	61	100.0	-	-	-	-	-	-	-	-	61	100.0
C95	Leukaemia Uns	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
O&U*	Other and Uns	-	-	93	31.4	47	15.9	156	52.7	-	-	-	-	296	100.0
	All Sites	21	0.6	2666	79.0	477	14.1	184	5.5	24	0.7	3	0.1	3375	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2010 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C01-C02	Tongue	2	2.4	80	97.6	-	-	-	-	-	-	-	-	82	100.0
C03-C06	Mouth	8	6.4	116	92.8	-	-	1	0.8	-	-	-	-	125	100.0
C07-C08	Salivary Gland	-	-	17	94.4	1	5.6	-	-	-	-	-	-	18	100.0
C09	Tonsil	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C10	Oth. Oropharynx	1	11.1	8	88.9	-	-	-	-	-	-	-	-	9	100.0
C11	Nasopharynx	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C12-C13	Hypopharynx	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C14	Pharynx Unspecified	-	-	-	-	1	50.0	-	-	1	50.0	-	-	2	100.0
C15	Oesophagus	-	-	42	89.4	3	6.4	1	2.1	1	2.1	-	-	47	100.0
C16	Stomach	-	-	51	69.9	20	27.4	1	1.4	1	1.4	-	-	73	100.0
C17	Small Intestine	-	-	7	77.8	2	22.2	-	-	-	-	-	-	9	100.0
C18	Colon	-	-	55	82.1	11	16.4	-	-	-	-	1	1.5	67	100.0
C19-C20	Rectum	4	3.6	100	89.3	5	4.5	2	1.8	1	0.9	-	-	112	100.0
C21	Anus & Anal Canal	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	-	-	20	36.4	35	63.6	-	-	-	-	-	-	55	100.0
C23-C24	Gallbladder etc.	-	-	20	69.0	8	27.6	1	3.4	-	-	-	-	29	100.0
C25	Pancreas	-	-	28	53.8	23	44.2	1	1.9	-	-	-	-	52	100.0
C30-C31	Nose, Sinuses etc.	-	-	16	100.0	-	-	-	-	-	-	-	-	16	100.0
C32	Larynx	-	-	5	71.4	1	14.3	-	-	1	14.3	-	-	7	100.0
C33-C34	Lung etc.	-	-	75	78.9	19	20.0	1	1.1	-	-	-	-	95	100.0
C37-C38	Other Thoracic Organs	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C40-C41	Bone	-	-	14	93.3	-	-	-	-	1	6.7	-	-	15	100.0
C43	Melanoma of Skin	-	-	18	94.7	1	5.3	-	-	-	-	-	-	19	100.0
C44	Other Skin	-	-	48	100.0	-	-	-	-	-	-	-	-	48	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	23	100.0	-	-	-	-	-	-	-	-	23	100.0
C50	Breast	7	0.8	866	97.9	5	0.6	7	0.8	-	-	-	-	885	100.0
C51	Vulva	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C52	Vagina	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C53	Cervix Uteri	5	2.1	225	96.6	1	0.4	1	0.4	1	0.4	-	-	233	100.0
C54	Corpus Uteri	-	-	84	100.0	-	-	-	-	-	-	-	-	84	100.0
C55	Uterus Unspecified	-	-	6	75.0	2	25.0	-	-	-	-	-	-	8	100.0
C56	Ovary etc.	-	-	162	95.9	6	3.6	-	-	-	-	1	0.6	169	100.0
C57	Other Female Genital	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	11	78.6	3	21.4	-	-	-	-	-	-	14	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C68	Uns. Urinary Organs	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C69	Eye	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C70-C72	Brain, Nervous System	-	-	37	59.7	21	33.9	4	6.5	-	-	-	-	62	100.0
C73	Thyroid	-	-	252	98.4	4	1.6	-	-	-	-	-	-	256	100.0
C74	Adrenal Gland	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C81	Hodgkins Disease	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C82-C85,C96	NHL	-	-	72	100.0	-	-	-	-	-	-	-	-	72	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	50	100.0	-	-	-	-	-	-	-	-	50	100.0
C91	Lymphoid Leuk.	-	-	27	100.0	-	-	-	-	-	-	-	-	27	100.0
C92-C94	Myeloid Leukaemia	-	-	65	100.0	-	-	-	-	-	-	-	-	65	100.0
C95	Leukaemia Uns	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
O&U *	Other and Uns	1	0.5	49	25.1	16	8.2	129	66.2	-	-	-	-	195	100.0
	All Sites	28	0.9	2754	88.0	188	6.0	149	4.8	7	0.2	2	0.1	3128	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2010 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C01-C02	Tongue	127	92.7	-	-	5	3.6	-	-	-	-	5	3.6	137	100.0
C03-C06	Mouth	152	88.9	1	0.6	8	4.7	-	-	-	-	10	5.8	171	100.0
C07-C08	Salivary Gland	10	76.9	-	-	3	23.1	-	-	-	-	-	-	13	100.0
C09	Tonsil	20	80.0	1	4.0	2	8.0	-	-	-	-	2	8.0	25	100.0
C10	Oth. Oropharynx	46	73.0	2	3.2	12	19.0	-	-	-	-	3	4.8	63	100.0
C11	Nasopharynx	12	80.0	2	13.3	-	-	-	-	-	-	1	6.7	15	100.0
C12-C13	Hypopharynx	54	77.1	1	1.4	9	12.9	-	-	-	-	6	8.6	70	100.0
C14	Pharynx Unspecified	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C15	Oesophagus	128	85.3	-	-	6	4.0	-	-	-	-	16	10.7	150	100.0
C16	Stomach	150	78.5	1	0.5	7	3.7	-	-	-	-	33	17.3	191	100.0
C17	Small Intestine	5	71.4	-	-	1	14.3	-	-	-	-	1	14.3	7	100.0
C18	Colon	71	78.0	5	5.5	3	3.3	-	-	-	-	12	13.2	91	100.0
C19-C20	Rectum	149	92.5	-	-	-	-	-	-	-	-	12	7.5	161	100.0
C21	Anus & Anal Canal	5	83.3	-	-	1	16.7	-	-	-	-	-	-	6	100.0
C22	Liver	19	11.6	1	0.6	39	23.8	-	-	-	-	105	64.0	164	100.0
C23-C24	Gallbladder etc.	15	46.9	1	3.1	3	9.4	-	-	-	-	13	40.6	32	100.0
C25	Pancreas	14	17.5	6	7.5	20	25.0	-	-	-	-	40	50.0	80	100.0
C30-C31	Nose, Sinuses etc.	9	90.0	-	-	-	-	-	-	-	-	1	10.0	10	100.0
C32	Larynx	103	80.5	3	2.3	11	8.6	-	-	-	-	11	8.6	128	100.0
C33-C34	Lung etc.	81	14.7	29	5.3	294	53.5	-	-	-	-	146	26.5	550	100.0
C37-C38	Other Thoracic Organs	7	77.8	1	11.1	-	-	-	-	-	-	1	11.1	9	100.0
C40-C41	Bone	18	90.0	-	-	-	-	-	-	-	-	2	10.0	20	100.0
C43	Melanoma of Skin	9	81.8	-	-	2	18.2	-	-	-	-	-	-	11	100.0
C44	Other Skin	52	94.5	1	1.8	1	1.8	-	-	-	-	1	1.8	55	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	31	100.0	-	-	-	-	-	-	-	-	-	-	31	100.0
C50	Breast	-	-	-	-	2	100.0	-	-	-	-	-	-	2	100.0
C60	Penis	22	100.0	-	-	-	-	-	-	-	-	-	-	22	100.0
C61	Prostate	132	81.5	5	3.1	1	0.6	-	-	-	-	24	14.8	162	100.0
C62	Testis	9	100.0	-	-	-	-	-	-	-	-	-	-	9	100.0
C63	Other Male Genital	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C64	Kidney etc.	37	86.0	2	4.7	3	7.0	-	-	-	-	1	2.3	43	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C67	Bladder	92	84.4	-	-	-	-	-	-	-	-	17	15.6	109	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	4	66.7	-	-	-	-	-	-	-	-	2	33.3	6	100.0
C70-C72	Brain, Nervous System	52	58.4	1	1.1	-	-	-	-	-	-	36	40.4	89	100.0
C73	Thyroid	57	82.6	-	-	10	14.5	-	-	-	-	2	2.9	69	100.0
C74	Adrenal Gland	2	40.0	-	-	2	40.0	-	-	-	-	1	20.0	5	100.0
C81	Hodgkins Disease	23	92.0	-	-	2	8.0	-	-	-	-	-	-	25	100.0
C82-C85,C96	NHL	115	95.8	-	-	4	3.3	-	-	1	0.8	-	-	120	100.0
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	3	3.1	-	-	-	-	-	-	93	94.9	2	2.0	98	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	36	100.0	-	-	36	100.0
C92-C94	Myeloid Leukaemia	1	1.6	-	-	-	-	-	-	60	98.4	-	-	61	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	14	100.0	-	-	14	100.0
O&U*	Other and Uns	12	4.1	37	12.5	44	14.9	-	-	-	-	203	68.6	296	100.0
	All Sites	1865	55.3	100	3.0	497	14.7	-	-	204	6.0	709	21.0	3375	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2010 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	14	100.0	-	-	-	-	-	-	-	-	-	-	14	100.0
C01-C02	Tongue	79	96.3	-	-	1	1.2	-	-	-	-	2	2.4	82	100.0
C03-C06	Mouth	109	87.2	-	-	7	5.6	-	-	-	-	9	7.2	125	100.0
C07-C08	Salivary Gland	15	83.3	1	5.6	1	5.6	-	-	-	-	1	5.6	18	100.0
C09	Tonsil	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C10	Oth. Oropharynx	7	77.8	-	-	1	11.1	-	-	-	-	1	11.1	9	100.0
C11	Nasopharynx	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C12-C13	Hypopharynx	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	2	100.0	2	100.0
C15	Oesophagus	42	89.4	-	-	-	-	-	-	-	-	5	10.6	47	100.0
C16	Stomach	48	65.8	1	1.4	2	2.7	-	-	-	-	22	30.1	73	100.0
C17	Small Intestine	7	77.8	-	-	-	-	-	-	-	-	2	22.2	9	100.0
C18	Colon	52	77.6	-	-	3	4.5	-	-	-	-	12	17.9	67	100.0
C19-C20	Rectum	99	88.4	1	0.9	-	-	-	-	-	-	12	10.7	112	100.0
C21	Anus & Anal Canal	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	5	9.1	1	1.8	14	25.5	-	-	-	-	35	63.6	55	100.0
C23-C24	Gallbladder etc.	18	62.1	-	-	2	6.9	-	-	-	-	9	31.0	29	100.0
C25	Pancreas	17	32.7	3	5.8	8	15.4	-	-	-	-	24	46.2	52	100.0
C30-C31	Nose, Sinuses etc.	16	100.0	-	-	-	-	-	-	-	-	-	-	16	100.0
C32	Larynx	5	71.4	-	-	-	-	-	-	-	-	2	28.6	7	100.0
C33-C34	Lung etc.	15	15.8	9	9.5	51	53.7	-	-	-	-	20	21.1	95	100.0
C37-C38	Other Thoracic Organs	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C40-C41	Bone	14	93.3	-	-	-	-	-	-	-	-	1	6.7	15	100.0
C43	Melanoma of Skin	17	89.5	1	5.3	-	-	-	-	-	-	1	5.3	19	100.0
C44	Other Skin	46	95.8	1	2.1	1	2.1	-	-	-	-	-	-	48	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	21	91.3	1	4.3	1	4.3	-	-	-	-	-	-	23	100.0
C50	Breast	818	92.4	3	0.3	45	5.1	-	-	-	-	19	2.1	885	100.0
C51	Vulva	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C52	Vagina	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C53	Cervix Uteri	218	93.6	-	-	7	3.0	-	-	-	-	8	3.4	233	100.0
C54	Corpus Uteri	81	96.4	-	-	3	3.6	-	-	-	-	-	-	84	100.0
C55	Uterus Unspecified	6	75.0	-	-	-	-	-	-	-	-	2	25.0	8	100.0
C56	Ovary etc.	117	69.2	11	6.5	34	20.1	-	-	-	-	7	4.1	169	100.0
C57	Other Female Genital	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	7	50.0	2	14.3	2	14.3	-	-	-	-	3	21.4	14	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C68	Uns.Urinary Organs	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C69	Eye	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C70-C72	Brain, Nervous System	37	59.7	-	-	-	-	-	-	-	-	25	40.3	62	100.0
C73	Thyroid	231	90.2	7	2.7	14	5.5	-	-	-	-	4	1.6	256	100.0
C74	Adrenal Gland	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C81	Hodgkins Disease	14	100.0	-	-	-	-	-	-	-	-	-	-	14	100.0
C82-C85,C96	NHL	67	93.1	-	-	3	4.2	-	-	2	2.8	-	-	72	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	2	4.0	-	-	-	-	-	-	48	96.0	-	-	50	100.0
C91	Lymphoid Leuk.	1	3.7	-	-	-	-	-	-	26	96.3	-	-	27	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	65	100.0	-	-	65	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	18	100.0	-	-	18	100.0
O&U *	Other and Uns	4	2.1	18	9.2	27	13.8	-	-	-	-	146	74.9	195	100.0
	All Sites	2307	73.8	60	1.9	228	7.3	-	-	159	5.1	374	12.0	3128	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2010 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.06
C01-C02	Tongue	-	-	-	-	-	-	-	1	5	7	4	10	6	6	5	11	-	55	3.15
C03-C06	Mouth	-	-	-	-	-	-	-	1	3	1	10	12	17	13	7	16	-	80	4.59
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.11
C09	Tonsil	-	-	-	-	-	-	-	-	1	-	-	2	2	1	2	1	-	9	0.52
C10	Oth. Oropharynx	-	-	-	-	-	-	1	-	1	1	5	9	3	5	3	3	-	31	1.78
C11	Nasopharynx	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	2	-	7	0.40
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	4	3	5	11	7	7	7	-	44	2.52
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	4	0.23
C15	Oesophagus	-	-	-	-	-	-	1	2	5	8	17	11	20	24	11	11	-	110	6.31
C16	Stomach	-	-	-	-	1	-	2	3	1	3	14	18	23	18	25	23	-	131	7.51
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.11
C18	Colon	-	-	-	-	-	-	-	-	-	3	4	6	5	2	3	7	-	30	1.72
C19-C20	Rectum	-	-	-	-	-	-	1	2	1	2	6	7	4	8	9	15	-	55	3.15
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.06
C22	Liver	2	-	-	-	-	2	1	1	3	12	9	20	19	14	17	21	-	121	6.94
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	2	3	2	1	4	2	1	16	0.92
C25	Pancreas	-	-	-	-	-	-	1	1	6	4	10	9	5	6	8	2	-	52	2.98
C30-C31	Nose, Sinuses etc.	-	1	-	-	-	-	-	1	-	-	1	2	1	-	-	1	-	7	0.40
C32	Larynx	-	-	-	-	-	-	-	2	1	3	5	12	14	8	3	5	-	53	3.04
C33-C34	Lung etc.	-	-	-	-	-	-	2	5	10	23	29	57	59	61	63	46	-	355	20.36
C37-C38	Other Thoracic Organs	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.06
C40-C41	Bone	-	-	2	1	2	-	-	-	1	2	1	1	-	-	1	3	-	14	0.80
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	4	0.23
C44	Other Skin	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	6	-	11	0.63
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	1	-	-	-	-	-	2	-	1	3	1	1	3	-	2	-	14	0.80
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	4	0.23
C61	Prostate	-	-	-	-	-	-	-	-	1	-	3	5	7	11	6	13	1	47	2.69
C62	Testis	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	0.11
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.06
C64	Kidney etc.	-	-	-	-	1	-	-	-	-	1	-	1	1	3	1	-	-	8	0.46
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	2	6	4	8	6	9	-	35	2.01
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.06
C70-C72	Brain, Nervous System	-	-	2	-	1	-	1	7	3	7	7	3	6	4	2	2	-	45	2.58
C73	Thyroid	-	-	-	-	-	-	1	-	-	-	-	2	2	2	2	2	-	11	0.63
C74	Adrenal Gland	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	0.11
C81	Hodgkins Disease	-	-	-	1	-	-	-	1	-	-	-	-	1	2	1	1	-	7	0.40
C82-C85,C96	NHL	-	1	-	-	-	-	1	2	8	2	1	6	5	6	6	8	-	46	2.64
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	1	-	-	-	-	1	1	1	3	9	5	5	4	3	-	33	1.89
C91	Lymphoid Leuk.	-	-	-	1	-	-	-	-	-	2	1	-	-	2	-	1	-	7	0.40
C92-C94	Myeloid Leukaemia	1	-	1	-	1	1	1	1	1	2	2	2	2	2	1	2	-	20	1.15
C95	Leukaemia Uns	-	-	-	-	1	-	2	-	-	2	-	-	-	1	1	3	-	10	0.57
O&U*	Other and Uns	2	-	1	2	1	2	1	9	12	12	21	33	31	41	31	53	3	255	14.62
	All Sites	5	4	7	5	8	7	17	43	67	107	165	256	261	270	232	285	5	1744	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2010 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	-	7	0.60
C01-C02	Tongue	-	-	-	-	-	1	-	-	1	4	3	6	4	5	6	6	-	36	3.06
C03-C06	Mouth	-	-	-	-	-	-	-	2	1	4	7	4	7	12	11	21	-	69	5.87
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.17
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.09
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	4	0.34
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	0.26
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	4	0.34
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.17
C15	Oesophagus	-	-	-	-	-	-	-	-	1	1	2	3	5	5	7	9	-	33	2.81
C16	Stomach	-	-	-	-	-	-	-	1	2	3	3	5	7	4	6	13	-	44	3.74
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	5	0.43
C18	Colon	-	-	-	-	-	-	-	-	1	2	1	4	5	4	6	8	-	31	2.64
C19-C20	Rectum	-	-	-	-	-	-	-	1	3	-	5	8	10	7	3	11	-	48	4.08
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.17
C22	Liver	-	-	-	-	1	-	-	1	3	2	2	5	5	4	4	4	-	31	2.64
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	1	1	3	1	4	-	2	1	-	-	13	1.11
C25	Pancreas	-	-	-	-	-	-	-	1	4	3	4	3	3	2	3	4	-	27	2.30
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	0.17
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	0.26
C33-C34	Lung etc.	-	-	-	-	-	-	3	1	2	7	8	7	7	10	5	10	-	60	5.10
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.09
C40-C41	Bone	-	-	1	-	-	-	-	1	1	1	-	2	-	2	-	1	-	9	0.77
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.09
C44	Other Skin	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	4	0.34
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	1	3	1	-	1	-	1	1	-	8	0.68
C50	Breast	-	-	-	-	-	2	7	16	16	36	38	34	20	12	15	19	1	216	18.37
C51	Vulva	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	0.17
C52	Vagina	-	-	-	-	-	-	-	-	1	1	-	2	1	-	1	2	-	8	0.68
C53	Cervix Uteri	-	-	-	-	-	-	-	5	5	12	9	14	8	9	7	16	-	85	7.23
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	2	1	2	1	3	1	-	-	10	0.85
C55	Uterus Unspecified	-	-	-	-	-	-	-	1	1	1	-	1	3	2	1	1	-	11	0.94
C56	Ovary etc.	-	-	-	-	-	-	1	2	2	6	11	7	6	5	3	7	-	50	4.25
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	0.17
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	3	0.26
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	0.17
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	1	-	1	2	-	-	1	2	3	2	2	4	3	3	2	6	-	32	2.72
C73	Thyroid	-	-	-	-	-	-	1	-	1	-	3	4	4	2	2	2	-	19	1.62
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	1	-	-	1	-	1	-	2	-	1	-	-	6	0.51
C82-C85,C96	NHL	-	-	-	1	-	1	1	-	3	-	1	1	3	2	3	2	-	18	1.53
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	2	6	2	6	6	5	6	-	34	2.89
C91	Lymphoid Leuk.	1	1	-	1	-	-	-	-	-	1	-	1	-	1	1	1	-	8	0.68
C92-C94	Myeloid Leukaemia	-	-	-	-	4	2	2	1	2	5	4	2	2	1	2	1	-	28	2.38
C95	Leukaemia Uns	-	-	-	1	-	-	1	2	-	1	-	-	-	1	2	2	-	10	0.85
O&U*	Other and Uns	1	2	-	-	-	-	3	7	8	10	17	19	17	25	18	54	1	182	15.48
	All Sites	3	3	2	5	5	8	20	47	67	116	135	150	138	136	122	217	2	1176	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2010 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.5	-	-	0.03	-
C01-C02	-	-	-	-	-	-	-	0.5	2.6	3.3	2.6	9.1	6.5	7.4	8.4	16.4	2.1	1.9	0.25	3.7
C03-C06	-	-	-	-	-	-	-	0.5	1.6	0.5	6.5	10.9	18.5	16.1	11.7	23.9	3.0	2.8	0.32	5.3
C07-C08	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	1.7	-	0.1	0.1	0.05	0.1
C09	-	-	-	-	-	-	-	-	0.5	-	-	1.8	2.2	1.2	3.3	1.5	0.3	0.3	0.11	0.6
C10	-	-	-	-	-	-	0.5	-	0.5	0.5	3.2	8.2	3.3	6.2	5.0	4.5	1.2	1.1	0.20	2.2
C11	-	-	-	-	-	-	-	0.5	0.5	-	-	-	1.1	2.5	-	3.0	0.3	0.2	0.09	0.3
C12-C13	-	-	-	-	-	-	-	-	-	1.9	1.9	4.5	12.0	8.7	11.7	10.5	1.7	1.6	0.24	2.8
C14	-	-	-	-	-	-	-	-	-	-	-	0.9	1.1	-	1.7	1.5	0.2	0.1	0.07	0.3
C15	-	-	-	-	-	-	0.5	1.0	2.6	3.8	11.0	10.0	21.8	29.8	18.4	16.4	4.2	3.9	0.37	7.3
C16	-	-	-	-	0.5	-	0.9	1.4	0.5	1.4	9.1	16.4	25.1	22.3	41.8	34.3	5.0	4.6	0.41	7.5
C17	-	-	-	-	-	-	-	-	-	-	-	0.9	-	1.2	-	-	0.1	0.1	0.05	0.1
C18	-	-	-	-	-	-	-	-	-	1.4	2.6	5.5	5.4	2.5	5.0	10.5	1.1	1.0	0.19	2.1
C19-C20	-	-	-	-	-	-	0.5	1.0	0.5	0.9	3.9	6.4	4.4	9.9	15.1	22.4	2.1	1.8	0.25	2.5
C21	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	0.03	0.1
C22	0.9	-	-	-	-	0.9	0.5	0.5	1.6	5.7	5.8	18.2	20.7	17.4	28.4	31.4	4.6	4.2	0.39	7.5
C23-C24	-	-	-	-	-	-	-	-	-	0.5	1.3	2.7	2.2	1.2	6.7	3.0	0.6	0.5	0.14	0.9
C25	-	-	-	-	-	-	0.5	0.5	3.2	1.9	6.5	8.2	5.4	7.4	13.4	3.0	2.0	1.8	0.25	3.9
C30-C31	-	0.6	-	-	-	-	-	0.5	-	-	0.6	1.8	1.1	-	-	1.5	0.3	0.3	0.10	0.6
C32	-	-	-	-	-	-	-	1.0	0.5	1.4	3.2	10.9	15.3	9.9	5.0	7.5	2.0	1.9	0.27	4.5
C33-C34	-	-	-	-	-	-	0.9	2.4	5.3	10.9	18.8	51.8	64.3	75.7	105.4	68.7	13.5	12.5	0.67	21.6
C37-C38	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	0.04	-
C40-C41	-	-	1.0	0.5	0.9	-	-	-	0.5	0.9	0.6	0.9	-	-	1.7	4.5	0.5	0.5	0.13	0.5
C43	-	-	-	-	-	-	-	-	0.5	-	0.6	0.9	-	1.2	-	-	0.2	0.1	0.07	0.3
C44	-	-	-	-	-	-	0.5	-	-	0.5	-	-	1.1	1.2	1.7	9.0	0.4	0.4	0.11	0.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.6	-	-	-	-	-	1.0	-	0.5	1.9	0.9	1.1	3.7	-	3.0	0.5	0.5	0.13	0.8
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	-	0.5	0.5	-	-	2.2	-	-	-	0.2	0.1	0.07	0.5
C61	-	-	-	-	-	-	-	-	0.5	-	1.9	4.5	7.6	13.7	10.0	19.4	1.8	1.6	0.24	2.0
C62	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	1.5	0.1	0.1	0.05	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	-	-	-	-	0.04	-
C64	-	-	-	-	0.5	-	-	-	-	0.5	-	0.9	1.1	3.7	1.7	-	0.3	0.3	0.10	0.3
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	1.3	5.5	4.4	9.9	10.0	13.4	1.3	1.2	0.21	1.5
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.5	-	-	0.03	-
C70-C72	-	-	1.0	-	0.5	-	0.5	3.3	1.6	3.3	4.5	2.7	6.5	5.0	3.3	3.0	1.7	1.5	0.23	3.5
C73	-	-	-	-	-	-	0.5	-	-	-	-	1.8	2.2	2.5	3.3	3.0	0.4	0.4	0.12	0.5
C74	-	0.6	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	0.1	0.1	0.07	0.1
C81	-	-	-	0.5	-	-	-	0.5	-	-	-	-	1.1	2.5	1.7	1.5	0.3	0.3	0.10	0.2
C82-C85,C96	-	0.6	-	-	-	-	0.5	1.0	4.2	0.9	0.6	5.5	5.4	7.4	10.0	11.9	1.8	1.6	0.24	2.7
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	0.5	-	-	-	-	0.5	0.5	0.5	1.9	8.2	5.4	6.2	6.7	4.5	1.3	1.2	0.21	2.4
C91	-	-	-	0.5	-	-	-	-	-	0.9	0.6	-	-	2.5	-	1.5	0.3	0.2	0.09	0.3
C92-C94	0.4	-	0.5	-	0.5	0.5	0.5	0.5	0.5	0.9	1.3	1.8	2.2	2.5	1.7	3.0	0.8	0.7	0.16	1.1
C95	-	-	-	-	0.5	-	0.9	-	-	0.9	-	-	-	1.2	1.7	4.5	0.4	0.3	0.10	0.2
O&U*	0.9	-	0.5	1.0	0.5	0.9	0.5	4.3	6.3	5.7	13.6	30.0	33.8	50.9	51.9	79.1	9.7	8.7	0.56	13.6
All	2.2	2.3	3.5	2.4	3.7	3.2	8.0	20.5	35.4	50.7	106.7	232.8	284.4	335.1	388.2	425.5	66.5	60.8	1.47	104.6

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE KLM-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2010 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	0.5	-	-	0.9	1.9	2.6	1.0	0.2	0.2	0.07	0.2
C01-C02	-	-	-	-	-	0.4	-	-	0.5	1.9	2.0	5.1	3.6	4.7	7.9	5.9	1.2	1.0	0.18	1.9
C03-C06	-	-	-	-	-	-	-	0.8	0.5	1.9	4.6	3.4	6.3	11.4	14.5	20.7	2.4	1.9	0.23	2.6
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	1.0	0.1	-	0.03	-
C09	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	0.03	0.1
C10	-	-	-	-	-	-	-	-	-	-	1.3	0.9	-	-	-	1.0	0.1	0.1	0.06	0.3
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	1.3	1.0	0.1	0.1	0.04	-
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	0.9	0.9	-	2.0	0.1	0.1	0.05	0.1
C14	-	-	-	-	-	-	-	-	-	-	-	0.9	0.9	-	-	-	0.1	0.1	0.05	0.2
C15	-	-	-	-	-	-	-	-	0.5	0.5	1.3	2.6	4.5	4.7	9.2	8.9	1.1	0.9	0.16	1.3
C16	-	-	-	-	-	-	-	0.4	0.9	1.4	2.0	4.3	6.3	3.8	7.9	12.8	1.5	1.2	0.19	2.2
C17	-	-	-	-	-	-	-	-	-	-	-	1.7	-	0.9	1.3	1.0	0.2	0.1	0.06	0.2
C18	-	-	-	-	-	-	-	-	0.5	0.9	0.7	3.4	4.5	3.8	7.9	7.9	1.1	0.9	0.16	1.4
C19-C20	-	-	-	-	-	-	-	0.4	1.4	-	3.3	6.8	9.0	6.6	4.0	10.9	1.7	1.4	0.21	2.9
C21	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	1.0	0.1	0.1	0.04	0.1
C22	-	-	-	-	0.4	-	-	0.4	1.4	0.9	1.3	4.3	4.5	3.8	5.3	4.0	1.1	0.9	0.17	1.9
C23-C24	-	-	-	-	-	-	-	0.4	0.5	1.4	0.7	3.4	-	1.9	1.3	-	0.5	0.4	0.11	1.0
C25	-	-	-	-	-	-	-	0.4	1.8	1.4	2.6	2.6	2.7	1.9	4.0	4.0	0.9	0.8	0.15	1.8
C30-C31	-	-	-	-	-	-	-	-	-	0.5	0.7	-	-	-	-	-	0.1	0.1	0.04	0.2
C32	-	-	-	-	-	-	-	-	-	-	-	-	0.9	0.9	-	1.0	0.1	0.1	0.05	0.1
C33-C34	-	-	-	-	-	-	1.1	0.4	0.9	3.3	5.3	6.0	6.3	9.5	6.6	9.9	2.1	1.7	0.22	3.3
C37-C38	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	0.03	0.1
C40-C41	-	-	0.5	-	-	-	-	0.4	0.5	0.5	-	1.7	-	1.9	-	1.0	0.3	0.3	0.09	0.5
C43	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	0.03	0.1
C44	-	-	-	-	-	-	-	0.4	0.5	-	-	-	0.9	-	-	1.0	0.1	0.1	0.05	0.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	0.5	1.4	0.7	-	0.9	-	1.3	1.0	0.3	0.2	0.08	0.6
C50	-	-	-	-	-	0.8	2.7	6.0	7.4	16.9	25.0	29.0	18.0	11.4	19.8	18.8	7.5	6.3	0.43	16.0
C51	-	-	-	-	-	-	-	-	-	0.5	-	0.9	-	-	-	-	0.1	0.1	0.04	0.2
C52	-	-	-	-	-	-	-	-	0.5	0.5	-	1.7	0.9	-	1.3	2.0	0.3	0.2	0.08	0.5
C53	-	-	-	-	-	-	-	1.9	2.3	5.6	5.9	11.9	7.2	8.5	9.2	15.8	2.9	2.4	0.27	5.3
C54	-	-	-	-	-	-	-	-	-	0.9	0.7	1.7	0.9	2.8	1.3	-	0.3	0.3	0.10	0.6
C55	-	-	-	-	-	-	-	0.4	0.5	0.5	-	0.9	2.7	1.9	1.3	1.0	0.4	0.3	0.10	0.7
C56	-	-	-	-	-	-	0.4	0.8	0.9	2.8	7.2	6.0	5.4	4.7	4.0	6.9	1.7	1.5	0.21	3.5
C57	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	-	0.1	0.1	0.05	0.2
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	0.4	-	-	-	-	-	-	0.9	-	1.3	-	0.1	0.1	0.05	0.1
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	0.4	-	-	-	-	0.9	-	-	-	0.1	0.1	0.04	0.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	0.5	-	0.5	1.0	-	-	0.4	0.8	1.4	0.9	1.3	3.4	2.7	2.8	2.6	5.9	1.1	1.0	0.18	1.6
C73	-	-	-	-	-	-	0.4	-	0.5	-	2.0	3.4	3.6	1.9	2.6	2.0	0.7	0.6	0.13	1.3
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	0.4	-	-	0.5	-	0.7	-	1.8	-	1.3	-	0.2	0.2	0.08	0.4
C82-C85,C96	-	-	-	0.5	-	0.4	0.4	-	1.4	-	0.7	0.9	2.7	1.9	4.0	2.0	0.6	0.5	0.13	0.8
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	0.5	0.9	3.9	1.7	5.4	5.7	6.6	5.9	1.2	1.0	0.17	1.8
C91	0.5	0.6	-	0.5	-	-	-	-	-	0.5	-	0.9	-	0.9	1.3	1.0	0.3	0.3	0.11	0.2
C92-C94	-	-	-	-	1.7	0.8	0.8	0.4	0.9	2.3	2.6	1.7	1.8	0.9	2.6	1.0	1.0	0.8	0.16	1.6
C95	-	-	-	0.5	-	-	0.4	0.8	-	0.5	-	-	-	0.9	2.6	2.0	0.3	0.3	0.09	0.2
O&U*	0.5	1.3	-	-	-	-	1.1	2.6	3.7	4.7	11.2	16.2	15.3	23.7	23.7	53.3	6.3	5.0	0.38	8.0
All	1.4	1.9	1.0	2.5	2.1	3.0	7.6	17.8	31.0	54.4	88.8	127.8	124.5	128.7	160.9	214.3	40.8	33.6	1.00	66.8

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE KLM-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2009-2010 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.4	0.4	0.5	0.5
C03-C06	Mouth	0.4	0.4	0.8	0.8
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	0.2	0.2	0.3	0.3
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.2	0.2	0.3	0.3
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.3	0.3	0.7	0.7
C16	Stomach	0.4	0.4	0.8	0.8
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.4	0.4
C19-C20	Rectum	0.4	0.4	0.7	0.7
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.3	0.3	0.7	0.7
C23-C24	Gallbladder etc.	0.1	0.1	0.1	0.1
C25	Pancreas	0.2	0.2	0.4	0.4
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.4	0.4	0.6	0.6
C33-C34	Lung etc.	1.2	1.2	2.5	2.6
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	-	-	-	-
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.3	0.3	0.7	0.7
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.2	0.2
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.2	0.2	0.5	0.5
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.3	0.3
C73	Thyroid	0.2	0.2	0.2	0.2
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.3	0.3	0.5	0.5
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.3	0.3	0.5	0.5
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.2	0.2	0.2	0.2
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.6	0.6	1.1	1.2
	All Sites	7.63	7.35	14.12	13.17

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE KLM-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2009-2010 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.3	0.3
C03-C06	Mouth	0.2	0.2	0.4	0.4
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.1	0.1	0.1	0.1
C16	Stomach	0.1	0.1	0.2	0.2
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.2	0.2	0.4	0.4
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	-	-	0.1	0.1
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	0.1	0.1
C32	Larynx	-	-	-	-
C33-C34	Lung etc.	0.2	0.2	0.3	0.3
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	0.1	0.1
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	0.1	0.1
C50	Breast	2.1	2.1	2.8	2.8
C51	Vulva	-	-	-	-
C52	Vagina	-	-	-	-
C53	Cervix Uteri	0.5	0.5	0.8	0.8
C54	Corpus Uteri	0.2	0.2	0.3	0.3
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.4	0.4	0.6	0.6
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.2	0.2
C73	Thyroid	0.6	0.6	0.7	0.7
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.2	0.2
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.3	0.3	0.6	0.6
	All Sites	6.84	6.61	10.08	9.59

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)