

# POPULATION BASED CANCER REGISTRY, WARDHA

## Mahatma Gandhi Institute of Medical Sciences, Sevagram

### **Dr Nitin Gangane**

Principal Investigator, Director-Professor & Head, Department of Pathology  
Mahatma Gandhi Institute of Medical Sciences, Sevagram

Sevagram was the de-facto capital of India during the freedom struggle. In 1936, Gandhiji settled in this remote village “Shegaon” rechristened as “Sevagram”. The Mahatma Gandhi Institute of Medical Sciences (MGIMS) is located in a rural setting within five minutes walk from Gandhiji’s ashram. It is the first rural medical institute in India established in Gandhiji’s birth centenary year, 1969.

The Population Based Cancer Registry (PBCR) of Wardha District was working initially as part of the Cancer Atlas Project of NCRP from the year 2002. It became a regular Cancer Registry (PBCR) with effect from 1<sup>st</sup> February 2010 covering the entire Wardha district. The Registry is located in the Department of Pathology of MGIMS Sevagram, Wardha. The Registry aims to record all cancer cases occurring in the residents of Wardha District.

The area covered by the PBCR is 6309 sq. kms. Wardha District constitutes 2% of total area of Maharashtra State. The Estimated Population of 2010 is 14,18,995 and that of 2011 is 14,40,055. The sex ratio of Female to Male is 946:1000. The population density is 205 per sq km and the literacy rate is 87.22%. It includes 8 taluks namely, Wardha, Hinganghat, Ashti, Samudrapur, Karanja (G), Arvi, Deoli and Seloo.

Since data quality and completeness of coverage is a prime requisite for good cancer registration, the registry has been trying its best to focus on the same. The population for the areas covered by the registries for the year 2010 has been estimated on the basis of 1999 and 2001 census population provided by the office of the Economics & Statistics, Govt. of Maharashtra.

Incidence as well as mortality data is collected routinely from various hospitals, pathological labs, practitioners of alternate medicine and offices of the Vital Statistics of the Government. To collect incidence data our staff visit hospitals on routine basis and scrutinise the records in various departments that include pathology, radiology, radiotherapy, in-patient wards and out-patient clinics to elicit the desired information on reported cancer cases and record them in the core proforma. The Mortality data are collected from the municipal corporation units, panchayat samitis, gram panchayats and by active follow-up of the incident cases. Every attempt is made by the registry to register all cancer patients who are a resident of the registry area for at least one year and to collect information from all the death certificates in which cancer is mentioned. Recent activities include interaction with medical officers serving in rural as well as urban

areas for refining data collection. In the coming years the quality of the data is planned to be improved by proactive participation of medical personnel serving in government and private medical institutions.

### **List of project workers**


<b>Dr Preeti Shende</b> MBBS	:	Medical Officer
<b>Rupali Raut</b> MSc (Statistics)	:	Statistician
<b>Maroti Zade</b> BARS, DCP & SA	:	Data Entry Operator
<b>Usha Jamlekar</b> M.S.W.	:	Social Worker
<b>Narendra Deotale</b> M.S.W.	:	Social Worker
<b>Mamta Junghare</b> M.A., M.S.W.	:	Social Worker
<b>Kalyani Waghmare</b> M.S.W.	:	Social Worker

**TABLE WDA-2: Main Sources of Registration of Incident Cases of Cancer: 2010-2011**  
**Wardha**

<b>Name of the Institution</b>	<b>Number</b>	<b>%</b>
MGIMS, Sevagram	771	48.7
JNMC, Sawangi	272	17.2
Dental College, Sawangi	107	6.8
RST Cancer Hospital, Nagpur	90	5.7
Govt. Medical College, Nagpur	74	4.7
Amay Patho Lab, Wardha	53	3.4
Jajoo Hospital, Wardha	17	1.1
Others	198	12.5
<b>Total</b>	<b>1582</b>	<b>100.0</b>

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2010-2011.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**Figure WDA -1**  
**Population Pyramid showing Age Distribution: 2010-2011**  
**WARDHA**



**TABLE WDA-2**  
**Population by Five Year Age Group and Gender: 2010-2011**  
*Number and Relative Proportion (%)*  
**WARDHA**

Age Group	Males		Females	
	Number	%	Number	%
00-04	110437	7.5	99811	7.2
05-09	110443	7.5	107610	7.8
10-14	158432	10.7	140500	10.2
15-19	154624	10.5	138156	10.0
20-24	139751	9.4	124409	9.0
25-29	132706	9.0	123915	9.0
30-34	123152	8.3	113520	8.2
35-39	110103	7.4	114829	8.3
40-44	107754	7.3	81796	5.9
45-49	77647	5.3	61521	4.5
50-54	56177	3.8	35344	2.6
55-59	35736	2.4	41801	3.0
60-64	31214	2.1	59393	4.3
65-69	60423	4.1	71973	5.2
70-74	43501	2.9	35866	2.6
75+	28013	1.9	28493	2.1
<b>Total</b>	<b>1480113</b>	<b>100.00</b>	<b>1378937</b>	<b>100.00</b>

## TABLE WDA-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010-2011 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	4	0.53
C01-C02	Tongue	-	-	-	-	2	-	2	4	2	4	7	5	2	8	3	1	-	40	5.26
C03-C06	Mouth	-	-	-	-	3	1	8	13	8	22	24	9	17	17	9	6	-	137	18.03
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	6	0.79
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	0.26
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	2	-	2	-	1	2	-	-	8	1.05
C11	Nasopharynx	-	-	-	-	1	-	-	1	-	1	1	1	1	1	-	1	-	8	1.05
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	1	-	3	4	4	3	5	-	21	2.76
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	1	-	5	0.66
C15	Oesophagus	-	-	-	-	1	-	1	1	1	9	2	5	6	9	3	6	-	44	5.79
C16	Stomach	-	-	-	-	-	-	1	1	-	2	1	3	1	1	4	3	-	17	2.24
C17	Small Intestine	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	0.26
C18	Colon	-	-	-	-	1	1	-	1	2	1	1	6	-	2	3	2	-	20	2.63
C19-C20	Rectum	-	-	-	-	3	1	1	2	3	1	3	2	4	6	-	4	-	30	3.95
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	5	0.66
C22	Liver	1	-	-	-	-	-	-	1	-	-	3	4	4	5	6	3	-	27	3.55
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	5	0.66
C25	Pancreas	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	1	-	7	0.92
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	5	0.66
C32	Larynx	-	-	-	-	-	-	1	2	-	3	1	-	7	4	2	1	-	21	2.76
C33-C34	Lung etc.	-	-	-	-	-	-	1	1	1	8	2	8	11	10	4	3	-	49	6.45
C37-C38	Other Thoracic Organs	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	3	0.39
C40-C41	Bone	-	-	2	2	-	1	-	1	-	2	1	1	-	1	-	1	-	12	1.58
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	1	1	-	2	3	1	5	2	5	6	-	7	5	6	-	44	5.79
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	2	-	1	2	1	-	1	1	2	4	1	-	-	15	1.97
C50	Breast	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	4	0.53
C60	Penis	-	-	-	-	-	1	3	2	1	1	1	1	2	3	-	2	-	17	2.24
C61	Prostate	-	-	-	-	-	-	-	-	1	-	2	-	10	4	3	2	-	22	2.89
C62	Testis	-	-	-	1	1	2	1	2	4	3	2	-	-	1	-	-	-	17	2.24
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.13
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	-	-	10	1.32
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	1	-	1	-	-	1	3	1	2	6	2	-	17	2.24
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	0.26
C70-C72	Brain, Nervous System	1	-	1	-	1	5	-	4	2	2	-	2	2	1	-	-	-	21	2.76
C73	Thyroid	-	-	-	-	1	-	1	-	-	-	1	1	2	1	-	2	-	9	1.18
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	1	1	4	-	-	1	2	-	-	-	-	-	-	-	-	-	9	1.18
C82-C85,C96	NHL	1	1	-	-	1	-	1	1	-	-	3	3	1	3	-	-	-	15	1.97
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.13
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	5	0.66
C91	Lymphoid Leuk.	2	-	1	2	-	-	1	1	2	1	1	1	1	-	-	-	-	13	1.71
C92-C94	Myeloid Leukaemia	-	-	-	1	2	2	1	1	1	7	2	4	2	1	-	-	-	24	3.16
C95	Leukaemia Uns	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.13
O&U*	Other and Uns	-	2	-	-	-	1	-	2	1	-	3	5	5	4	8	4	-	35	4.61
	<b>All Sites</b>	<b>5</b>	<b>4</b>	<b>6</b>	<b>12</b>	<b>19</b>	<b>19</b>	<b>30</b>	<b>48</b>	<b>40</b>	<b>76</b>	<b>78</b>	<b>87</b>	<b>88</b>	<b>115</b>	<b>69</b>	<b>64</b>	<b>-</b>	<b>760</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE WDA-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010-2011 - Females

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.12
C01-C02	Tongue	-	-	-	-	-	1	-	1	3	7	6	-	3	1	3	2	-	27	3.28
C03-C06	Mouth	-	-	-	1	-	-	-	4	3	4	8	6	14	11	6	7	-	64	7.79
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	0.24
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.12
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.12
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	-	-	7	0.85
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	8	4	6	4	3	8	5	6	5	-	49	5.96
C16	Stomach	-	-	-	-	-	-	1	3	2	2	1	2	3	3	-	4	-	21	2.55
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	0.24
C18	Colon	-	-	-	1	-	-	1	-	1	1	-	-	1	3	-	-	-	8	0.97
C19-C20	Rectum	-	-	-	-	-	1	-	1	1	1	1	5	1	4	-	1	-	16	1.95
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.12
C22	Liver	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	1	-	6	0.73
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	4	0.49
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.12
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-	-	-	5	0.61
C32	Larynx	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	-	6	0.73
C33-C34	Lung etc.	-	-	-	-	-	-	-	2	2	3	2	1	4	4	3	2	-	23	2.80
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	1	2	-	1	-	2	-	-	2	-	-	-	-	-	-	8	0.97
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	1	-	-	2	2	1	1	2	1	4	1	6	-	21	2.55
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	1	2	-	2	2	-	-	1	1	2	1	-	-	-	12	1.46
C50	Breast	-	-	-	-	-	6	13	29	38	39	34	16	20	13	9	5	-	222	27.01
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.24
C53	Cervix Uteri	-	-	-	-	-	-	3	8	12	12	18	7	13	11	10	5	-	99	12.04
C54	Corpus Uteri	-	-	-	-	-	-	-	1	1	1	3	3	3	3	1	3	-	19	2.31
C55	Uterus Unspecified	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.12
C56	Ovary etc.	1	-	-	-	1	1	3	5	9	10	5	4	3	3	5	2	-	52	6.33
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	6	0.73
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	1	-	5	0.61
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.12
C69	Eye	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.12
C70-C72	Brain, NS	-	2	-	-	-	-	1	-	1	1	-	-	1	1	-	-	-	7	0.85
C73	Thyroid	-	-	-	1	-	3	4	5	2	1	2	1	2	1	5	-	-	27	3.28
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	2	2	-	-	2	1	1	1	-	-	-	-	-	-	9	1.09
C82-C85,C96	NHL	-	-	1	-	-	-	2	-	1	1	1	1	3	1	3	-	-	14	1.70
C88	Malig Imn.Prof D	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.12
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	0.24
C91	Lymphoid Leuk.	3	2	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	10	1.22
C92-C94	Myeloid Leukaemia	-	-	-	2	2	2	-	5	-	3	1	1	2	2	1	1	-	22	2.68
C95	Leukaemia Uns	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	4	0.49
O&U*	Other and Uns	1	-	-	-	-	1	1	1	3	-	2	3	5	7	3	5	-	32	3.89
	<b>All Sites</b>	<b>7</b>	<b>4</b>	<b>5</b>	<b>11</b>	<b>9</b>	<b>18</b>	<b>35</b>	<b>84</b>	<b>88</b>	<b>97</b>	<b>103</b>	<b>62</b>	<b>99</b>	<b>89</b>	<b>58</b>	<b>53</b>	<b>-</b>	<b>822</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE WDA-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010-2011 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.8	-	-	1.3	1.8	-	-	-	2.3	-	0.3	0.26	0.14	0.5
C01-C02	-	-	-	-	1.4	-	1.6	3.6	1.9	5.2	12.5	14.0	6.4	13.2	6.9	3.6	2.7	2.90	0.49	6.7
C03-C06	-	-	-	-	2.1	0.8	6.5	11.8	7.4	28.3	42.7	25.2	54.5	28.1	20.7	21.4	9.3	10.48	0.95	26.4
C07-C08	-	-	-	-	-	-	-	-	-	-	-	5.6	-	1.7	4.6	3.6	0.4	0.44	0.19	0.7
C09	-	-	-	-	-	-	-	-	-	1.3	-	-	-	1.7	-	-	0.1	0.13	0.09	0.2
C10	-	-	-	-	-	-	-	-	0.9	2.6	-	5.6	-	1.7	4.6	-	0.5	0.58	0.22	1.4
C11	-	-	-	-	0.7	-	-	0.9	-	1.3	1.8	2.8	3.2	1.7	-	3.6	0.5	0.64	0.24	1.5
C12-C13	-	-	-	-	-	-	-	-	0.9	1.3	-	8.4	12.8	6.6	6.9	17.8	1.4	1.67	0.39	3.2
C14	-	-	-	-	-	-	-	-	-	1.3	-	8.4	-	-	-	3.6	0.3	0.48	0.22	1.3
C15	-	-	-	-	0.7	-	0.8	0.9	0.9	11.6	3.6	14.0	19.2	14.9	6.9	21.4	3.0	3.43	0.55	7.5
C16	-	-	-	-	-	-	0.8	0.9	-	2.6	1.8	8.4	3.2	1.7	9.2	10.7	1.1	1.26	0.32	2.5
C17	-	-	-	-	-	0.8	-	-	-	-	1.8	-	-	-	-	-	0.1	0.15	0.11	0.3
C18	-	-	-	-	0.7	0.8	-	0.9	1.9	1.3	1.8	16.8	-	3.3	6.9	7.1	1.4	1.50	0.36	3.2
C19-C20	-	-	-	-	2.1	0.8	0.8	1.8	2.8	1.3	5.3	5.6	12.8	9.9	-	14.3	2.0	2.22	0.43	4.4
C21	-	-	-	-	-	-	-	-	0.9	-	1.8	-	-	3.3	-	3.6	0.3	0.32	0.15	0.5
C22	0.9	-	-	-	-	-	-	0.9	-	-	5.3	11.2	12.8	8.3	13.8	10.7	1.8	2.13	0.44	4.1
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	10.7	0.3	0.31	0.14	-
C25	-	-	-	-	-	-	-	0.9	-	-	-	5.6	3.2	3.3	-	3.6	0.5	0.58	0.23	1.3
C30-C31	-	-	-	-	-	-	-	-	1.9	-	3.6	2.8	-	-	-	-	0.3	0.40	0.19	1.3
C32	-	-	-	-	-	-	0.8	1.8	-	3.9	1.8	-	22.4	6.6	4.6	3.6	1.4	1.74	0.41	4.3
C33-C34	-	-	-	-	-	-	0.8	0.9	0.9	10.3	3.6	22.4	35.2	16.5	9.2	10.7	3.3	4.15	0.63	10.4
C37-C38	-	-	-	0.6	-	-	-	-	-	-	1.8	2.8	-	-	-	-	0.2	0.26	0.15	0.6
C40-C41	-	-	1.3	1.3	-	0.8	-	0.9	-	2.6	1.8	2.8	-	1.7	-	3.6	0.8	0.82	0.24	1.3
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	0.6	0.6	-	1.5	2.4	0.9	4.6	2.6	8.9	16.8	-	11.6	11.5	21.4	3.0	2.99	0.47	5.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	1.4	-	0.8	1.8	0.9	-	1.8	2.8	6.4	6.6	2.3	-	1.0	1.03	0.29	2.0
C50	-	-	-	-	-	-	-	-	-	-	1.8	2.8	-	-	2.3	3.6	0.3	0.32	0.17	0.6
C60	-	-	-	-	-	0.8	2.4	1.8	0.9	1.3	1.8	2.8	6.4	5.0	-	7.1	1.1	1.20	0.31	2.3
C61	-	-	-	-	-	-	-	-	0.9	-	3.6	-	32.0	6.6	6.9	7.1	1.5	1.99	0.46	4.9
C62	-	-	-	0.6	0.7	1.5	0.8	1.8	3.7	3.9	3.6	-	-	1.7	-	-	1.1	1.08	0.27	2.4
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	-	-	0.1	0.05	0.05	-
C64	-	-	-	-	-	-	-	-	-	1.3	3.6	2.8	3.2	3.3	6.9	-	0.7	0.73	0.25	1.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	0.8	-	0.9	-	-	1.8	8.4	3.2	3.3	13.8	7.1	1.1	1.19	0.31	2.0
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	-	3.6	0.1	0.16	0.11	0.3
C70-C72	0.9	-	0.6	-	0.7	3.8	-	3.6	1.9	2.6	-	5.6	6.4	1.7	-	-	1.4	1.54	0.36	3.1
C73	-	-	-	-	0.7	-	0.8	-	-	-	1.8	2.8	6.4	1.7	-	7.1	0.6	0.76	0.27	1.5
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	0.9	0.6	2.6	-	-	0.8	1.8	-	-	-	-	-	-	-	-	0.6	0.54	0.18	0.4
C82-C85,C96	0.9	0.9	-	-	0.7	-	0.8	0.9	-	-	5.3	8.4	3.2	5.0	-	-	1.0	1.24	0.34	2.5
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.6	0.1	0.07	0.07	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	3.2	6.6	-	-	0.3	0.33	0.16	0.4
C91	1.8	-	0.6	1.3	-	-	0.8	0.9	1.9	1.3	1.8	2.8	3.2	-	-	-	0.9	1.01	0.30	1.8
C92-C94	-	-	-	0.6	1.4	1.5	0.8	0.9	0.9	9.0	3.6	11.2	6.4	1.7	-	-	1.6	1.92	0.41	4.9
C95	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	0.1	0.05	0.05	-
O&U*	-	1.8	-	-	-	0.8	-	1.8	0.9	-	5.3	14.0	16.0	6.6	18.4	14.3	2.4	2.73	0.49	5.3
All	4.5	3.6	3.8	7.8	13.6	14.3	24.4	43.6	37.1	97.9	138.8	243.5	281.9	190.3	158.6	228.5	51.3	57.8	2.23	124.8

\* O&amp;U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE WDA-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010-2011 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	-	0.1	0.07	0.07	0.2
C01-C02	-	-	-	-	-	0.8	-	0.9	3.7	11.4	17.0	-	5.1	1.4	8.4	7.0	2.0	2.42	0.49	6.5
C03-C06	-	-	-	0.7	-	-	-	3.5	3.7	6.5	22.6	14.4	23.6	15.3	16.7	24.6	4.6	4.82	0.65	11.2
C07-C08	-	-	-	-	-	-	-	-	-	-	-	4.8	-	-	-	-	0.1	0.19	0.14	0.6
C09	-	-	-	-	-	-	-	-	-	-	2.8	-	-	-	-	-	0.1	0.14	0.14	0.5
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	0.1	0.10	0.10	0.3
C12-C13	-	-	-	-	-	-	-	-	1.2	-	-	4.8	3.4	1.4	2.8	-	0.5	0.50	0.19	1.3
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	7.0	4.9	9.8	11.3	7.2	13.5	6.9	16.7	17.5	3.6	3.58	0.54	8.7
C16	-	-	-	-	-	-	0.9	2.6	2.4	3.3	2.8	4.8	5.1	4.2	-	14.0	1.5	1.49	0.34	3.3
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	2.8	-	-	0.1	0.08	0.06	-
C18	-	-	-	0.7	-	-	0.9	-	1.2	1.6	-	-	1.7	4.2	-	-	0.6	0.48	0.18	0.8
C19-C20	-	-	-	-	-	0.8	-	0.9	1.2	1.6	2.8	12.0	1.7	5.6	-	3.5	1.2	1.21	0.32	2.9
C21	-	-	-	-	-	-	-	-	-	-	2.8	-	-	-	-	-	0.1	0.14	0.14	0.5
C22	-	-	-	-	-	-	-	-	-	1.6	2.8	-	5.1	-	-	3.5	0.4	0.51	0.22	1.4
C23-C24	-	-	-	-	-	-	-	-	-	-	2.8	-	3.4	1.4	-	-	0.3	0.32	0.18	0.9
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	0.1	0.04	0.04	-
C30-C31	-	-	-	-	-	-	0.9	0.9	-	-	-	-	1.7	2.8	-	-	0.4	0.26	0.12	0.4
C32	-	-	-	-	-	-	-	-	-	-	2.8	-	-	4.2	-	7.0	0.4	0.41	0.19	0.5
C33-C34	-	-	-	-	-	-	-	1.7	2.4	4.9	5.7	2.4	6.7	5.6	8.4	7.0	1.7	1.67	0.37	3.8
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	0.7	1.4	-	0.8	-	1.7	-	-	5.7	-	-	-	-	-	0.6	0.65	0.25	1.2
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	0.8	-	-	1.7	2.4	1.6	2.8	4.8	1.7	5.6	2.8	21.1	1.5	1.46	0.34	2.4
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	0.7	1.6	-	1.8	1.7	-	-	2.8	2.4	3.4	1.4	-	-	0.9	0.82	0.25	1.5
C50	-	-	-	-	-	4.8	11.5	25.3	46.5	63.4	96.2	38.3	33.7	18.1	25.1	17.5	16.1	18.26	1.31	50.9
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	3.5	0.1	0.11	0.08	-
C53	-	-	-	-	-	-	2.6	7.0	14.7	19.5	50.9	16.7	21.9	15.3	27.9	17.5	7.2	8.09	0.88	21.2
C54	-	-	-	-	-	-	-	0.9	1.2	1.6	8.5	7.2	5.1	4.2	2.8	10.5	1.4	1.53	0.38	3.7
C55	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	-	0.1	0.05	0.05	-
C56	1.0	-	-	-	0.8	0.8	2.6	4.4	11.0	16.3	14.1	9.6	5.1	4.2	13.9	7.0	3.8	4.14	0.61	10.3
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	1.0	-	-	-	0.8	-	0.9	-	-	-	5.7	2.4	-	-	-	-	0.4	0.62	0.27	1.2
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	0.8	-	-	-	1.6	-	-	3.4	-	-	3.5	0.4	0.37	0.17	0.7
C68	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	0.1	0.05	0.05	0.2
C69	-	-	-	-	-	-	-	-	-	1.6	-	-	-	-	-	-	0.1	0.10	0.10	0.3
C70-C72	-	1.9	-	-	-	-	0.9	-	1.2	1.6	-	-	1.7	1.4	-	-	0.5	0.52	0.20	0.8
C73	-	-	-	0.7	-	2.4	3.5	4.4	2.4	1.6	5.7	2.4	3.4	1.4	13.9	-	2.0	1.81	0.37	3.3
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	1.4	1.6	-	-	1.7	1.2	1.6	2.8	-	-	-	-	-	0.7	0.68	0.24	1.3
C82-C85,C96	-	-	0.7	-	-	-	1.8	-	1.2	1.6	2.8	2.4	5.1	1.4	8.4	-	1.0	0.99	0.28	2.0
C88	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.12	0.12	-
C90	-	-	-	-	-	-	-	-	-	-	5.7	-	-	-	-	-	0.1	0.28	0.20	0.9
C91	3.0	1.9	1.4	0.7	-	-	-	0.9	-	-	-	-	-	-	2.8	-	0.7	0.85	0.28	0.2
C92-C94	-	-	-	1.4	1.6	1.6	-	4.4	-	4.9	2.8	2.4	3.4	2.8	2.8	3.5	1.6	1.52	0.34	3.0
C95	-	-	0.7	-	-	0.8	0.9	-	-	-	2.8	-	-	-	-	-	0.3	0.32	0.18	0.5
O&U*	1.0	-	-	-	-	0.8	0.9	0.9	3.7	-	5.7	7.2	8.4	9.7	8.4	17.5	2.3	2.23	0.42	3.8
<b>All</b>	<b>7.0</b>	<b>3.7</b>	<b>3.6</b>	<b>8.0</b>	<b>7.2</b>	<b>14.5</b>	<b>30.8</b>	<b>73.2</b>	<b>107.6</b>	<b>157.7</b>	<b>291.4</b>	<b>148.3</b>	<b>166.7</b>	<b>123.7</b>	<b>161.7</b>	<b>186.0</b>	<b>59.6</b>	<b>64.0</b>	<b>2.39</b>	<b>153.1</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE WDA-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010-2011 - Males**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C01-C02	Tongue	-	-	39	97.5	-	-	1	2.5	-	-	-	-	40	100.0
C03-C06	Mouth	-	-	132	96.4	-	-	5	3.6	-	-	-	-	137	100.0
C07-C08	Salivary Gland	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C09	Tonsil	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C10	Oth. Oropharynx	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C11	Nasopharynx	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C12-C13	Hypopharynx	-	-	20	95.2	-	-	-	-	1	4.8	-	-	21	100.0
C14	Pharynx Unspecified	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C15	Oesophagus	-	-	38	86.4	-	-	6	13.6	-	-	-	-	44	100.0
C16	Stomach	-	-	13	76.5	-	-	4	23.5	-	-	-	-	17	100.0
C17	Small Intestine	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	-	-	17	85.0	2	10.0	1	5.0	-	-	-	-	20	100.0
C19-C20	Rectum	-	-	26	86.7	1	3.3	3	10.0	-	-	-	-	30	100.0
C21	Anus & Anal Canal	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C22	Liver	-	-	22	81.5	3	11.1	1	3.7	1	3.7	-	-	27	100.0
C23-C24	Gallbladder etc.	-	-	2	40.0	3	60.0	-	-	-	-	-	-	5	100.0
C25	Pancreas	-	-	5	71.4	1	14.3	1	14.3	-	-	-	-	7	100.0
C30-C31	Nose, Sinuses etc.	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C32	Larynx	-	-	20	95.2	1	4.8	-	-	-	-	-	-	21	100.0
C33-C34	Lung etc.	-	-	46	93.9	3	6.1	-	-	-	-	-	-	49	100.0
C37-C38	Other Thoracic Organs	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C40-C41	Bone	-	-	11	91.7	-	-	1	8.3	-	-	-	-	12	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	43	97.7	-	-	1	2.3	-	-	-	-	44	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	14	93.3	-	-	1	6.7	-	-	-	-	15	100.0
C50	Breast	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C60	Penis	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C61	Prostate	-	-	21	95.5	1	4.5	-	-	-	-	-	-	22	100.0
C62	Testis	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C63	Other Male Genital	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	9	90.0	1	10.0	-	-	-	-	-	-	10	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	-	-	20	95.2	-	-	1	4.8	-	-	-	-	21	100.0
C73	Thyroid	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C82-C85,C96	NHL	-	-	15	100.0	-	-	-	-	-	-	-	-	15	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
C90	Multiple Myeloma	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C91	Lymphoid Leuk.	-	-	13	100.0	-	-	-	-	-	-	-	-	13	100.0
C92-C94	Myeloid Leukaemia	-	-	24	100.0	-	-	-	-	-	-	-	-	24	100.0
C95	Leukaemia Uns	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
O&U*	Other and Uns	-	-	33	94.3	2	5.7	-	-	-	-	-	-	35	100.0
	<b>All Sites</b>	-	-	<b>711</b>	<b>93.6</b>	<b>18</b>	<b>2.4</b>	<b>29</b>	<b>3.8</b>	<b>2</b>	<b>0.3</b>	-	-	<b>760</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE WDA-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010-2011 - Females**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C01-C02	Tongue	-	-	27	100.0	-	-	-	-	-	-	-	-	27	100.0
C03-C06	Mouth	-	-	61	95.3	-	-	3	4.7	-	-	-	-	64	100.0
C07-C08	Salivary Gland	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C09	Tonsil	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C12-C13	Hypopharynx	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	42	85.7	-	-	7	14.3	-	-	-	-	49	100.0
C16	Stomach	-	-	15	71.4	1	4.8	5	23.8	-	-	-	-	21	100.0
C17	Small Intestine	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C19-C20	Rectum	-	-	15	93.8	-	-	1	6.3	-	-	-	-	16	100.0
C21	Anus & Anal Canal	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	-	-	5	83.3	1	16.7	-	-	-	-	-	-	6	100.0
C23-C24	Gallbladder etc.	-	-	2	50.0	1	25.0	1	25.0	-	-	-	-	4	100.0
C25	Pancreas	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C30-C31	Nose, Sinuses etc.	-	-	4	80.0	1	20.0	-	-	-	-	-	-	5	100.0
C32	Larynx	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C33-C34	Lung etc.	-	-	21	91.3	2	8.7	-	-	-	-	-	-	23	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	21	100.0	-	-	-	-	-	-	-	-	21	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C50	Breast	-	-	218	98.2	-	-	4	1.8	-	-	-	-	222	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C53	Cervix Uteri	-	-	94	94.9	-	-	5	5.1	-	-	-	-	99	100.0
C54	Corpus Uteri	-	-	18	94.7	-	-	1	5.3	-	-	-	-	19	100.0
C55	Uterus Unspecified	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C56	Ovary etc.	-	-	48	92.3	3	5.8	1	1.9	-	-	-	-	52	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	4	66.7	2	33.3	-	-	-	-	-	-	6	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C68	Uns. Urinary Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C73	Thyroid	-	-	27	100.0	-	-	-	-	-	-	-	-	27	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C82-C85,C96	NHL	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	1	100.0	-	-	-	-	1	100.0
C90	Multiple Myeloma	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C92-C94	Myeloid Leukaemia	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C95	Leukaemia Uns	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
O&U*	Other and Uns	-	-	27	84.4	3	9.4	2	6.3	-	-	-	-	32	100.0
	<b>All Sites</b>	-	-	<b>777</b>	<b>94.5</b>	<b>14</b>	<b>1.7</b>	<b>31</b>	<b>3.8</b>	-	-	-	-	<b>822</b>	<b>100.0</b>

\* O&amp;U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE WDA-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010-2011 - Males**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C01-C02	Tongue	38	95.0	-	-	1	2.5	-	-	-	-	1	2.5	40	100.0
C03-C06	Mouth	122	89.1	-	-	10	7.3	-	-	-	-	5	3.6	137	100.0
C07-C08	Salivary Gland	3	50.0	-	-	3	50.0	-	-	-	-	-	-	6	100.0
C09	Tonsil	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C10	Oth. Oropharynx	6	75.0	-	-	2	25.0	-	-	-	-	-	-	8	100.0
C11	Nasopharynx	5	62.5	-	-	3	37.5	-	-	-	-	-	-	8	100.0
C12-C13	Hypopharynx	17	81.0	-	-	3	14.3	-	-	-	-	1	4.8	21	100.0
C14	Pharynx Unspecified	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C15	Oesophagus	38	86.4	-	-	-	-	-	-	-	-	6	13.6	44	100.0
C16	Stomach	13	76.5	-	-	-	-	-	-	-	-	4	23.5	17	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	16	80.0	-	-	1	5.0	-	-	-	-	3	15.0	20	100.0
C19-C20	Rectum	26	86.7	-	-	-	-	-	-	-	-	4	13.3	30	100.0
C21	Anus & Anal Canal	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C22	Liver	3	11.1	-	-	19	70.4	-	-	-	-	5	18.5	27	100.0
C23-C24	Gallbladder etc.	1	20.0	-	-	1	20.0	-	-	-	-	3	60.0	5	100.0
C25	Pancreas	1	14.3	-	-	4	57.1	-	-	-	-	2	28.6	7	100.0
C30-C31	Nose, Sinuses etc.	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C32	Larynx	17	81.0	-	-	3	14.3	-	-	-	-	1	4.8	21	100.0
C33-C34	Lung etc.	9	18.4	-	-	37	75.5	-	-	-	-	3	6.1	49	100.0
C37-C38	Other Thoracic Organs	1	33.3	-	-	2	66.7	-	-	-	-	-	-	3	100.0
C40-C41	Bone	7	58.3	-	-	4	33.3	-	-	-	-	1	8.3	12	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	32	72.7	-	-	11	25.0	-	-	-	-	1	2.3	44	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	7	46.7	-	-	7	46.7	-	-	-	-	1	6.7	15	100.0
C50	Breast	1	25.0	-	-	3	75.0	-	-	-	-	-	-	4	100.0
C60	Penis	17	100.0	-	-	-	-	-	-	-	-	-	-	17	100.0
C61	Prostate	7	31.8	-	-	14	63.6	-	-	-	-	1	4.5	22	100.0
C62	Testis	16	94.1	-	-	1	5.9	-	-	-	-	-	-	17	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C64	Kidney etc.	4	40.0	-	-	5	50.0	-	-	-	-	1	10.0	10	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	11	64.7	-	-	6	35.3	-	-	-	-	-	-	17	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C70-C72	Brain, Nervous System	17	81.0	-	-	3	14.3	-	-	-	-	1	4.8	21	100.0
C73	Thyroid	4	44.4	-	-	5	55.6	-	-	-	-	-	-	9	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	7	77.8	-	-	2	22.2	-	-	-	-	-	-	9	100.0
C82-C85,C96	NHL	12	80.0	-	-	2	13.3	-	-	1	6.7	-	-	15	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C90	Multiple Myeloma	1	20.0	-	-	-	-	-	-	4	80.0	-	-	5	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	3	23.1	10	76.9	-	-	13	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	7	29.2	17	70.8	-	-	24	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
O&U*	Other and Uns	1	2.9	1	2.9	31	88.6	-	-	-	-	2	5.7	35	100.0
	<b>All Sites</b>	<b>482</b>	<b>63.4</b>	<b>1</b>	<b>0.1</b>	<b>185</b>	<b>24.3</b>	<b>10</b>	<b>1.3</b>	<b>33</b>	<b>4.3</b>	<b>49</b>	<b>6.4</b>	<b>760</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE WDA-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010-2011 - Females**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C01-C02	Tongue	26	96.3	-	-	1	3.7	-	-	-	-	-	-	27	100.0
C03-C06	Mouth	56	87.5	-	-	5	7.8	-	-	-	-	3	4.7	64	100.0
C07-C08	Salivary Gland	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C09	Tonsil	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C12-C13	Hypopharynx	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	39	79.6	-	-	3	6.1	-	-	-	-	7	14.3	49	100.0
C16	Stomach	10	47.6	-	-	5	23.8	-	-	-	-	6	28.6	21	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	7	87.5	-	-	1	12.5	-	-	-	-	-	-	8	100.0
C19-C20	Rectum	13	81.3	-	-	2	12.5	-	-	-	-	1	6.3	16	100.0
C21	Anus & Anal Canal	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	-	-	-	-	5	83.3	-	-	-	-	1	16.7	6	100.0
C23-C24	Gallbladder etc.	2	50.0	-	-	-	-	-	-	-	-	2	50.0	4	100.0
C25	Pancreas	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C30-C31	Nose, Sinuses etc.	4	80.0	-	-	-	-	-	-	-	-	1	20.0	5	100.0
C32	Larynx	4	66.7	-	-	2	33.3	-	-	-	-	-	-	6	100.0
C33-C34	Lung etc.	5	21.7	-	-	16	69.6	-	-	-	-	2	8.7	23	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	6	75.0	-	-	2	25.0	-	-	-	-	-	-	8	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	17	81.0	-	-	4	19.0	-	-	-	-	-	-	21	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	7	58.3	-	-	5	41.7	-	-	-	-	-	-	12	100.0
C50	Breast	105	47.3	-	-	113	50.9	-	-	-	-	4	1.8	222	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C53	Cervix Uteri	87	87.9	-	-	7	7.1	-	-	-	-	5	5.1	99	100.0
C54	Corpus Uteri	18	94.7	-	-	-	-	-	-	-	-	1	5.3	19	100.0
C55	Uterus Unspecified	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C56	Ovary etc.	34	65.4	-	-	14	26.9	-	-	-	-	4	7.7	52	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	3	50.0	-	-	1	16.7	-	-	-	-	2	33.3	6	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	6	85.7	-	-	1	14.3	-	-	-	-	-	-	7	100.0
C73	Thyroid	16	59.3	-	-	11	40.7	-	-	-	-	-	-	27	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	2	22.2	-	-	7	77.8	-	-	-	-	-	-	9	100.0
C82-C85,C96	NHL	5	35.7	-	-	8	57.1	-	-	1	7.1	-	-	14	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	1	50.0	1	50.0	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	1	10.0	9	90.0	-	-	10	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	6	27.3	16	72.7	-	-	22	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	4	100.0	-	-	4	100.0
O&U*	Other and Uns	1	3.1	2	6.3	23	71.9	1	3.1	-	-	5	15.6	32	100.0
	<b>All Sites</b>	<b>494</b>	<b>60.1</b>	<b>2</b>	<b>0.2</b>	<b>241</b>	<b>29.3</b>	<b>9</b>	<b>1.1</b>	<b>31</b>	<b>3.8</b>	<b>45</b>	<b>5.5</b>	<b>822</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE WDA-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010-2011 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	4	1.10
C01-C02	Tongue	-	-	-	-	1	-	2	1	2	-	2	4	1	1	1	1	-	16	4.42
C03-C06	Mouth	-	-	-	-	-	-	2	1	6	7	8	5	6	7	3	5	-	50	13.81
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	0.55
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	0.55
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	5	1.38
C11	Nasopharynx	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	3	0.83
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	-	1	4	2	3	1	-	12	3.31
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	4	1.10
C15	Oesophagus	-	-	-	-	1	-	1	1	-	4	3	2	6	8	1	4	-	31	8.56
C16	Stomach	-	-	-	-	-	-	-	-	-	1	1	4	1	-	2	3	-	12	3.31
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	1	-	-	-	1	-	1	2	-	-	2	-	-	7	1.93
C19-C20	Rectum	-	-	-	-	2	1	-	1	-	1	2	2	1	5	-	2	-	17	4.70
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.28
C22	Liver	-	-	-	-	-	-	-	1	-	-	2	4	1	5	1	7	-	21	5.80
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	0.83
C25	Pancreas	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	1	-	6	1.66
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	3	0.83
C32	Larynx	-	-	-	-	-	-	1	-	-	-	-	1	3	1	3	3	-	12	3.31
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	-	3	1	4	8	8	2	1	-	27	7.46
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.28
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	4	1.10
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	1	1	-	-	-	2	1	-	3	2	3	-	13	3.59
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	5	1.38
C50	Breast	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	3	0.83
C60	Penis	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	3	0.83
C61	Prostate	-	-	-	-	-	-	-	-	-	-	2	1	3	1	3	2	-	12	3.31
C62	Testis	-	-	-	1	1	-	1	-	1	1	-	-	-	2	-	-	-	7	1.93
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.28
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	-	6	1.66
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	3	-	11	3.04
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.28
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.28
C70-C72	Brain, Nervous System	1	-	1	-	1	1	-	2	1	3	-	3	1	1	-	-	-	15	4.14
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	-	7	1.93
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.28
C82-C85, C96	NHL	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	4	1.10
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.28
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	0.55
C91	Lymphoid Leuk.	-	-	1	1	-	-	1	-	-	-	2	-	1	-	1	-	-	7	1.93
C92-C94	Myeloid Leukaemia	-	-	-	1	-	1	-	-	1	1	-	1	1	2	-	-	-	8	2.21
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	1	-	-	1	-	-	-	1	-	-	-	1	-	6	1	-	11	3.04
	<b>All Sites</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>9</b>	<b>5</b>	<b>12</b>	<b>9</b>	<b>17</b>	<b>28</b>	<b>32</b>	<b>45</b>	<b>46</b>	<b>60</b>	<b>44</b>	<b>47</b>	<b>-</b>	<b>362</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE WDA-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010-2011 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	1	4	3	2	-	1	1	-	-	12	3.60
C03-C06	Mouth	-	-	-	-	-	-	-	1	-	2	4	1	5	9	4	2	-	28	8.41
C07-C08	Salivary Gland	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.30
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.30
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	1	-	5	1.50
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	5	3	6	1	4	5	2	7	5	-	38	11.41
C16	Stomach	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	3	-	10	3.00
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	3	0.90
C19-C20	Rectum	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	1	-	6	1.80
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	3	0.90
C22	Liver	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	4	1.20
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	3	0.90
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	4	1.20
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	5	1.50
C33-C34	Lung etc.	-	-	-	-	-	-	-	2	1	1	-	1	1	4	2	2	-	14	4.20
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	1	-	-	-	1	-	-	-	1	2	-	1	-	6	1.80
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	3	0.90
C50	Breast	-	-	-	-	-	-	6	6	14	14	14	4	8	4	3	2	-	75	22.52
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	0.60
C53	Cervix Uteri	-	-	-	-	-	-	-	4	2	3	-	4	3	7	8	5	-	36	10.81
C54	Corpus Uteri	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	5	1.50
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	-	1	1	6	-	4	-	1	-	1	2	-	16	4.80
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.30
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.30
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	5	1.50
C73	Thyroid	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	2	-	6	1.80
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.30
C82-C85,C96	NHL	-	-	-	-	-	1	1	-	-	-	-	-	2	1	-	-	-	5	1.50
C88	Malig Imn.Prol D	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.30
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.30
C91	Lymphoid Leuk.	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	0.60
C92-C94	Myeloid Leukaemia	-	-	-	2	2	1	-	1	-	2	-	1	2	1	2	1	-	15	4.50
C95	Leukaemia Uns	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	0.60
O&U*	Other and Uns	-	-	-	-	-	-	1	1	2	-	-	-	1	1	2	5	-	13	3.90
	<b>All Sites</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>5</b>	<b>4</b>	<b>2</b>	<b>13</b>	<b>27</b>	<b>34</b>	<b>34</b>	<b>34</b>	<b>25</b>	<b>38</b>	<b>46</b>	<b>32</b>	<b>35</b>	<b>-</b>	<b>333</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE WDA-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010-2011 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.8	-	-	1.3	-	-	3.2	-	2.3	-	0.3	0.3	0.16	0.7
C01-C02	-	-	-	-	0.7	-	1.6	0.9	1.9	-	3.6	11.2	3.2	1.7	2.3	3.6	1.1	1.2	0.33	3.0
C03-C06	-	-	-	-	-	-	1.6	0.9	5.6	9.0	14.2	14.0	19.2	11.6	6.9	17.8	3.4	3.9	0.58	9.6
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	3.2	-	2.3	-	0.1	0.2	0.14	0.4
C09	-	-	-	-	-	-	-	-	-	1.3	-	2.8	-	-	-	-	0.1	0.2	0.14	0.6
C10	-	-	-	-	-	-	-	-	-	2.6	-	2.8	-	-	4.6	-	0.3	0.4	0.17	0.9
C11	-	-	-	-	0.7	-	-	-	-	-	-	2.8	-	-	-	3.6	0.2	0.2	0.14	0.4
C12-C13	-	-	-	-	-	-	-	-	0.9	-	-	2.8	12.8	3.3	6.9	3.6	0.8	1.0	0.31	2.2
C14	-	-	-	-	-	-	-	-	-	1.3	-	5.6	-	-	-	3.6	0.3	0.4	0.19	1.0
C15	-	-	-	-	0.7	-	0.8	0.9	-	5.2	5.3	5.6	19.2	13.2	2.3	14.3	2.1	2.5	0.47	5.2
C16	-	-	-	-	-	-	-	-	-	1.3	1.8	11.2	3.2	-	4.6	10.7	0.8	1.0	0.32	2.4
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	0.7	-	-	-	0.9	-	1.8	5.6	-	-	4.6	-	0.5	0.5	0.21	1.2
C19-C20	-	-	-	-	1.4	0.8	-	0.9	-	1.3	3.6	5.6	3.2	8.3	-	7.1	1.1	1.2	0.31	2.1
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	-	-	0.1	-	0.05	-
C22	-	-	-	-	-	-	-	0.9	-	-	3.6	11.2	3.2	8.3	2.3	25.0	1.4	1.6	0.37	2.6
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	-	7.1	0.2	0.2	0.11	-
C25	-	-	-	-	-	-	-	0.9	-	-	-	5.6	3.2	1.7	-	3.6	0.4	0.5	0.23	1.3
C30-C31	-	-	-	-	-	-	-	-	1.9	1.3	-	-	-	-	-	-	0.2	0.2	0.11	0.6
C32	-	-	-	-	-	-	0.8	-	-	-	-	2.8	9.6	1.7	6.9	10.7	0.8	0.9	0.30	1.6
C33-C34	-	-	-	-	-	-	-	-	-	3.9	1.8	11.2	25.6	13.2	4.6	3.6	1.8	2.4	0.49	5.8
C37-C38	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	-	-	0.1	0.1	0.09	0.3
C40-C41	-	-	-	-	-	-	-	-	-	-	1.8	-	-	1.7	2.3	3.6	0.3	0.3	0.13	0.3
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	0.8	0.8	-	-	-	3.6	2.8	-	5.0	4.6	10.7	0.9	0.9	0.25	0.9
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	0.8	-	-	-	-	-	6.4	1.7	2.3	-	0.3	0.4	0.20	0.8
C50	-	-	-	-	-	-	-	-	-	-	1.8	2.8	-	-	2.3	-	0.2	0.2	0.15	0.6
C60	-	-	-	-	-	0.8	-	-	0.9	1.3	-	-	-	-	-	-	0.2	0.2	0.11	0.4
C61	-	-	-	-	-	-	-	-	-	-	3.6	2.8	9.6	1.7	6.9	7.1	0.8	1.0	0.31	2.2
C62	-	-	-	0.6	0.7	-	0.8	-	0.9	1.3	-	-	-	3.3	-	-	0.5	0.4	0.15	0.4
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	-	-	0.1	-	0.05	-
C64	-	-	-	-	-	-	-	-	-	-	3.6	2.8	3.2	-	4.6	-	0.4	0.5	0.22	1.3
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	1.8	2.8	3.2	1.7	9.2	10.7	0.7	0.8	0.25	1.1
C68	-	-	-	-	-	-	-	-	-	-	-	-	3.2	-	-	-	0.1	0.1	0.13	0.4
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.6	0.1	0.1	0.07	-
C70-C72	0.9	-	0.6	-	0.7	0.8	-	1.8	0.9	3.9	-	8.4	3.2	1.7	-	-	1.0	1.2	0.32	2.8
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0	2.3	10.7	0.5	0.4	0.16	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	0.1	-	0.05	-
C82-C85,C96	-	0.9	-	-	-	-	-	0.9	-	-	-	-	-	3.3	-	-	0.3	0.2	0.13	0.2
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.6	0.1	0.1	0.07	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	-	0.1	0.1	0.07	-
C91	-	-	0.6	0.6	-	-	0.8	-	-	-	3.6	-	3.2	-	2.3	-	0.5	0.5	0.21	1.0
C92-C94	-	-	-	0.6	-	0.8	-	-	0.9	1.3	-	2.8	3.2	3.3	-	-	0.5	0.6	0.22	1.2
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	0.9	-	-	0.7	-	-	-	0.9	-	-	-	3.2	-	13.8	3.6	0.7	0.7	0.22	0.6
All	0.9	1.8	1.3	1.9	6.4	3.8	9.7	8.2	15.8	36.1	57.0	125.9	147.4	99.3	101.1	167.8	24.5	27.7	1.56	56.1

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE WDA-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010-2011 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	1.2	6.5	8.5	4.8	-	1.4	2.8	-	0.9	1.2	0.36	3.5
C03-C06	-	-	-	-	-	-	-	0.9	-	3.3	11.3	2.4	8.4	12.5	11.2	7.0	2.0	2.0	0.41	4.0
C07-C08	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	-	0.1	0.1	0.05	-
C09	-	-	-	-	-	-	-	-	-	-	2.8	-	-	-	-	-	0.1	0.1	0.14	0.5
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	1.2	-	-	4.8	-	1.4	-	3.5	0.4	0.4	0.17	0.9
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	4.4	3.7	9.8	2.8	9.6	8.4	2.8	19.5	17.5	2.8	2.8	0.46	6.2
C16	-	-	-	-	-	-	-	-	1.2	-	2.8	4.8	3.4	1.4	-	10.5	0.7	0.8	0.26	1.7
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	0.7	-	-	-	-	-	-	-	-	-	2.8	-	-	0.2	0.1	0.09	-
C19-C20	-	-	-	-	-	-	-	0.9	-	-	2.8	2.4	-	2.8	-	3.5	0.4	0.4	0.20	0.9
C21	-	-	-	-	-	-	-	-	-	-	5.7	2.4	-	-	-	-	0.2	0.4	0.22	1.2
C22	-	-	-	-	-	-	-	-	-	-	2.8	-	3.4	-	-	3.5	0.3	0.3	0.18	0.9
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	3.4	1.4	-	-	0.2	0.2	0.10	0.4
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	-	-	-	-	-	-	-	0.9	-	-	-	2.4	-	2.8	-	-	0.3	0.2	0.12	0.5
C32	-	-	-	-	-	-	-	-	-	-	-	-	-	2.8	2.8	7.0	0.4	0.3	0.13	-
C33-C34	-	-	-	-	-	-	-	1.7	1.2	1.6	-	2.4	1.7	5.6	5.6	7.0	1.0	0.9	0.24	1.4
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	0.8	-	-	-	1.2	-	-	-	1.7	2.8	-	3.5	0.4	0.4	0.15	0.5
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	0.7	0.8	-	-	-	-	-	-	-	1.7	-	-	-	0.2	0.2	0.11	0.2
C50	-	-	-	-	-	-	5.3	5.2	17.1	22.8	39.6	9.6	13.5	5.6	8.4	7.0	5.4	6.4	0.79	18.1
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	1.6	-	-	-	1.4	-	-	0.1	0.1	0.11	0.3
C53	-	-	-	-	-	-	-	3.5	2.4	4.9	-	9.6	5.1	9.7	22.3	17.5	2.6	2.3	0.40	4.0
C54	-	-	-	-	-	-	-	0.9	1.2	-	2.8	-	-	1.4	2.8	-	0.4	0.4	0.18	0.9
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	0.9	0.9	7.3	-	11.3	-	1.7	-	2.8	7.0	1.2	1.4	0.37	3.6	
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.12	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	1.7	-	-	-	0.1	0.1	0.07	0.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	0.9	-	-	-	-	0.9	-	1.2	1.6	-	-	1.7	-	-	-	0.4	0.4	0.18	0.8
C73	-	-	-	-	-	-	0.9	0.9	-	-	2.8	-	-	1.4	-	7.0	0.4	0.4	0.19	0.6
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	0.1	0.1	0.05	0.2
C82-C85,C96	-	-	-	-	-	0.8	0.9	-	-	-	-	-	3.4	1.4	-	-	0.4	0.3	0.13	0.4
C88	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.12	-
C90	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	0.1	0.1	0.10	0.3
C91	-	-	-	0.7	-	-	-	0.9	-	-	-	-	-	-	-	-	0.1	0.1	0.08	0.2
C92-C94	-	-	-	1.4	1.6	0.8	-	0.9	-	3.3	-	2.4	3.4	1.4	5.6	3.5	1.1	1.0	0.27	1.5
C95	-	-	0.7	-	-	-	0.9	-	-	-	-	-	-	-	-	-	0.1	0.1	0.08	-
O&U*	-	-	-	-	-	-	0.9	0.9	2.4	-	-	-	1.7	1.4	5.6	17.5	0.9	0.8	0.23	0.9
<b>All</b>	<b>2.0</b>	<b>0.9</b>	<b>0.7</b>	<b>3.6</b>	<b>3.2</b>	<b>1.6</b>	<b>11.5</b>	<b>23.5</b>	<b>41.6</b>	<b>55.3</b>	<b>96.2</b>	<b>59.8</b>	<b>64.0</b>	<b>63.9</b>	<b>89.2</b>	<b>122.8</b>	<b>24.1</b>	<b>24.9</b>	<b>1.46</b>	<b>54.8</b>

\* O&amp;U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE WDA-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2010-2011 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.3	0.3
C03-C06	Mouth	0.9	0.9	1.1	1.1
C07-C08	Salivary Gland	-	-	0.1	0.1
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	0.1	0.1
C11	Nasopharynx	0.1	0.1	0.1	0.1
C12-C13	Hypopharynx	0.1	0.1	0.2	0.2
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.3	0.3	0.4	0.4
C16	Stomach	0.1	0.1	0.1	0.1
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.2	0.2	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.2	0.2	0.3	0.3
C23-C24	Gallbladder etc.	-	-	-	-
C25	Pancreas	-	-	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.2	0.2	0.2	0.2
C33-C34	Lung etc.	0.4	0.4	0.5	0.5
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.2	0.2	0.3	0.3
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	-	-	-	-
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.2	0.2	0.2	0.3
C62	Testis	0.1	0.1	0.1	0.1
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.2	0.2
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.2	0.2	0.2	0.2
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.2	0.2	0.3	0.3
	<b>All Sites</b>	<b>4.57</b>	<b>4.47</b>	<b>6.32</b>	<b>6.12</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE WDA-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2010-2011 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.2	0.2
C03-C06	Mouth	0.4	0.4	0.5	0.5
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	-	-	0.1	0.1
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.3	0.3	0.4	0.4
C16	Stomach	0.1	0.1	0.1	0.1
C17	Small Intestine	-	-	-	-
C18	Colon	-	-	0.1	0.1
C19-C20	Rectum	0.1	0.1	0.1	0.1
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	-	-	-	-
C23-C24	Gallbladder etc.	-	-	-	-
C25	Pancreas	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	-	-	-	-
C33-C34	Lung etc.	0.1	0.1	0.2	0.2
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	1.6	1.6	1.8	1.8
C51	Vulva	-	-	-	-
C52	Vagina	-	-	-	-
C53	Cervix Uteri	0.7	0.7	0.9	0.9
C54	Corpus Uteri	0.1	0.1	0.2	0.2
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.3	0.3	0.4	0.4
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-
C73	Thyroid	0.1	0.1	0.2	0.2
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.1	0.1	0.2	0.2
	<b>All Sites</b>	<b>5.10</b>	<b>4.97</b>	<b>6.53</b>	<b>6.32</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)