

# POPULATION BASED CANCER REGISTRY, NAGPUR

## Indian Cancer Society

### **Dr Purvish Parikh**

Hon. Secretary & Managing Trustee & Principal Investigator *(from Nov. 2012)*

### **Dr A P Kurkure**

Hon. Secretary & Managing Trustee & Principal Investigator *(till July 2012)*

**Dr K R Kamble**, Hon. Secretary of NCRD

**Mrs Shravani Koyande**, Executive In-charge and Co-Investigator

In Maharashtra, the increasing industrialisation and changes in the lifestyles has seen cancer to be emerging as one of the most threatening diseases and it has to be controlled immediately. The magnitude of cancer for the entire state should be investigated in depth. In the light of experience gained from Mumbai, Poona and Aurangabad metropolitan registries, the Indian Cancer Society established the fourth cancer registry at Nagpur in the year 1980. The registry has been established in association with the Nagpur Medical College and Hospital. The registry covers an area of 236.93 sq. kms.

Registration of cancer cases is done by active method. Information on cancer patients is obtained from various Govt. hospitals, private hospitals, nursing homes and diagnostic centres. Mortality information is collected from Vital Statistics Division of the Municipal Corporation of Nagpur. There has been no problem of co-operation from all the health care facilities.

The reliability of data and quality of registration has considerably improved. In year 2008-2009 the percentage of microscopically confirmed cases is 93.1% as compared to 72.0% for the period 1990-94. The percentage of cases diagnosed through Death Certificate has reduced to 2.5% from 5.3% for the period 1990-94. Registry publishes reports on incidence and mortality at regular intervals.

The registry data has been accepted for publication in consecutive Volumes (III to IX) of Cancer Incidence in Five Continents published by IARC, Lyon, France.

### **Staff of Nagpur Cancer Registry**


<b>Mrs. R.C. Patil</b>	:	Hon. Supervisor
<b>Mrs. R.A. Ingole</b>	:	Medical Social Investigator
<b>Mrs. P.Y. Varade</b>	:	Medical Social Investigator
<b>Mrs. R.M. Bhagat</b>	:	Medical Social Investigator

**TABLE NAG-1: Main Sources of Registration of Incident Cases of Cancer: 2008-2009****Nagpur**

<b>Name of the Institution</b>	<b>Number</b>	<b>%</b>
MCH	1439	33.5
RST	1122	26.1
MAYO	450	10.5
Dr. Lalit Jain City	197	4.6
Nagpur Small Hospitals	184	4.3
Lata Mangeshkar	176	4.1
Cancer Care Clinic	153	3.6
CIIMS Nagpur	112	2.6
Unmatch	109	2.5
Orange City	103	2.4
Pachhel Cancer Medical	71	1.7
Dental MCH Nagpur	57	1.3
TMH	47	1.1
Others	80	1.9
<b>Total</b>	<b>4300</b>	<b>100.0</b>

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2008-2009.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**Figure NAG -1**  
**Population Pyramid showing Age Distribution: 2008-2009**  
**NAGPUR**



**TABLE NAG-1**  
**Population by Five Year Age Group and Gender: 2008-2009**  
*Number and Relative Proportion (%)*  
**NAGPUR**

Age Group	Males		Females	
	Number	%	Number	%
00-04	202029	8.02	185226	7.72
05-09	186547	7.4	175036	7.29
10-14	277158	11	254630	10.61
15-19	255114	10.12	227642	9.48
20-24	245118	9.73	237339	9.89
25-29	236082	9.37	242204	10.09
30-34	227057	9.01	216163	9.01
35-39	200612	7.96	199684	8.32
40-44	176409	7	154325	6.43
45-49	135682	5.38	125017	5.21
50-54	112135	4.45	88027	3.67
55-59	74367	2.95	69079	2.88
60-64	60035	2.38	72417	3.02
65-69	53741	2.13	70201	2.92
70-74	41051	1.63	44126	1.84
75+	36893	1.46	39277	1.64
<b>Total</b>	<b>2520030</b>	<b>100.00</b>	<b>2400393</b>	<b>100.00</b>

## TABLE NAG-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2008-2009 - Males

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	1	6	0.29
C01-C02	Tongue	-	-	-	-	2	1	7	10	15	14	22	22	19	12	7	6	2	139	6.79
C03-C06	Mouth	-	-	-	2	1	6	26	28	36	37	31	29	28	16	16	8	2	266	12.99
C07-C08	Salivary Gland	-	-	-	-	-	-	1	-	2	-	-	1	3	2	2	1	-	12	0.59
C09	Tonsil	-	-	-	-	-	1	-	-	2	5	4	4	5	5	3	4	1	34	1.66
C10	Oth. Oropharynx	-	-	-	-	2	-	-	-	1	1	3	2	1	-	3	1	-	14	0.68
C11	Nasopharynx	-	1	-	1	-	-	2	1	2	2	-	-	-	-	-	2	-	11	0.54
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	3	3	8	11	10	5	8	8	-	56	2.74
C14	Pharynx Unspecified	-	-	-	-	1	-	-	-	2	-	2	1	1	2	1	1	-	11	0.54
C15	Oesophagus	-	-	-	-	-	-	-	1	6	8	19	17	17	19	14	20	-	121	5.91
C16	Stomach	-	-	-	-	-	2	2	5	4	4	8	7	18	15	4	4	1	74	3.62
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.05
C18	Colon	-	-	-	-	-	1	1	3	4	1	10	4	3	13	8	7	1	56	2.74
C19-C20	Rectum	-	-	-	1	1	4	2	8	4	4	10	6	13	13	4	8	1	79	3.86
C21	Anus & Anal Canal	-	-	-	-	-	-	-	1	1	-	2	-	-	2	1	1	-	8	0.39
C22	Liver	-	1	-	-	1	1	1	-	5	1	3	6	7	4	3	2	1	36	1.76
C23-C24	Gallbladder etc.	-	-	-	-	-	-	2	1	5	4	1	2	5	3	-	4	-	27	1.32
C25	Pancreas	-	-	-	-	-	-	-	-	4	2	4	2	3	-	2	2	-	19	0.93
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	1	1	-	2	2	3	2	2	1	2	-	1	17	0.83
C32	Larynx	-	-	1	-	1	-	-	3	4	13	12	15	25	19	16	12	1	122	5.96
C33-C34	Lung etc.	-	-	-	-	-	2	-	2	4	12	13	13	19	24	14	8	1	112	5.47
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	3	0.15
C40-C41	Bone	-	2	5	5	6	2	2	6	1	1	1	2	1	-	1	-	2	37	1.81
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	0.15
C44	Other Skin	-	-	-	-	2	-	4	2	2	2	5	3	3	1	-	3	-	27	1.32
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	2	2	2	1	1	1	3	3	2	1	2	2	3	-	4	1	32	1.56
C50	Breast	-	-	-	-	-	1	1	2	2	2	4	5	4	1	1	3	1	27	1.32
C60	Penis	-	-	-	-	-	-	3	2	3	1	6	3	4	1	2	1	1	27	1.32
C61	Prostate	-	-	-	-	-	-	-	-	1	3	5	7	8	13	15	11	2	65	3.18
C62	Testis	-	1	-	-	2	6	2	4	2	4	2	1	1	-	-	-	-	25	1.22
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	2	-	-	1	1	-	1	2	-	5	1	1	3	2	2	1	-	22	1.07
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.05
C67	Bladder	-	-	-	-	1	-	-	-	3	5	7	-	4	8	11	6	-	45	2.20
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	0.15
C70-C72	Brain, NS	1	4	4	1	2	1	8	4	2	7	6	3	3	7	-	4	-	57	2.78
C73	Thyroid	-	-	-	-	-	2	1	-	-	1	2	1	1	1	-	2	-	11	0.54
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	1	-	2	-	1	1	1	-	-	1	-	-	1	1	-	1	11	0.54
C82-C85,C96	NHL	3	3	3	1	2	1	13	7	2	9	9	5	2	4	4	9	2	79	3.86
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	1	-	1	-	-	-	1	-	3	6	3	1	-	16	0.78
C91	Lymphoid Leuk.	3	9	13	6	2	2	3	3	5	3	3	1	1	-	-	3	-	57	2.78
C92-C94	Myeloid Leukaemia	1	3	3	1	1	1	1	4	6	6	3	1	6	3	1	-	-	41	2.00
C95	Leukaemia Uns	2	-	-	-	1	-	1	-	-	-	2	1	2	-	-	2	-	11	0.54
O&U *	Other and Uns	-	2	2	2	5	9	12	11	22	21	29	19	32	30	12	18	-	226	11.04
	<b>All Sites</b>	<b>18</b>	<b>29</b>	<b>33</b>	<b>25</b>	<b>36</b>	<b>46</b>	<b>100</b>	<b>115</b>	<b>163</b>	<b>186</b>	<b>244</b>	<b>202</b>	<b>259</b>	<b>237</b>	<b>163</b>	<b>168</b>	<b>23</b>	<b>2047</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE NAG-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2008-2009 - Females

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	1	-	1	-	-	-	-	1	-	1	-	2	1	1	-	8	0.36
C01-C02	Tongue	-	-	-	-	-	-	-	1	7	3	5	5	5	10	3	2	-	41	1.82
C03-C06	Mouth	-	-	-	-	1	3	1	3	9	7	13	14	9	10	9	8	1	88	3.91
C07-C08	Salivary Gland	-	-	-	-	-	2	-	2	2	1	-	-	2	-	2	-	-	11	0.49
C09	Tonsil	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	3	0.13
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.04
C11	Nasopharynx	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	3	0.13
C12-C13	Hypopharynx	-	-	-	-	-	1	-	1	1	2	1	3	3	1	2	1	-	16	0.71
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	3	0.13
C15	Oesophagus	-	-	-	-	-	-	1	5	9	11	8	19	14	17	8	8	1	101	4.48
C16	Stomach	-	-	-	1	-	3	4	1	2	1	5	3	8	8	5	3	1	45	2.00
C17	Small Intestine	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	4	0.18
C18	Colon	-	-	-	-	1	1	5	2	1	1	10	5	6	5	4	2	-	43	1.91
C19-C20	Rectum	-	-	-	-	2	1	2	4	4	5	6	4	8	5	3	4	-	48	2.13
C21	Anus & Anal Canal	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-	5	0.22
C22	Liver	-	-	-	-	-	-	-	-	3	3	2	3	3	2	3	3	-	22	0.98
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	2	4	4	2	2	1	2	2	-	19	0.84
C25	Pancreas	-	-	-	1	-	1	-	-	-	1	3	-	5	5	1	3	-	20	0.89
C30-C31	Nose, Sinuses etc.	-	-	-	1	1	1	1	1	1	1	-	1	4	2	-	-	-	14	0.62
C32	Larynx	-	-	-	-	1	-	-	-	-	4	1	1	2	-	2	1	-	12	0.53
C33-C34	Lung etc.	-	-	1	-	1	-	2	1	4	5	6	5	4	8	2	5	-	44	1.95
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.04
C40-C41	Bone	-	1	3	3	-	2	1	1	1	1	1	2	1	-	-	-	-	17	0.75
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.09
C44	Other Skin	-	-	-	-	3	1	3	3	4	3	4	3	3	6	3	1	-	37	1.64
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	1	-	1	2	1	1	3	4	8	2	2	1	1	1	1	2	2	33	1.46
C50	Breast	-	-	-	-	9	19	43	73	110	126	89	69	67	69	22	22	6	724	32.13
C51	Vulva	-	-	-	-	-	-	-	1	1	1	2	-	-	-	2	1	-	8	0.36
C52	Vagina	-	-	-	-	-	-	2	-	-	1	3	1	2	1	-	1	-	11	0.49
C53	Cervix Uteri	-	-	-	-	1	5	12	30	49	38	53	30	43	32	13	16	4	326	14.47
C54	Corpus Uteri	-	-	-	-	-	1	1	-	4	5	9	4	10	10	5	1	-	50	2.22
C55	Uterus Unspecified	-	-	-	-	-	-	1	1	1	1	2	-	1	-	-	-	-	7	0.31
C56	Ovary etc.	-	-	1	2	7	3	8	9	8	12	14	5	21	9	3	7	1	110	4.88
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.04
C64	Kidney etc.	-	-	-	1	-	-	1	-	3	-	-	-	1	-	-	1	-	7	0.31
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	1	1	1	-	2	-	3	1	-	9	0.40
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.04
C69	Eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.04
C70-C72	Brain, NS	1	2	3	4	2	2	2	3	1	5	3	5	2	3	2	2	1	43	1.91
C73	Thyroid	1	-	-	-	1	3	2	2	-	1	2	1	2	3	1	3	-	22	0.98
C74	Adrenal Gland	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.04
C81	Hodgkins Disease	-	1	1	1	1	-	-	-	-	-	-	-	-	1	-	1	1	7	0.31
C82-C85,C96	NHL	2	-	4	3	1	1	3	3	2	4	3	6	13	4	4	10	-	63	2.80
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	1	1	-	1	1	2	2	-	1	-	9	0.40
C91	Lymphoid Leuk.	6	5	5	2	-	1	2	-	-	1	2	-	1	-	1	-	-	26	1.15
C92-C94	Myeloid Leukaemia	1	1	1	1	3	-	3	2	2	5	1	3	3	-	-	2	-	28	1.24
C95	Leukaemia Uns	-	-	-	2	1	1	3	3	-	1	4	-	1	-	-	2	-	18	0.80
O&U*	Other and Uns	1	-	5	2	9	4	9	5	12	11	19	6	20	22	5	6	4	140	6.21
	<b>All Sites</b>	<b>14</b>	<b>10</b>	<b>26</b>	<b>26</b>	<b>50</b>	<b>57</b>	<b>116</b>	<b>162</b>	<b>255</b>	<b>272</b>	<b>282</b>	<b>207</b>	<b>272</b>	<b>242</b>	<b>115</b>	<b>125</b>	<b>22</b>	<b>2253</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE NAG-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2008-2009 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	0.5	1.7	-	-	1.3	-	-	-	-	0.2	0.19	0.09	0.6
C01-C02	-	-	-	-	0.8	0.4	3.1	5.0	8.5	10.3	19.6	29.6	31.6	22.3	17.1	16.3	5.5	6.48	0.57	15.7
C03-C06	-	-	-	0.8	0.4	2.5	11.5	14.0	20.4	27.3	27.6	39.0	46.6	29.8	39.0	21.7	10.6	11.61	0.74	27.4
C07-C08	-	-	-	-	-	-	0.4	-	1.1	-	-	1.3	5.0	3.7	4.9	2.7	0.5	0.61	0.18	1.0
C09	-	-	-	-	-	0.4	-	-	1.1	3.7	3.6	5.4	8.3	9.3	7.3	10.8	1.3	1.69	0.30	3.3
C10	-	-	-	-	0.8	-	-	-	0.6	0.7	2.7	2.7	1.7	-	7.3	2.7	0.6	0.65	0.18	1.2
C11	-	0.5	-	0.4	-	-	0.9	0.5	1.1	1.5	-	-	-	-	-	5.4	0.4	0.44	0.14	0.6
C12-C13	-	-	-	-	-	-	-	-	1.7	2.2	7.1	14.8	16.7	9.3	19.5	21.7	2.2	2.95	0.40	6.0
C14	-	-	-	-	0.4	-	-	-	1.1	-	1.8	1.3	1.7	3.7	2.4	2.7	0.4	0.52	0.16	0.9
C15	-	-	-	-	-	-	-	0.5	3.4	5.9	16.9	22.9	28.3	35.4	34.1	54.2	4.8	6.31	0.58	11.2
C16	-	-	-	-	-	0.8	0.9	2.5	2.3	2.9	7.1	9.4	30.0	27.9	9.7	10.8	2.9	3.76	0.45	7.7
C17	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	0.04	0.04	0.1
C18	-	-	-	-	-	0.4	0.4	1.5	2.3	0.7	8.9	5.4	5.0	24.2	19.5	19.0	2.2	2.69	0.37	3.6
C19-C20	-	-	-	0.4	0.4	1.7	0.9	4.0	2.3	2.9	8.9	8.1	21.7	24.2	9.7	21.7	3.1	3.80	0.44	7.1
C21	-	-	-	-	-	-	-	0.5	0.6	-	1.8	-	-	3.7	2.4	2.7	0.3	0.37	0.13	0.5
C22	-	0.5	-	-	0.4	0.4	0.4	-	2.8	0.7	2.7	8.1	11.7	7.4	7.3	5.4	1.4	1.76	0.31	3.7
C23-C24	-	-	-	-	-	-	0.9	0.5	2.8	2.9	0.9	2.7	8.3	5.6	-	10.8	1.1	1.30	0.26	2.8
C25	-	-	-	-	-	-	-	-	2.3	1.5	3.6	2.7	5.0	-	4.9	5.4	0.8	0.92	0.21	2.3
C30-C31	-	-	-	-	-	0.4	0.4	-	1.1	1.5	2.7	2.7	3.3	1.9	4.9	-	0.7	0.74	0.19	1.7
C32	-	-	0.4	-	0.4	-	-	1.5	2.3	9.6	10.7	20.2	41.6	35.4	39.0	32.5	4.8	6.36	0.59	12.3
C33-C34	-	-	-	-	-	0.8	-	1.0	2.3	8.8	11.6	17.5	31.6	44.7	34.1	21.7	4.4	5.79	0.56	10.6
C37-C38	-	-	-	-	-	-	-	-	-	0.7	-	1.3	-	-	-	2.7	0.1	0.15	0.09	0.3
C40-C41	-	1.1	1.8	2.0	2.4	0.8	0.9	3.0	0.6	0.7	0.9	2.7	1.7	-	2.4	-	1.5	1.29	0.22	1.5
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	1.9	4.9	-	0.1	0.15	0.09	-
C44	-	-	-	-	0.8	-	1.8	1.0	1.1	1.5	4.5	4.0	5.0	1.9	-	8.1	1.1	1.19	0.24	2.6
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	1.0	1.1	0.7	0.8	0.4	0.4	0.4	1.5	1.7	1.5	0.9	2.7	3.3	5.6	-	10.8	1.3	1.40	0.26	1.8
C50	-	-	-	-	-	0.4	0.4	1.0	1.1	1.5	3.6	6.7	6.7	1.9	2.4	8.1	1.1	1.26	0.25	3.0
C60	-	-	-	-	-	-	1.3	1.0	1.7	0.7	5.4	4.0	6.7	1.9	4.9	2.7	1.1	1.19	0.24	2.9
C61	-	-	-	-	-	-	-	-	0.6	2.2	4.5	9.4	13.3	24.2	36.5	29.8	2.6	3.35	0.43	4.2
C62	-	0.5	-	-	0.8	2.5	0.9	2.0	1.1	2.9	1.8	1.3	1.7	-	-	-	1.0	0.95	0.20	1.9
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	1.0	-	-	0.4	0.4	-	0.4	1.0	-	3.7	0.9	1.3	5.0	3.7	4.9	2.7	0.9	1.06	0.23	1.9
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	-	0.05	0.05	0.2
C67	-	-	-	-	0.4	-	-	-	1.7	3.7	6.2	-	6.7	14.9	26.8	16.3	1.8	2.24	0.34	2.9
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.18	0.10	-
C70-C72	0.5	2.1	1.4	0.4	0.8	0.4	3.5	2.0	1.1	5.2	5.4	4.0	5.0	13.0	-	10.8	2.3	2.48	0.34	3.6
C73	-	-	-	-	-	0.8	0.4	-	-	0.7	1.8	1.3	1.7	1.9	-	5.4	0.4	0.51	0.16	0.8
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	0.5	0.5	-	0.8	-	0.4	0.4	0.5	-	-	0.9	-	-	1.9	2.4	-	0.4	0.42	0.14	0.2
C82-C85,C96	1.5	1.6	1.1	0.4	0.8	0.4	5.7	3.5	1.1	6.6	8.0	6.7	3.3	7.4	9.7	24.4	3.1	3.30	0.39	4.8
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	0.4	-	0.4	-	-	-	0.9	-	5.0	11.2	7.3	2.7	0.6	0.84	0.21	0.8
C91	1.5	4.8	4.7	2.4	0.8	0.8	1.3	1.5	2.8	2.2	2.7	1.3	1.7	-	-	8.1	2.3	2.32	0.32	2.1
C92-C94	0.5	1.6	1.1	0.4	0.4	0.4	0.4	2.0	3.4	4.4	2.7	1.3	10.0	5.6	2.4	-	1.6	1.84	0.30	3.8
C95	1.0	-	-	-	0.4	-	0.4	-	-	-	1.8	1.3	3.3	-	-	5.4	0.4	0.56	0.17	0.9
O&U*	-	1.1	0.7	0.8	2.0	3.8	5.3	5.5	12.5	15.5	25.9	25.5	53.3	55.8	29.2	48.8	9.0	10.72	0.73	20.8
All	8.9	15.5	11.9	9.8	14.7	19.5	44.0	57.3	92.4	137.1	217.6	271.6	431.4	441.0	397.1	455.4	81.2	96.4	2.20	181.3

\* O&amp;U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE NAG-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2008-2009 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	0.4	-	0.4	-	-	-	-	0.8	-	1.4	-	2.8	2.3	2.5	0.3	0.36	0.13	0.3
C01-C02	-	-	-	-	-	-	-	0.5	4.5	2.4	5.7	7.2	6.9	14.2	6.8	5.1	1.7	1.96	0.31	4.2
C03-C06	-	-	-	-	0.4	1.2	0.5	1.5	5.8	5.6	14.8	20.3	12.4	14.2	20.4	20.4	3.7	4.23	0.46	9.1
C07-C08	-	-	-	-	-	0.8	-	1.0	1.3	0.8	-	-	2.8	-	4.5	-	0.5	0.45	0.14	1.0
C09	-	-	-	-	-	-	-	-	1.3	-	-	1.4	-	-	-	-	0.1	0.14	0.08	0.4
C10	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	0.05	0.05	0.2
C11	-	-	-	-	0.4	-	-	-	-	-	-	-	-	1.4	2.3	-	0.1	0.12	0.07	-
C12-C13	-	-	-	-	-	0.4	-	0.5	0.6	1.6	1.1	4.3	4.1	1.4	4.5	2.5	0.7	0.78	0.20	1.8
C14	-	-	-	-	-	-	-	-	-	-	1.1	-	-	1.4	2.3	-	0.1	0.14	0.08	0.2
C15	-	-	-	-	-	-	0.5	2.5	5.8	8.8	9.1	27.5	19.3	24.2	18.1	20.4	4.2	4.88	0.49	10.8
C16	-	-	-	0.4	-	1.2	1.9	0.5	1.3	0.8	5.7	4.3	11.0	11.4	11.3	7.6	1.9	2.03	0.31	3.4
C17	-	-	-	-	-	-	-	-	-	0.8	1.1	2.9	-	-	-	-	0.2	0.22	0.11	0.7
C18	-	-	-	-	0.4	0.4	2.3	1.0	0.6	0.8	11.4	7.2	8.3	7.1	9.1	5.1	1.8	2.04	0.32	4.3
C19-C20	-	-	-	-	0.8	0.4	0.9	2.0	2.6	4.0	6.8	5.8	11.0	7.1	6.8	10.2	2.0	2.24	0.33	4.9
C21	-	-	-	-	-	-	0.5	-	-	0.8	1.1	1.4	-	-	2.3	-	0.2	0.24	0.11	0.5
C22	-	-	-	-	-	-	-	-	1.9	2.4	2.3	4.3	4.1	2.8	6.8	7.6	0.9	1.09	0.23	2.3
C23-C24	-	-	-	-	-	-	-	-	1.3	3.2	4.5	2.9	2.8	1.4	4.5	5.1	0.8	0.96	0.22	2.3
C25	-	-	-	0.4	-	0.4	-	-	-	0.8	3.4	-	6.9	7.1	2.3	7.6	0.8	0.98	0.22	1.6
C30-C31	-	-	-	0.4	0.4	0.4	0.5	0.5	0.6	0.8	-	1.4	5.5	2.8	-	-	0.6	0.62	0.17	1.3
C32	-	-	-	-	0.4	-	-	-	-	3.2	1.1	1.4	2.8	-	4.5	2.5	0.5	0.59	0.17	1.3
C33-C34	-	-	0.4	-	0.4	-	0.9	0.5	2.6	4.0	6.8	7.2	5.5	11.4	4.5	12.7	1.8	2.09	0.32	4.1
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	0.06	0.06	0.2
C40-C41	-	0.6	1.2	1.3	-	0.8	0.5	0.5	0.6	0.8	1.1	2.9	1.4	-	-	-	0.7	0.72	0.18	1.1
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	2.5	0.1	0.09	0.07	-
C44	-	-	-	-	1.3	0.4	1.4	1.5	2.6	2.4	4.5	4.3	4.1	8.5	6.8	2.5	1.5	1.62	0.27	3.1
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.5	-	0.4	0.9	0.4	0.4	1.4	2.0	5.2	1.6	2.3	1.4	1.4	1.4	2.3	5.1	1.4	1.27	0.24	2.4
C50	-	-	-	-	3.8	7.8	19.9	36.6	71.3	100.8	101.1	99.9	92.5	98.3	49.9	56.0	30.2	32.46	1.24	81.5
C51	-	-	-	-	-	-	-	0.5	0.6	0.8	2.3	-	-	-	4.5	2.5	0.3	0.37	0.13	0.7
C52	-	-	-	-	-	-	0.9	-	-	0.8	3.4	1.4	2.8	1.4	-	2.5	0.5	0.54	0.17	1.2
C53	-	-	-	-	0.4	2.1	5.6	15.0	31.8	30.4	60.2	43.4	59.4	45.6	29.5	40.7	13.6	15.06	0.86	37.9
C54	-	-	-	-	-	0.4	0.5	-	2.6	4.0	10.2	5.8	13.8	14.2	11.3	2.5	2.1	2.46	0.35	5.5
C55	-	-	-	-	-	-	0.5	0.5	0.6	0.8	2.3	-	1.4	-	-	-	0.3	0.31	0.12	0.9
C56	-	-	0.4	0.9	2.9	1.2	3.7	4.5	5.2	9.6	15.9	7.2	29.0	12.8	6.8	17.8	4.6	4.95	0.49	11.0
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	0.03	0.03	-
C64	-	-	-	0.4	-	-	0.5	-	1.9	-	-	-	1.4	-	-	2.5	0.3	0.29	0.11	0.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	0.6	0.8	1.1	-	2.8	-	6.8	2.5	0.4	0.44	0.15	0.8
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.5	-	0.05	0.05	-
C69	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	0.06	-
C70-C72	0.5	1.1	1.2	1.8	0.8	0.8	0.9	1.5	0.6	4.0	3.4	7.2	2.8	4.3	4.5	5.1	1.8	1.89	0.30	3.0
C73	0.5	-	-	-	0.4	1.2	0.9	1.0	-	0.8	2.3	1.4	2.8	4.3	2.3	7.6	0.9	0.97	0.21	1.3
C74	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	0.03	0.03	-
C81	-	0.6	0.4	0.4	0.4	-	-	-	-	-	-	-	-	1.4	-	2.5	0.3	0.26	0.11	-
C82-C85,C96	1.1	-	1.6	1.3	0.4	0.4	1.4	1.5	1.3	3.2	3.4	8.7	18.0	5.7	9.1	25.5	2.6	3.00	0.39	5.1
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	0.5	0.6	-	1.1	1.4	2.8	2.8	-	2.5	0.4	0.43	0.15	0.9
C91	3.2	2.9	2.0	0.9	-	0.4	0.9	-	-	0.8	2.3	-	1.4	-	2.3	-	1.1	1.28	0.26	0.7
C92-C94	0.5	0.6	0.4	0.4	1.3	-	1.4	1.0	1.3	4.0	1.1	4.3	4.1	-	-	5.1	1.2	1.26	0.24	2.5
C95	-	-	-	0.9	0.4	0.4	1.4	1.5	-	0.8	4.5	-	1.4	-	-	5.1	0.7	0.75	0.18	1.4
O&U *	0.5	-	2.0	0.9	3.8	1.7	4.2	2.5	7.8	8.8	21.6	8.7	27.6	31.3	11.3	15.3	5.8	6.15	0.54	11.9
<b>All</b>	<b>7.6</b>	<b>5.7</b>	<b>10.2</b>	<b>11.4</b>	<b>21.1</b>	<b>23.5</b>	<b>53.7</b>	<b>81.1</b>	<b>165.2</b>	<b>217.6</b>	<b>320.4</b>	<b>299.7</b>	<b>375.6</b>	<b>344.7</b>	<b>260.6</b>	<b>318.3</b>	<b>93.9</b>	<b>103.0</b>	<b>2.23</b>	<b>228.6</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE NAG-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2008-2009 - Males**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	16.7	5	83.3	-	-	-	-	-	-	-	-	6	100.0
C01-C02	Tongue	3	2.2	136	97.8	-	-	-	-	-	-	-	-	139	100.0
C03-C06	Mouth	7	2.6	259	97.4	-	-	-	-	-	-	-	-	266	100.0
C07-C08	Salivary Gland	2	16.7	10	83.3	-	-	-	-	-	-	-	-	12	100.0
C09	Tonsil	1	2.9	33	97.1	-	-	-	-	-	-	-	-	34	100.0
C10	Oth. Oropharynx	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C11	Nasopharynx	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C12-C13	Hypopharynx	1	1.8	55	98.2	-	-	-	-	-	-	-	-	56	100.0
C14	Pharynx Unspecified	1	9.1	10	90.9	-	-	-	-	-	-	-	-	11	100.0
C15	Oesophagus	5	4.1	116	95.9	-	-	-	-	-	-	-	-	121	100.0
C16	Stomach	4	5.4	70	94.6	-	-	-	-	-	-	-	-	74	100.0
C17	Small Intestine	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	3	5.4	53	94.6	-	-	-	-	-	-	-	-	56	100.0
C19-C20	Rectum	2	2.5	77	97.5	-	-	-	-	-	-	-	-	79	100.0
C21	Anus & Anal Canal	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C22	Liver	-	-	36	100.0	-	-	-	-	-	-	-	-	36	100.0
C23-C24	Gallbladder etc.	2	7.4	25	92.6	-	-	-	-	-	-	-	-	27	100.0
C25	Pancreas	-	-	18	94.7	1	5.3	-	-	-	-	-	-	19	100.0
C30-C31	Nose, Sinuses etc.	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C32	Larynx	2	1.6	120	98.4	-	-	-	-	-	-	-	-	122	100.0
C33-C34	Lung etc.	9	8.0	97	86.6	6	5.4	-	-	-	-	-	-	112	100.0
C37-C38	Other Thoracic Organs	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C40-C41	Bone	-	-	37	100.0	-	-	-	-	-	-	-	-	37	100.0
C43	Melanoma of Skin	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C44	Other Skin	-	-	27	100.0	-	-	-	-	-	-	-	-	27	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	6.3	30	93.8	-	-	-	-	-	-	-	-	32	100.0
C50	Breast	1	3.7	26	96.3	-	-	-	-	-	-	-	-	27	100.0
C60	Penis	-	-	27	100.0	-	-	-	-	-	-	-	-	27	100.0
C61	Prostate	2	3.1	63	96.9	-	-	-	-	-	-	-	-	65	100.0
C62	Testis	1	4.0	24	96.0	-	-	-	-	-	-	-	-	25	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	5	11.1	40	88.9	-	-	-	-	-	-	-	-	45	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C70-C72	Brain, Nervous System	1	1.8	55	96.5	-	-	1	1.8	-	-	-	-	57	100.0
C73	Thyroid	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C82-C85,C96	NHL	-	-	79	100.0	-	-	-	-	-	-	-	-	79	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	16	100.0	-	-	-	-	-	-	-	-	16	100.0
C91	Lymphoid Leuk.	-	-	57	100.0	-	-	-	-	-	-	-	-	57	100.0
C92-C94	Myeloid Leukaemia	-	-	41	100.0	-	-	-	-	-	-	-	-	41	100.0
C95	Leukaemia Uns	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
O&U *	Other and Uns	23	10.2	138	61.1	-	-	65	28.8	-	-	-	-	226	100.0
	<b>All Sites</b>	<b>78</b>	<b>3.8</b>	<b>1896</b>	<b>92.6</b>	<b>7</b>	<b>0.3</b>	<b>66</b>	<b>3.2</b>	-	-	-	-	<b>2047</b>	<b>100.0</b>

\* O&U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE NAG-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2008-2009 - Females**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C01-C02	Tongue	2	4.9	39	95.1	-	-	-	-	-	-	-	-	41	100.0
C03-C06	Mouth	2	2.3	86	97.7	-	-	-	-	-	-	-	-	88	100.0
C07-C08	Salivary Gland	1	9.1	10	90.9	-	-	-	-	-	-	-	-	11	100.0
C09	Tonsil	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C12-C13	Hypopharynx	-	-	16	100.0	-	-	-	-	-	-	-	-	16	100.0
C14	Pharynx Unspecified	1	33.3	2	66.7	-	-	-	-	-	-	-	-	3	100.0
C15	Oesophagus	5	5.0	96	95.0	-	-	-	-	-	-	-	-	101	100.0
C16	Stomach	2	4.4	43	95.6	-	-	-	-	-	-	-	-	45	100.0
C17	Small Intestine	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C18	Colon	1	2.3	42	97.7	-	-	-	-	-	-	-	-	43	100.0
C19-C20	Rectum	-	-	48	100.0	-	-	-	-	-	-	-	-	48	100.0
C21	Anus & Anal Canal	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C22	Liver	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C23-C24	Gallbladder etc.	-	-	19	100.0	-	-	-	-	-	-	-	-	19	100.0
C25	Pancreas	1	5.0	19	95.0	-	-	-	-	-	-	-	-	20	100.0
C30-C31	Nose, Sinuses etc.	1	7.1	13	92.9	-	-	-	-	-	-	-	-	14	100.0
C32	Larynx	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C33-C34	Lung etc.	4	9.1	36	81.8	4	9.1	-	-	-	-	-	-	44	100.0
C37-C38	Other Thoracic Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C40-C41	Bone	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C43	Melanoma of Skin	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	-	-	37	100.0	-	-	-	-	-	-	-	-	37	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	33	100.0	-	-	-	-	-	-	-	-	33	100.0
C50	Breast	11	1.5	713	98.5	-	-	-	-	-	-	-	-	724	100.0
C51	Vulva	1	12.5	7	87.5	-	-	-	-	-	-	-	-	8	100.0
C52	Vagina	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C53	Cervix Uteri	15	4.6	311	95.4	-	-	-	-	-	-	-	-	326	100.0
C54	Corpus Uteri	5	10.0	45	90.0	-	-	-	-	-	-	-	-	50	100.0
C55	Uterus Unspecified	2	28.6	5	71.4	-	-	-	-	-	-	-	-	7	100.0
C56	Ovary etc.	12	10.9	98	89.1	-	-	-	-	-	-	-	-	110	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C68	Uns. Urinary Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	3	7.0	40	93.0	-	-	-	-	-	-	-	-	43	100.0
C73	Thyroid	4	18.2	18	81.8	-	-	-	-	-	-	-	-	22	100.0
C74	Adrenal Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C82-C85,C96	NHL	-	-	63	100.0	-	-	-	-	-	-	-	-	63	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C91	Lymphoid Leuk.	-	-	26	100.0	-	-	-	-	-	-	-	-	26	100.0
C92-C94	Myeloid Leukaemia	-	-	28	100.0	-	-	-	-	-	-	-	-	28	100.0
C95	Leukaemia Uns	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
O&U*	Other and Uns	24	17.1	72	51.4	1	0.7	43	30.7	-	-	-	-	140	100.0
	<b>All Sites</b>	<b>97</b>	<b>4.3</b>	<b>2108</b>	<b>93.6</b>	<b>5</b>	<b>0.2</b>	<b>43</b>	<b>1.9</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2253</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE NAG-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2008-2009 - Males**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C01-C02	Tongue	132	95.0	-	-	4	2.9	-	-	-	-	3	2.2	139	100.0
C03-C06	Mouth	248	93.2	-	-	11	4.1	-	-	-	-	7	2.6	266	100.0
C07-C08	Salivary Gland	10	83.3	-	-	-	-	-	-	-	-	2	16.7	12	100.0
C09	Tonsil	28	82.4	-	-	5	14.7	-	-	-	-	1	2.9	34	100.0
C10	Oth. Oropharynx	14	100.0	-	-	-	-	-	-	-	-	-	-	14	100.0
C11	Nasopharynx	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C12-C13	Hypopharynx	54	96.4	-	-	1	1.8	-	-	-	-	1	1.8	56	100.0
C14	Pharynx Unspecified	10	90.9	-	-	-	-	-	-	-	-	1	9.1	11	100.0
C15	Oesophagus	115	95.0	-	-	1	0.8	-	-	-	-	5	4.1	121	100.0
C16	Stomach	69	93.2	-	-	1	1.4	-	-	-	-	4	5.4	74	100.0
C17	Small Intestine	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	51	91.1	-	-	2	3.6	-	-	-	-	3	5.4	56	100.0
C19-C20	Rectum	77	97.5	-	-	-	-	-	-	-	-	2	2.5	79	100.0
C21	Anus & Anal Canal	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C22	Liver	33	91.7	-	-	3	8.3	-	-	-	-	-	-	36	100.0
C23-C24	Gallbladder etc.	25	92.6	-	-	-	-	-	-	-	-	2	7.4	27	100.0
C25	Pancreas	17	89.5	1	5.3	-	-	-	-	-	-	1	5.3	19	100.0
C30-C31	Nose, Sinuses etc.	15	88.2	-	-	2	11.8	-	-	-	-	-	-	17	100.0
C32	Larynx	115	94.3	-	-	5	4.1	-	-	-	-	2	1.6	122	100.0
C33-C34	Lung etc.	85	75.9	1	0.9	11	9.8	-	-	-	-	15	13.4	112	100.0
C37-C38	Other Thoracic Organs	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C40-C41	Bone	35	94.6	-	-	2	5.4	-	-	-	-	-	-	37	100.0
C43	Melanoma of Skin	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C44	Other Skin	26	96.3	-	-	1	3.7	-	-	-	-	-	-	27	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	29	90.6	-	-	1	3.1	-	-	-	-	2	6.3	32	100.0
C50	Breast	24	88.9	-	-	2	7.4	-	-	-	-	1	3.7	27	100.0
C60	Penis	26	96.3	-	-	1	3.7	-	-	-	-	-	-	27	100.0
C61	Prostate	62	95.4	-	-	1	1.5	-	-	-	-	2	3.1	65	100.0
C62	Testis	23	92.0	-	-	1	4.0	-	-	-	-	1	4.0	25	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	21	95.5	-	-	1	4.5	-	-	-	-	-	-	22	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	39	86.7	-	-	1	2.2	-	-	-	-	5	11.1	45	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C70-C72	Brain, Nervous System	55	96.5	-	-	-	-	-	-	-	-	2	3.5	57	100.0
C73	Thyroid	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C82-C85,C96	NHL	79	100.0	-	-	-	-	-	-	-	-	-	-	79	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	16	100.0	-	-	16	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	57	100.0	-	-	57	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	41	100.0	-	-	41	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	11	100.0	-	-	11	100.0
O&U*	Other and Uns	66	29.2	63	27.9	9	4.0	-	-	-	-	88	38.9	226	100.0
	<b>All Sites</b>	<b>1640</b>	<b>80.1</b>	<b>65</b>	<b>3.2</b>	<b>66</b>	<b>3.2</b>	<b>-</b>	<b>-</b>	<b>125</b>	<b>6.1</b>	<b>151</b>	<b>7.4</b>	<b>2047</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE NAG-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2008-2009 - Females**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C01-C02	Tongue	39	95.1	-	-	-	-	-	-	-	-	2	4.9	41	100.0
C03-C06	Mouth	83	94.3	-	-	3	3.4	-	-	-	-	2	2.3	88	100.0
C07-C08	Salivary Gland	10	90.9	-	-	-	-	-	-	-	-	1	9.1	11	100.0
C09	Tonsil	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C12-C13	Hypopharynx	16	100.0	-	-	-	-	-	-	-	-	-	-	16	100.0
C14	Pharynx Unspecified	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C15	Oesophagus	94	93.1	-	-	2	2.0	-	-	-	-	5	5.0	101	100.0
C16	Stomach	43	95.6	-	-	-	-	-	-	-	-	2	4.4	45	100.0
C17	Small Intestine	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C18	Colon	42	97.7	-	-	-	-	-	-	-	-	1	2.3	43	100.0
C19-C20	Rectum	47	97.9	-	-	1	2.1	-	-	-	-	-	-	48	100.0
C21	Anus & Anal Canal	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C22	Liver	22	100.0	-	-	-	-	-	-	-	-	-	-	22	100.0
C23-C24	Gallbladder etc.	17	89.5	-	-	2	10.5	-	-	-	-	-	-	19	100.0
C25	Pancreas	18	90.0	-	-	1	5.0	-	-	-	-	1	5.0	20	100.0
C30-C31	Nose, Sinuses etc.	12	85.7	-	-	1	7.1	-	-	-	-	1	7.1	14	100.0
C32	Larynx	11	91.7	1	8.3	-	-	-	-	-	-	-	-	12	100.0
C33-C34	Lung etc.	33	75.0	-	-	3	6.8	-	-	-	-	8	18.2	44	100.0
C37-C38	Other Thoracic Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C40-C41	Bone	16	94.1	-	-	1	5.9	-	-	-	-	-	-	17	100.0
C43	Melanoma of Skin	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	37	100.0	-	-	-	-	-	-	-	-	-	-	37	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	33	100.0	-	-	-	-	-	-	-	-	-	-	33	100.0
C50	Breast	670	92.5	-	-	43	5.9	-	-	-	-	11	1.5	724	100.0
C51	Vulva	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C52	Vagina	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C53	Cervix Uteri	309	94.8	-	-	2	0.6	-	-	-	-	15	4.6	326	100.0
C54	Corpus Uteri	45	90.0	-	-	-	-	-	-	-	-	5	10.0	50	100.0
C55	Uterus Unspecified	5	71.4	-	-	-	-	-	-	-	-	2	28.6	7	100.0
C56	Ovary etc.	90	81.8	-	-	8	7.3	-	-	-	-	12	10.9	110	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	9	100.0	-	-	-	-	-	-	-	-	-	-	9	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	40	93.0	-	-	-	-	-	-	-	-	3	7.0	43	100.0
C73	Thyroid	17	77.3	-	-	1	4.5	-	-	-	-	4	18.2	22	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C82-C85,C96	NHL	63	100.0	-	-	-	-	-	-	-	-	-	-	63	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	9	100.0	-	-	9	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	26	100.0	-	-	26	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	28	100.0	-	-	28	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	18	100.0	-	-	18	100.0
O&U*	Other and Uns	48	34.3	23	16.4	1	0.7	-	-	-	-	68	48.6	140	100.0
	<b>All Sites</b>	<b>1933</b>	<b>85.8</b>	<b>24</b>	<b>1.1</b>	<b>70</b>	<b>3.1</b>	<b>-</b>	<b>-</b>	<b>81</b>	<b>3.6</b>	<b>145</b>	<b>6.4</b>	<b>2253</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE NAG-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2008-2009 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.25
C01-C02	Tongue	-	-	-	-	1	-	1	3	1	5	2	4	1	4	-	2	-	24	5.93
C03-C06	Mouth	-	-	-	-	-	2	3	2	4	4	1	1	1	1	-	2	-	21	5.19
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	5	1.23
C10	Oth. Oropharynx	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	4	0.99
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.25
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	4	0.99
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	-	1	-	1	3	5	5	4	4	-	23	5.68
C16	Stomach	-	-	-	-	-	-	1	2	1	4	4	-	6	2	1	-	-	21	5.19
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	3	-	-	6	2	-	-	11	2.72
C19-C20	Rectum	-	-	-	-	-	1	-	1	1	2	-	1	-	1	1	1	-	9	2.22
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.25
C22	Liver	-	1	-	-	1	-	-	-	1	-	-	2	2	1	1	-	-	9	2.22
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	3	-	9	2.22
C25	Pancreas	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	5	1.23
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.25
C32	Larynx	-	-	-	-	-	-	-	-	1	5	2	4	5	1	2	1	-	21	5.19
C33-C34	Lung etc.	-	-	-	-	-	1	-	-	1	4	4	5	7	5	3	3	-	33	8.15
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.25
C43	Melanoma of Skin	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	0.49
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	0.49
C50	Breast	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	2	0.49
C60	Penis	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.25
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	4	0.99
C62	Testis	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	5	1.23
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.25
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	4	0.99
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	1	-	-	-	2	1	-	1	-	1	-	-	-	2	-	8	1.98
C73	Thyroid	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	3	0.74
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	4	0.99
C82-C85, C96	NHL	1	-	1	-	1	-	1	3	-	3	-	-	-	-	-	5	-	15	3.70
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	-	-	9	2.22
C91	Lymphoid Leuk.	1	3	5	3	1	-	-	3	2	-	1	-	-	-	-	1	-	20	4.94
C92-C94	Myeloid Leukaemia	1	-	1	-	-	-	-	1	3	-	3	-	3	-	1	-	-	13	3.21
C95	Leukaemia Uns	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	2	-	6	1.48
O&U*	Other and Uns	-	1	-	1	1	5	2	6	8	10	11	11	15	17	5	9	-	102	25.19
	<b>All Sites</b>	<b>5</b>	<b>5</b>	<b>8</b>	<b>4</b>	<b>7</b>	<b>13</b>	<b>14</b>	<b>25</b>	<b>31</b>	<b>47</b>	<b>45</b>	<b>35</b>	<b>51</b>	<b>51</b>	<b>27</b>	<b>37</b>	<b>-</b>	<b>405</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE NAG-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2008-2009 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.57
C01-C02	Tongue	-	-	-	-	-	-	1	-	2	-	2	-	1	1	-	1	-	8	2.27
C03-C06	Mouth	-	-	-	-	1	-	-	-	1	-	3	1	3	-	1	2	-	12	3.40
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.28
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.28
C15	Oesophagus	-	-	-	-	-	-	-	-	-	2	2	4	5	5	2	2	1	23	6.52
C16	Stomach	-	-	-	-	-	-	1	1	-	-	2	-	1	1	-	-	-	6	1.70
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-	6	1.70
C19-C20	Rectum	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	5	1.42
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.28
C22	Liver	-	-	-	-	-	-	-	-	-	2	1	-	2	1	1	2	-	9	2.55
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	3	0.85
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	4	1.13
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	3	0.85
C33-C34	Lung etc.	-	-	-	-	-	-	1	1	2	1	1	2	1	-	1	1	-	11	3.12
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	0.57
C50	Breast	-	-	-	-	-	1	4	9	10	11	5	6	6	7	5	4	-	68	19.26
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	0.57
C53	Cervix Uteri	-	-	-	-	-	-	2	2	3	2	8	4	4	3	3	2	1	34	9.63
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.57
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.28
C56	Ovary etc.	-	-	-	-	-	1	-	2	1	2	4	1	3	1	1	-	-	16	4.53
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.28
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	0.85
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	1	-	1	-	1	-	1	-	1	1	-	1	-	-	-	1	8	2.27
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	3	0.85
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.28
C82-C85,C96	NHL	-	-	-	1	-	-	-	-	-	2	-	1	3	-	1	4	-	12	3.40
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	0.57
C91	Lymphoid Leuk.	1	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	5	1.42
C92-C94	Myeloid Leukaemia	1	-	1	-	2	-	2	1	-	5	-	1	2	-	-	-	-	15	4.25
C95	Leukaemia Uns	-	-	-	1	1	1	2	-	-	-	3	-	-	-	-	-	-	8	2.27
O&U *	Other and Uns	-	-	2	1	1	1	3	3	9	8	13	5	8	13	3	2	3	75	21.25
	<b>All Sites</b>	<b>2</b>	<b>2</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>17</b>	<b>20</b>	<b>31</b>	<b>38</b>	<b>51</b>	<b>27</b>	<b>51</b>	<b>37</b>	<b>22</b>	<b>29</b>	<b>6</b>	<b>353</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE NAG-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2008-2009 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-	0.03	0.1
C01-C02	-	-	-	-	0.4	-	0.4	1.5	0.6	3.7	1.8	5.4	1.7	7.4	-	5.4	1.0	1.1	0.23	2.3
C03-C06	-	-	-	-	-	0.8	1.3	1.0	2.3	2.9	0.9	1.3	1.7	1.9	-	5.4	0.8	0.8	0.19	1.7
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	0.4	-	-	0.6	0.7	0.9	-	-	-	2.4	-	0.2	0.2	0.09	0.4
C10	-	-	-	-	-	0.4	-	-	-	-	1.8	-	1.7	-	-	-	0.2	0.2	0.10	0.5
C11	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.1
C12-C13	-	-	-	-	-	-	-	-	-	0.7	-	1.3	1.7	-	2.4	-	0.2	0.2	0.11	0.5
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	0.6	-	0.9	4.0	8.3	9.3	9.7	10.8	0.9	1.3	0.27	1.8
C16	-	-	-	-	-	-	0.4	1.0	0.6	2.9	3.6	-	10.0	3.7	2.4	-	0.8	1.0	0.23	2.7
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	2.7	-	-	11.2	4.9	-	0.4	0.6	0.17	0.4
C19-C20	-	-	-	-	-	0.4	-	0.5	0.6	1.5	-	1.3	-	1.9	2.4	2.7	0.4	0.4	0.14	0.7
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	0.05	-
C22	-	0.5	-	-	0.4	-	-	-	0.6	-	-	2.7	3.3	1.9	2.4	-	0.4	0.5	0.16	0.9
C23-C24	-	-	-	-	-	-	-	-	0.6	0.7	0.9	1.3	-	3.7	-	8.1	0.4	0.5	0.15	0.6
C25	-	-	-	-	-	-	-	0.5	-	0.7	0.9	-	3.3	-	-	-	0.2	0.3	0.12	0.8
C30-C31	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.1
C32	-	-	-	-	-	-	-	-	0.6	3.7	1.8	5.4	8.3	1.9	4.9	2.7	0.8	1.1	0.24	2.9
C33-C34	-	-	-	-	-	0.4	-	-	0.6	2.9	3.6	6.7	11.7	9.3	7.3	8.1	1.3	1.7	0.31	3.6
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	-
C43	-	-	-	-	-	-	0.4	-	-	-	-	-	-	1.9	-	-	0.1	0.1	0.06	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	0.5	0.6	-	-	-	-	-	-	-	0.1	0.1	0.05	0.2
C50	-	-	-	-	-	0.4	-	-	0.6	-	-	-	-	-	-	-	0.1	0.1	0.05	0.1
C60	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-	0.03	0.1
C61	-	-	-	-	-	-	-	-	-	-	-	1.3	1.7	-	2.4	2.7	0.2	0.2	0.11	0.4
C62	-	-	-	-	0.4	-	0.4	0.5	0.6	0.7	-	-	-	-	-	-	0.2	0.2	0.08	0.3
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	0.04	0.1
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	0.7	0.9	-	-	-	2.4	2.7	0.2	0.2	0.10	0.3
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	0.4	-	-	-	0.9	0.5	-	0.7	-	1.3	-	-	-	5.4	0.3	0.3	0.12	0.4
C73	-	-	-	-	-	-	-	-	-	0.7	0.9	-	-	1.9	-	-	0.1	0.1	0.08	0.3
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	0.5	-	-	-	-	0.4	0.4	-	-	-	0.9	-	-	-	-	-	0.2	0.2	0.09	0.1
C82-C85,C96	0.5	-	0.4	-	0.4	-	0.4	1.5	-	2.2	-	-	-	-	-	13.6	0.6	0.6	0.17	0.7
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	1.8	-	1.7	7.4	4.9	-	0.4	0.5	0.16	0.5
C91	0.5	1.6	1.8	1.2	0.4	-	-	1.5	1.1	-	0.9	-	-	-	-	2.7	0.8	0.8	0.18	0.7
C92-C94	0.5	-	0.4	-	-	-	-	0.5	1.7	-	2.7	-	5.0	-	2.4	-	0.5	0.6	0.17	1.5
C95	0.5	-	-	-	-	-	0.4	-	-	-	1.8	-	-	-	-	5.4	0.2	0.3	0.12	0.3
O&U *	-	0.5	-	0.4	0.4	2.1	0.9	3.0	4.5	7.4	9.8	14.8	25.0	31.6	12.2	24.4	4.0	5.0	0.51	9.6
All	2.5	2.7	2.9	1.6	2.9	5.5	6.2	12.5	17.6	34.6	40.1	47.1	85.0	94.9	65.8	100.3	16.1	19.3	0.99	36.0

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE NAG-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2008-2009 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	2.5	0.1	0.1	0.08	0.2
C01-C02	-	-	-	-	-	-	0.5	-	1.3	-	2.3	-	1.4	1.4	-	2.5	0.3	0.4	0.13	0.8
C03-C06	-	-	-	-	0.4	-	-	-	0.6	-	3.4	1.4	4.1	-	2.3	5.1	0.5	0.6	0.18	1.4
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	0.1	0.06	0.2
C14	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	0.04	-	-
C15	-	-	-	-	-	-	-	-	1.6	2.3	5.8	6.9	7.1	4.5	5.1	1.0	1.1	0.24	2.3	-
C16	-	-	-	-	-	-	0.5	0.5	-	-	2.3	-	1.4	1.4	-	-	0.2	0.3	0.11	0.6
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	0.6	-	1.1	1.4	1.4	-	2.3	2.5	0.2	0.3	0.13	0.7
C19-C20	-	-	-	-	-	-	-	-	0.6	-	-	-	1.4	-	2.3	5.1	0.2	0.2	0.11	0.3
C21	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	0.1	0.06	0.2
C22	-	-	-	-	-	-	-	-	-	1.6	1.1	-	2.8	1.4	2.3	5.1	0.4	0.5	0.15	0.8
C23-C24	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	-	5.1	0.1	0.1	0.09	0.2
C25	-	-	-	-	-	-	-	-	-	-	1.1	-	1.4	2.8	-	-	0.2	0.2	0.10	0.4
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	2.8	-	-	2.5	0.1	0.2	0.09	0.4
C33-C34	-	-	-	-	-	-	0.5	0.5	1.3	0.8	1.1	2.9	1.4	-	2.3	2.5	0.5	0.5	0.16	1.2
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	0.4	-	-	-	0.5	-	-	-	-	-	-	-	-	-	0.1	0.1	0.04	-
C50	-	-	-	-	-	0.4	1.9	4.5	6.5	8.8	5.7	8.7	8.3	10.0	11.3	10.2	2.8	3.0	0.38	6.9
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	0.8	-	-	1.4	-	-	-	0.1	0.1	0.07	0.3
C53	-	-	-	-	-	-	0.9	1.0	1.9	1.6	9.1	5.8	5.5	4.3	6.8	5.1	1.4	1.6	0.28	3.8
C54	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	2.5	0.1	0.1	0.07	-
C55	-	-	-	-	-	-	-	-	-	-	1.1	-	-	-	-	-	-	0.1	0.06	0.2
C56	-	-	-	-	-	0.4	-	1.0	0.6	1.6	4.5	1.4	4.1	1.4	2.3	-	0.7	0.8	0.20	2.1
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	1.1	-	-	-	-	-	-	0.1	0.06	0.2
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	2.3	2.5	0.1	0.2	0.09	0.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	0.6	-	0.4	-	0.4	-	0.5	-	0.8	1.1	-	1.4	-	-	-	0.3	0.3	0.12	0.6
C73	-	-	-	-	-	-	-	-	-	-	1.1	-	1.4	1.4	-	-	0.1	0.2	0.09	0.4
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.06	-
C82-C85,C96	-	-	-	0.4	-	-	-	-	-	1.6	-	1.4	4.1	-	2.3	10.2	0.5	0.6	0.18	1.0
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	0.6	-	-	-	1.4	-	-	-	0.1	0.1	0.07	0.3
C91	0.5	-	0.4	0.4	-	-	-	-	-	-	1.1	-	-	-	2.3	-	0.2	0.2	0.11	0.2
C92-C94	0.5	-	0.4	-	0.8	-	0.9	0.5	-	4.0	-	1.4	2.8	-	-	-	0.6	0.7	0.18	1.4
C95	-	-	-	0.4	0.4	0.4	0.9	-	-	-	3.4	-	-	-	-	-	0.3	0.3	0.12	0.5
O&U *	-	-	0.8	0.4	0.4	0.4	1.4	1.5	5.8	6.4	14.8	7.2	11.0	18.5	6.8	5.1	3.1	3.3	0.40	7.4
All	1.1	1.1	2.0	2.2	2.1	2.1	7.9	10.0	20.1	30.4	57.9	39.1	70.4	52.7	49.9	73.8	14.7	16.4	0.90	35.2

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE NAG-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2008-2009 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.5	0.5	0.7	0.7
C03-C06	Mouth	1.0	0.9	1.3	1.3
C07-C08	Salivary Gland	-	-	0.1	0.1
C09	Tonsil	0.1	0.1	0.2	0.2
C10	Oth. Oropharynx	-	-	0.1	0.1
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.2	0.2	0.4	0.4
C14	Pharynx Unspecified	-	-	0.1	0.1
C15	Oesophagus	0.4	0.4	0.7	0.7
C16	Stomach	0.3	0.3	0.5	0.5
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.3	0.3
C19-C20	Rectum	0.3	0.3	0.4	0.4
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	0.1	0.1	0.1	0.1
C25	Pancreas	0.1	0.1	0.1	0.1
C30-C31	Nose, Sinuses etc.	0.1	0.1	0.1	0.1
C32	Larynx	0.4	0.4	0.8	0.8
C33-C34	Lung etc.	0.4	0.4	0.8	0.8
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	0.1	0.1	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.1	0.1	0.5	0.5
C62	Testis	0.1	0.1	0.1	0.1
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.3	0.3
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.2	0.2
C73	Thyroid	-	-	-	-
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	0.1	0.1
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	-	-	-	-
O&U *	Other and Uns	0.8	0.8	1.2	1.2
	<b>All Sites</b>	<b>6.66</b>	<b>6.44</b>	<b>10.85</b>	<b>10.28</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE NAG-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2008-2009 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.1	0.1	0.2	0.2
C03-C06	Mouth	0.3	0.3	0.5	0.5
C07-C08	Salivary Gland	-	-	0.1	0.1
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.1	0.1	0.1	0.1
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.4	0.4	0.6	0.6
C16	Stomach	0.1	0.1	0.2	0.2
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.2	0.2
C19-C20	Rectum	0.2	0.2	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.1	0.1
C23-C24	Gallbladder etc.	0.1	0.1	0.1	0.1
C25	Pancreas	0.1	0.1	0.1	0.1
C30-C31	Nose, Sinuses etc.	0.1	0.1	0.1	0.1
C32	Larynx	-	-	0.1	0.1
C33-C34	Lung etc.	0.1	0.1	0.2	0.2
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	2.7	2.6	3.4	3.4
C51	Vulva	-	-	-	-
C52	Vagina	-	-	0.1	0.1
C53	Cervix Uteri	1.2	1.2	1.6	1.6
C54	Corpus Uteri	0.2	0.2	0.3	0.3
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.4	0.4	0.5	0.5
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	-	-
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.2	0.2
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	0.1	0.1	0.1	0.1
O&U *	Other and Uns	0.4	0.4	0.7	0.7
	<b>All Sites</b>	<b>7.96</b>	<b>7.65</b>	<b>10.99</b>	<b>10.41</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)