

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	28-05-2025 19:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	28-05-2025 19:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	155 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Health And Family Welfare
Department Name/विभाग का नाम	Department Of Health Research
Organisation Name/संगठन का नाम	Indian Council Of Medical Research (icmr)
Office Name/कार्यालय का नाम	Bhopal
क्रेता ईमेल/Buyer Email	dubey.av@icmr.gov.in
Total Quantity/कुल मात्रा	5067
Item Category/मद केटेगरी	NIST Standard Reference Material 2786 , NIST Standard Reference Material 2584 , Boric acid , Phosphoric acid , Hydrofluoric acid , Potassium hexacyanoferrate II , Sodium borohydride , Ascorbic acid , Tris 2-carboxyethyl phosphine hydrochloride , 6-Mercapto-1-hexanol , HEPES solution , K2-EDTA vacutainer , Hydrochloric acid , Nitric acid , Hydrogen peroxide , Potassium Iodide , ICP multi-element standard solution IV , ICP multi-element standard solution IX , 15 mL centrifuge tubes , 50 mL centrifuge tubes , Yttrium ICP standard , Scandium ICP standard , Germanium ICP standard , Rhodium ICP standard , Iridium ICP standard , Zinc Standard for ICP , Digital exact temperature bottle thermometer , Sodium Hypochlorite , Phlebotomy Blood Sample Collection Bag

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>NIST Standard Reference Material 2786, Fine Atmospheric Particulate Matter, NIST Standard Reference Material 2584, Trace Elements in Indoor Dust, Boric acid, trace metal basis, Phosphoric acid, concentrated, Trace metal grade, Hydrofluoric acid, trace metal basis, Potassium hexacyanoferrate (II), trace metal basis, Sodium borohydride, trace metal basis, Ascorbic acid, trace metal basis, Tris 2-carboxyethyl phosphine hydrochloride, 6 Mercapto 1 hexanol, HEPES solution, K2 EDTA vacutainer, royal blue cap, heavy metal analysis, Hydrochloric acid, Trace metal grade, Nitric acid, trace metals basis, Hydrogen peroxide, for trace analysis, Potassium Iodide, trace metal basis, ICP multi-element standard solution IV, ICP multi-element standard solution IX, 15 mL centrifuge tubes, suitable for EPA 1633, 50 mL centrifuge tubes, suitable for EPA 1621, Yttrium ICP standard, Scandium ICP standard, Germanium ICP standard, Rhodium ICP standard, Iridium ICP standard, Zinc Standard for ICP, Digital exact temperature bottle thermometer, +40 to -20 degree celsius, Sodium Hypochlorite 5%, Phlebotomy Blood Sample Collection Bag</p>
	<p>Searched String: NIST Standard Reference Material 2786, Fine Atmospheric Particulate Matter</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: NIST Standard Reference Material 2584, Trace Elements in Indoor Dust</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Boric acid, trace metal basis</p> <p>Borax Powder, traffic signs - bilinker light, Potassium Tetraborate, D and C Set, Murexide or Ammonium Purpurate, Climbing Rope Nylon, Glacier Region (Defence), Magnetic Lifter, Regulators for Breathing Apparatus (Diving Instruments or Accessories)</p> <p>Searched String: Phosphoric acid, concentrated, Trace metal grade</p> <p>Phosphoric acid, food grade as per IS:10508, Sulphuric Acid as per IS 266, Sulphuric Acid (V2) Conforming to IS 266</p> <p>Searched String: Hydrofluoric acid, trace metal basis</p> <p>Hydrofluoric Acid, traffic signs - bilinker light, Murexide or Ammonium Purpurate, Magnetic Lifter</p> <p>Searched String: Potassium hexacyanoferrate (II), trace metal basis</p> <p>Potassium ferrocyanide trihydrate, Potassium Ferricyanide Photographic Grade - IS 12495</p> <p>Searched String: Sodium borohydride, trace metal basis</p> <p>Sodium Metal- IS 8814-, Magnetic Lifter</p> <p>Searched String: Ascorbic acid, trace metal basis</p>

Bid Details/As per	ASCORBIC ACID, traffic signs - bilinker light, L-Ascorbic Acid, Urine Test Strips, Murexide or Ammonium Purpurate
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Tris 2-carboxyethyl phosphine hydrochloride</p> <p>2,4,6-Tris(2-pyridyl)-s-triazine</p> <p>Searched String: 6 Mercapto 1 hexanol</p> <p>6 - Mercaptopurine Tablet, 6 - Mercaptopurine Tablets (V2), Electrical Box Extension (V3), 1-Heptanesulphonic acid sodium salt anhydrous, Sofa Set (Steel Tube), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Digital Trainer Kit, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, modular electrical switches and accessories, Cat 6 Patch cord</p> <p>Searched String: HEPES solution</p> <p>Antifoam Solution, Ultra low temperature laboratory deep freezer, Acetaldehyde solution, D and C Set, Ninhydrin Solution, Revolving Chair (V4), Benedict'S Solution, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Drabkin Solution, Wheel Chairs (V2)</p> <p>Searched String: K2 EDTA vacutainer, royal blue cap, heavy metal analysis</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Hydrochloric acid, Trace metal grade</p> <p>HYDROCHLORIC ACID PICKLING INHIBITOR, GLACIAL ACETIC ACID, Hydrochloric Acid as per IS 265, Sulfuric acid (Research grade), traffic signs - bilinker light, Hydrochloric Acid for Well Stimulation for (ONGC), Hydrochloric Acid in Tankers (V2) as per IS 265, Hydrofluoric Acid, Phosphoric acid, food grade as per IS:10508, Ammonium acetate AR Grade</p> <p>Searched String: Nitric acid, trace metals basis</p> <p>Nitric Acid (V2) as per IS 264, traffic signs - bilinker light, Nitric Acid for Bulk Supply as per IS 264</p> <p>Searched String: Hydrogen peroxide, for trace analysis</p> <p>Silver Hydrogen peroxide disinfectant, Holter with Monitor for analysis, Low temperature Hydrogen Peroxide Gas Steriliser, Chemical Indicator for Vaporized Hydrogen Peroxide (Plasma) Sterilization Process, ECO - Friendly Disinfectant (Hydrogen Peroxide + Silver Nitrate), Low Temperature Hydrogen Peroxide Gas Plasma Sterilizer, Stabilized Hydrogen Peroxide (V2) as per IS 2080, Software Based Solution For Mobile Devices And CDR Analysis, Solution for conducting CHIP level analysis of mobile phones, Ready Made Water Analysis Test Kit</p> <p>Searched String: Potassium Iodide, trace metal basis</p> <p>Potassium Iodide as per IS 7163</p> <p>Searched String: ICP multi-element standard solution IV</p> <p>ICP multi-element standard solution</p>

Bid Details/As per	Searched String: ICP multi-element standard solution IX
	<p>ICP multi-element standard solution</p> <p>Searched String: 15 mL centrifuge tubes, suitable for EPA 1633</p> <p>Minifuge</p> <p>Searched String: 50 mL centrifuge tubes, suitable for EPA 1621</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Yttrium ICP standard</p> <p>ICP multi-element standard solution, Network Attached Storage (NAS) Device, Yttrium Oxide AR, Intracranial Pressure Monitors (ICP Monitors), Intracranial Pressure Monitor (V2), Calcium Standard, Football Goal Post Net as per IS 3345, Turbidity Standard, Multimedia Projector (MMP), Iron Standard</p> <p>Searched String: Scandium ICP standard</p> <p>ICP multi-element standard solution, Network Attached Storage (NAS) Device, Intracranial Pressure Monitors (ICP Monitors), Intracranial Pressure Monitor (V2), Calcium Standard, pH Meter (FSSAI), Turbidity Standard, Football Goal Post Net as per IS 3345, Iron Standard, Desktop Calculator - Electronics</p> <p>Searched String: Germanium ICP standard</p> <p>ICP multi-element standard solution, Network Attached Storage (NAS) Device, Intracranial Pressure Monitors (ICP Monitors), Intracranial Pressure Monitor (V2), Calcium Standard, pH Meter (FSSAI), Turbidity Standard, Football Goal Post Net as per IS 3345, Iron Standard, Desktop Calculator - Electronics</p> <p>Searched String: Rhodium ICP standard</p> <p>Thermocouple Standards Platinum / Platinum Rhodium, Network Attached Storage (NAS) Device, ICP multi-element standard solution, Intracranial Pressure Monitors (ICP Monitors), Intracranial Pressure Monitor (V2), pH Meter (FSSAI), Calcium Standard, Football Goal Post Net as per IS 3345, Turbidity Standard, Desktop Calculator - Electronics</p> <p>Searched String: Iridium ICP standard</p> <p>ICP multi-element standard solution, Network Attached Storage (NAS) Device, Intracranial Pressure Monitors (ICP Monitors), Intracranial Pressure Monitor (V2), Calcium Standard, pH Meter (FSSAI), Turbidity Standard, Football Goal Post Net as per IS 3345, Iron Standard, Desktop Calculator - Electronics</p> <p>Searched String: Zinc Standard for ICP</p> <p>Zinc Standard Solution, Keyboard for Personal Computers (V2) as per IS 14441, ICP multi-element standard solution, Zinc Stearate For Cosmetic Industry - IS 2520, Hard Wood as per IS 1331, Tool Kit for Jaste ke Bartan (Zinc Pot) - ODOP UP Gov. (Kanpur Village), Standards Sand for testing cement - IS 650, Galvanised Steel Buckets for General use as per IS</p>

Bid Details/बिड विवरण	726. Mild Steel Sheet, Weld Mesh Panel for Perimeter Security Fence as per IS 4948
	<p>Searched String: Digital exact temperature bottle thermometer, +40 to -20 degree celsius</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Sodium Hypochlorite 5%</p> <p>Sodium Hypochlorite (Industrial Grade) - ONGC, Desktop Computers, Sodium Hypochlorite Solution for Water Maker - ONGC, Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), Sodium Periodate, Sofas (V2), Entry and Mid Level Desktop Computer, Sodium Hydrogen Sulphite, All in One PC, Sodium Hypochlorite Solution for Bulk Supply (V2) as per IS 11673 (Part 1)</p> <p>Searched String: Phlebotomy Blood Sample Collection Bag</p> <p>Blood Sample Collection Tubes, Bio - Medical Waste Collection Bags (Biohazard Bags), Vacuum Blood Collection Tubes, Blood Collection Needles (V2), Blood Collection Tube, Blood collection monitor, Cardiac Troponin T TEST KIT, Blood collection Needles for Vacuum Blood Collection Tubes, hospital biohazard bags or bio medical waste collection bags, Urine collection bag</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Yttrium Oxide AR • Biochemistry Reagent Kit (Open System) • Biochemistry Reagent Kit (Close System)
BOQ Title/बीओक्यू शीर्षक	Laboratory Chemicals and Reagents
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	9 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

Bid Details/बिड विवरण	
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	50 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	NIST Standard Reference Material 2786
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Financial Document Required/वित्तीय दस्तावेज की आवश्यकता है।	Yes
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

Details of the Competent Authority for MII

Name of Competent Authority	Assistant Secretary to Gol
Designation of Competent Authority	Assistant Secretary to Gol
Office / Department / Division of Competent Authority	DPIIT, Ministry of Commerce and Industry
CA Approval Number	P-45021/2/2017-PP (BE-II)-Part4-VolIII

Competent Authority Approval Date	19-07-2024
Brief Description of the Approval Granted by Competent Authority	Cost of each item/ schedule is less than Rs. 5 Lakh

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Nist Standard Reference Material 2786	1
Schedule 2	Nist Standard Reference Material 2584	1
Schedule 3	Boric Acid	2
Schedule 4	Phosphoric Acid	3
Schedule 5	Hydrofluoric Acid	10
Schedule 6	Potassium Hexacyanoferrate II	1
Schedule 7	Sodium Borohydride	4
Schedule 8	Ascorbic Acid	5
Schedule 9	Tris 2-carboxyethyl Phosphine Hydrochloride	1
Schedule 10	6-mercapto-1-hexanol	1
Schedule 11	Hepes Solution	1
Schedule 12	K2-edta Vacutainer	1000
Schedule 13	Hydrochloric Acid	4
Schedule 14	Nitric Acid	5
Schedule 15	Hydrogen Peroxide	4
Schedule 16	Potassium Iodide	2
Schedule 17	Icp Multi-element Standard Solution Iv	1
Schedule 18	Icp Multi-element Standard Solution Ix	2
Schedule 19	15 MI Centrifuge Tubes	2000
Schedule 20	50 MI Centrifuge Tubes	2000

Schedule 21	Yttrium Icp Standard	1
Schedule 22	Scandium Icp Standard	1
Schedule 23	Germanium Icp Standard	1
Schedule 24	Rhodium Icp Standard	1
Schedule 25	Iridium Icp Standard	1
Schedule 26	Zinc Standard For Icp	1
Schedule 27	Digital Exact Temperature Bottle Thermometer	4
Schedule 28	Sodium Hypochlorite	5
Schedule 29	Phlebotomy Blood Sample Collection Bag	4

NIST Standard Reference Material 2786

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

NIST Standard Reference Material 2584

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Boric Acid**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	2	30

Phosphoric Acid**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	3	30

Hydrofluoric Acid

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	10	30

Potassium Hexacyanoferrate II

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Sodium Borohydride

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	4	30

Ascorbic Acid

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	5	30

Tris 2-carboxyethyl Phosphine Hydrochloride**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

6-Mercapto-1-hexanol

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

HEPES Solution

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

K2-EDTA Vacutainer**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1000	30

Hydrochloric Acid**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	4	30

Nitric Acid**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	5	30

Hydrogen Peroxide**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	4	30

Potassium Iodide

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	2	30

ICP Multi-element Standard Solution IV

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

ICP Multi-element Standard Solution IX**Technical Specifications/तकनीकी विशिष्टियाँ****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	2	30

15 ML Centrifuge Tubes**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	2000	30

50 ML Centrifuge Tubes

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	2000	30

Yttrium ICP Standard

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Scandium ICP Standard

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Germanium ICP Standard

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Rhodium ICP Standard

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Iridium ICP Standard**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Zinc Standard For ICP**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Digital Exact Temperature Bottle Thermometer**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	4	30

Sodium Hypochlorite**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	5	30

Phlebotomy Blood Sample Collection Bag

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	4	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any

responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

3. **Generic**

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

4. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

5. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

7. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. 100% payment shall be made by ICMR-NIREH, Bhopal only after the satisfactory receipt of items in good condition and submission of invoice.
2. All the penalties/ fine/ interest (if applicable) shall be settled before making the payments. Service Provider shall not have any objection on the same.
3. Payment shall be made through bank transfer only, in no circumstance cash/ cheque payment shall be made.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---