

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	28-07-2025 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-07-2025 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	155 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम/Department Name	Department Of Health Research
संगठन का नाम/Organisation Name	Indian Council Of Medical Research (icmr)
कार्यालय का नाम/Office Name	Bhopal
कुल मात्रा/Total Quantity	49
वस्तु श्रेणी /Item Category	Norovirus II Forward primer , Norovirus II Reverse primer , Norovirus II Probe , Norovirus II.I Forward primer , Norovirus II.I Reverse primer , Norovirus II.I Probe , Norovirus II.2 Forward primer , Norovirus II.2 Reverse primer , Norovirus II.2 Probe , Norovirus II.3 Forward primer , Norovirus II.3 Reverse primer , Norovirus II.3 Probe , One-Step RT-ddPCR Advanced Kit for Probes , Viral RNA Extraction Kit , Optical Adhesive Film , Sybersafe DNA stain , Tris Borate EDTA Buffer 10X , PCR plates 96 well , PCR product Gel Purification Kit , Auto DG oil , ddPCR 96 well PCR plate , PCR Plate Heat Seal, foil, pierceable , Sterile Filter tips , sample collection bottles
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Norovirus II Forward primer , Norovirus II Reverse primer, Norovirus II Probe, Norovirus II.I Forward primer , Norovirus II.I Reverse primer , Norovirus II.I Probe, Norovirus II.2 Forward primer , Norovirus II.2 Reverse primer , Norovirus II.2 Probe, Norovirus II.3 Forward primer , Norovirus II.3 Reverse primer , Norovirus II.3 Probe, One-Step RT-ddPCR Advanced Kit for Probes , Viral RNA Extraction Kit , Optical Adhesive Film, Sybersafe DNA stain, Tris Borate EDTA Buffer 10X, PCR plates 96 well, compatible with Biorad PCR machine, PCR product Gel Purification Kit, Auto DG oil, ddPCR 96 well PCR plate, Sterile Filter tips, sample collection bottles
	<p><b>Searched String:</b> Norovirus II Forward primer</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Norovirus II Reverse primer</p> <p>MB Plough / Reversible MB Plough</p>

बिड विवरण/Bid Details	<b>Searched String:</b> Norovirus II Probe
	<p>Four Probe, Wooden Podium, Current Probe, Real Time PCR Kits (V2), Ultrasonic Probe Sonicator, Handheld Digital Infrared Thermometer, High Voltage Probe, Dental Straight Probe (V2) - RBSK, Correspondence Envelopes (V2), TISAB II Solution</p> <p><b>Searched String:</b> Norovirus II.I Forward primer</p> <p>White LED Based Solar Street Lighting System for Model (I, II, III And IV), Steel Butt Hinges as per IS 1341, Prelaminated MDF Board, Mulcher, Prelaminated Particle Boards From Wood and Other Lignocellulosic Material (V2) as per IS 12823</p> <p><b>Searched String:</b> Norovirus II.I Reverse primer</p> <p>White LED Based Solar Street Lighting System for Model (I, II, III And IV), Steel Butt Hinges as per IS 1341, MB Plough / Reversible MB Plough, Prelaminated MDF Board, Mulcher, Prelaminated Particle Boards From Wood and Other Lignocellulosic Material (V2) as per IS 12823</p> <p><b>Searched String:</b> Norovirus II.I Probe</p> <p>White LED Based Solar Street Lighting System for Model (I, II, III And IV), Steel Butt Hinges as per IS 1341, Prelaminated MDF Board, Mulcher, Prelaminated Particle Boards From Wood and Other Lignocellulosic Material (V2) as per IS 12823</p> <p><b>Searched String:</b> Norovirus II.2 Forward primer</p> <p>Mercuric Oxide, Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Real Time PCR Kits (V2)</p> <p><b>Searched String:</b> Norovirus II.2 Reverse primer</p> <p>Mercuric Oxide, Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Real Time PCR Kits (V2), MB Plough / Reversible MB Plough, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2)</p> <p><b>Searched String:</b> Norovirus II.2 Probe</p> <p>Mercuric Oxide, Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Real Time PCR Kits (V2)</p> <p><b>Searched String:</b> Norovirus II.3 Forward primer</p> <p>Dental stone - Type III, Mulcher</p> <p><b>Searched String:</b> Norovirus II.3 Reverse primer</p> <p>Dental stone - Type III, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, MB Plough / Reversible MB Plough, Mulcher</p> <p><b>Searched String:</b> Norovirus II.3 Probe</p> <p>Dental stone - Type III, Mulcher</p> <p><b>Searched String:</b> One-Step RT-ddPCR Advanced Kit for Probes</p>

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

**GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS**

**Searched String:** Viral RNA Extraction Kit

Viral RNA Extraction Kit, Viral RNA Extraction Kits, Novel Coronavirus (COVID - 19) Sample Collection Kit, automated nucleic acid extraction machine, Forensic DNA Extraction Kit, Viral Transport Medium (VTM) Kit, VTM KITS (SWINE FLU), HBV Viral Load Test Kit, Molecular Diagnostic Extraction Kits, Line Probe Assay DNA Extraction Kit under NTEP

**Searched String:** Optical Adhesive Film

Optical Adhesive Film, Fiber Optic Patch Cord, Conductive Film, Cyanoacrylate Adhesive, Elastic Surgical Adhesive Tapes (V2), Threadlocking Adhesive, Surgical isolation Faceshield, Tile adhesive, Labels Stickers (V2), Optical Biometer

**Searched String:** Sybersafe DNA stain

Giemsa Stain, DNA marker, Leishman's Stain, New Methylene Blue Stain (Reticulocyte Stain), Taq DNA Polymerase, Stain Removing Agent, Bacterial DNA isolation kit, Auramine Rhodamine Stain, Calcofluor white stain, Biosafety Cabinet

**Searched String:** Tris Borate EDTA Buffer 10X

Tris(hydroxymethyl)aminomethane, D and C Set, Blood Sample Collection Tubes, Buffer Tablets, Personal Protective Equipment (V2) Safety footwear As per IS 15298 (Part 2)

**Searched String:** PCR plates 96 well, compatible with Biorad PCR machine

Real Time PCR Machine, PCR Mini Cooler, Real Time PCR Machine (V2), PCR Tube Storage Racks

**Searched String:** PCR product Gel Purification Kit

PCR Amplification KIT, Real Time PCR Kits (V2), NAAT Based PCR Test Kit, CBNAAT MTB / RIF PCR Test Kit, Micro PCR HBV Test Kit, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Micro PCR Dengue Test Kit, Tool Kit for Ceramics Product - ODOP UP Gov. (Bulandshahar), Micro PCR H1N1 Test Kit, Forensic DNA Extraction Kit

**Searched String:** Auto DG oil

Auto Kerato Refractometer/ Auto Ref Keratometer, Power Generator - DG Set (up to 900 KVA), Auto Refractometer (V2), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Ophthalmic auto refractometer, 15w - 40 Diesel Engine Oil, Electronic Auto drain valve, Dental Auto-mixing Gun, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Fiber Media converter

**Searched String:** ddPCR 96 well PCR plate

Deep well plates, Multiwell plates for tissue culture, PCR Mini Cooler, PCR Tube Storage Racks, Real Time PCR Machine, Microplates, Real Time PCR Machine (V2), Real

बिड विवरण / Bid Details	Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19)
	<p><b>Searched String:</b> Sterile Filter tips</p> <p>STERILE DRESSINGS, Disposable Surgical Rubber Gloves (V2), Sterile Connecting Device, Universal Pipette Tips (V2), Saliva Ejector Suction Tips, Single use Rubber Examination Gloves (V2), Dental Applicator tips for bonding agent, Orthopedic Instruments - Bone Reduction Forceps and Clamps, Sterile Hypodermic Syringe (V3), non adherent dressings sterile</p> <p><b>Searched String:</b> sample collection bottels</p> <p>Blood Sample Collection Tubes, Novel Coronavirus (COVID - 19) Sample Collection Kit, PET Preform For Disposable Water Bottle, Vacuum Blood Collection Tubes, Sample Cup, blood culture bottles, Sample Warming Machine, Sofas (V2), Sample Weaving Machine, Flourinated HDPE Bottles and Containers as per IS 15749</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Oligonucleotides PCR Primer</li> <li>• Real Time PCR Kits (V2)</li> </ul>
बीओक्यू शीर्षक / <b>BOQ Title</b>	Laboratory Reagent Kits
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / <b>Minimum Average Annual Turnover of the bidder (For 3 Years)</b>	2 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / <b>Years of Past Experience Required for same/similar service</b>	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / <b>MSE Exemption for Years Of Experience and Turnover</b>	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Exemption for Years Of Experience and Turnover</b>	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़ / <b>Document required from seller</b>	<p>Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है / <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	No

**बिड विवरण/Bid Details**

बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	7
विगत प्रदर्शन / <b>Past Performance</b>	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	Yes
रिवर्स नीलामी योग्यता नियम/ <b>RA Qualification Rule</b>	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	Norovirus II Forward primer
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Item wise evaluation/
वित्तीय दस्तावेज की आवश्यकता है / <b>Financial Document Required</b>	Yes
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

**विभाजन/Splitting**

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any

impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

#### मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method ( Item Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Norovirus li Forward Primer	1
Schedule 2	Norovirus li Reverse Primer	1
Schedule 3	Norovirus li Probe	1
Schedule 4	Norovirus li.i Forward Primer	1
Schedule 5	Norovirus li.i Reverse Primer	1
Schedule 6	Norovirus li.i Probe	1
Schedule 7	Norovirus li.2 Forward Primer	1
Schedule 8	Norovirus li.2 Reverse Primer	1
Schedule 9	Norovirus li.2 Probe	1
Schedule 10	Norovirus li.3 Forward Primer	1
Schedule 11	Norovirus li.3 Reverse Primer	1
Schedule 12	Norovirus li.3 Probe	1
Schedule 13	One-step Rt-ddpcr Advanced Kit For Probes	1
Schedule 14	Viral Rna Extraction Kit	1
Schedule 15	Optical Adhesive Film	1
Schedule 16	Sybersafe Dna Stain	1
Schedule 17	Tris Borate Edta Buffer 10x	1
Schedule 18	Pcr Plates 96 Well	1

Schedule 19	Pcr Product Gel Purification Kit	1
Schedule 20	Auto Dg Oil	1
Schedule 21	Ddpcr 96 Well Pcr Plate	1
Schedule 22	Pcr Plate Heat Seal, Foil, Pierceable	1
Schedule 23	Sterile Filter Tips	3
Schedule 24	Sample Collection Bottels	24

## Norovirus II Forward Primer

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

## Norovirus II Reverse Primer

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

## Norovirus II Probe

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

## Norovirus II.I Forward Primer

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### Norovirus II.I Reverse Primer

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### Norovirus II.I Probe

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

## Norovirus II.2 Forward Primer

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

## Norovirus II.2 Reverse Primer

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

## Norovirus II.2 Probe

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

## Norovirus II.3 Forward Primer

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### Norovirus II.3 Reverse Primer

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### Norovirus II.3 Probe

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### One-Step RT-ddPCR Advanced Kit For Probes

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### Viral RNA Extraction Kit

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### Optical Adhesive Film

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### Sybersafe DNA Stain

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### Tris Borate EDTA Buffer 10X

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### PCR Plates 96 Well

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### PCR Product Gel Purification Kit

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### Auto DG Oil

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### DdPCR 96 Well PCR Plate

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### PCR Plate Heat Seal, Foil, Pierceable

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

### Sterile Filter Tips

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	3	30

### Sample Collection Bottels

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Krishna Chouhan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	24	30

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 2. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

### 3. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

### 4. Generic

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

### 5. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 6. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

## 7. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

## 8. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 9. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. 100% payment shall be made by ICMR-NIREH, Bhopal only after the satisfactory receipt of items in good condition and submission of invoice.

2. All the penalties/ fine/ interest (if applicable) shall be settled before making the payments. Service Provider shall not have any objection on the same.

3. Payment shall be made through bank transfer only, in no circumstance cash/ cheque payment shall be made.

4. It is for general information of Aspirant Manufacturer/ Dealer/ Distributor to submit their representation, if any, on proprietorship of the following the goods in terms of Rule 166 (i) of GFR, 2017:

(a) One-step Rt-ddpcr Advanced Kit For Probes

(b) Auto Dg Oil

(c) Ddpcr 96 Well Pcr Plate

(d) Pcr Plate Heat Seal, Foil, Pierceable

In case, the product of any other Manufacturer/ Authorized Distributor/ Dealer conforms to the enclosed specifications, they may submit their proposal for the supply of same goods along with the following:- (a) Brochure (b) Point-by-point compliance of the enclosed specifications, along with all relevant documentary evidence. The representation should be sent to The Director, ICMR-NIREH, Bhopal on 'po.nireh@gmail.com' so as to reach on or before 25.07.2025 up to 11:00 AM, failing which it will be presumed that no any other bidder is interested to offer comments/ objection and case will be decided accordingly on its merit.

## 10. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.

3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---