


Basic Details

Organisation Chain	Department of Health Research Indian Council of Medical Research		
Tender Reference Number	Pur/PP 3197/e-file 217257 /26-27/W and W		
Tender ID	2026_DoHR_850818_1		
Tender Type	Open Tender	Form of contract	Works
Tender Category	Works	No. of Covers	1
Payment Mode	Not Applicable	Is Multi Currency Allowed For BOQ	No
Is Multi Currency Allowed For Fee	No		

Cover Details, No. Of Covers - 1

Cover No	Cover	Document Type	Description
1	Fee/PreQual/Technical/Finance	.xls	Bid Documents

Tender Fee Details, [Total Fee in ₹ * - 0.00]

Tender Fee in ₹	0.00		
Fee Payable To	NA	Fee Payable At	NA
Tender Fee Exemption Allowed	NA		

EMD Fee Details

EMD Amount in ₹	0.00	EMD Exemption Allowed	NA
EMD Fee Type	NA	EMD Percentage	NA
EMD Payable To	NA	EMD Payable At	NA

Work /Item(s)

Title	Painting of high-ceiling Reception Area and Staircase Railing at ICMR-NIV, Pashan Campus.				
Work Description	Painting of high-ceiling Reception Area and Staircase Railing at ICMR-NIV, Pashan Campus.				
Pre Qualification Details	Please refer Tender documents.				
Tender Value in ₹	1,50,000	Product Category	Civil Works	Sub category	NA
Contract Type	Tender	Bid Validity(Days)	180	Period Of Work(Days)	30
Location	Watch and Ward MCC Pashan, Pune	Pincode	411021	Pre Bid Meeting Place	NA
Pre Bid Meeting Address	NA	Pre Bid Meeting Date	NA	Bid Opening Place	ICMR NIV Camp Pune

Critical Dates

Publish Date	10-Sep-2026 06:00 PM	Bid Opening Date	28-Sep-2026 04:00 PM
Document Download / Sale Start Date	10-Sep-2026 06:00 PM	Document Download / Sale End Date	28-Sep-2026 03:00 PM
Clarification Start Date	NA	Clarification End Date	NA
Bid Submission Start Date	10-Sep-2026 06:00 PM	Bid Submission End Date	28-Sep-2026 03:00 PM

Tender Documents

NIT Document	S.No	Document Name	Description	Document Size (in KB)	
	1	Tendernotice_1.pdf	NIT	892.53	
Work Item Documents	S.No	Document Type	Document Name	Description	Document Size (in KB)
	1	Tender Documents	ATE-3197.pdf	Tender Documents	892.53

Tender Inviting Authority

Name	Director
-------------	----------

Address	ICMR NIV Camp Pune
Tender Creator Details	
Created By	Naveen Kumar
Designation	Director
Created Date	10-Sep-2026 04:24 PM



icmr
INDIAN COUNCIL OF
MEDICAL RESEARCH
Serving the nation since 1911

NIV
NATIONAL INSTITUTE
OF VIROLOGY

आई सी एम आर - राष्ट्रीय विषाणु विज्ञान संस्थान

स्वास्थ्य अनुसंधान विभाग
स्वास्थ्य एवं परिवार कल्याण मंत्रालय, भारत सरकार

ICMR - NATIONAL INSTITUTE OF VIROLOGY

Department of Health Research
Ministry of Health & Family Welfare, Govt. of India

Ref: Pur/PP 3197/e-file 217257 /26-27/W&W

Date: 10.09.2026

Advertisement Tender Enquiry

We are interested in Procurement of Products as per details given below:

Please go through the attached **Terms and Conditions** and submit the quotation immediately addressing to **the Administrative Officer (Stores & Purchase), ICMR-National Institute of Virology, 20-A, Dr. Ambedkar Road, Pune 411 001.**

S.No.	Full description with complete specification	Qty
1	Painting of high-ceiling Reception Area and Staircase Railing at ICMR-NIV, Pashan Campus. (Please refer Annexure for detailed scope of work)	01 job

The above requirement is uploaded on CPP Portal (ePublishing) for open information to offer the genuine quote on the proprietary nature of the Product/Services.

Bidders are requested to quote the revised rates of GST as applicable issued by Department of Revenue, Ministry of Finance, Government of India.

The quotation super scribed as "PP 3197/26-27- Painting of high-ceiling Reception Area and Staircase Railing at ICMR-NIV, Pashan Campus" addressed to the Director, ICMR-National Institute of Virology, 20-A, Dr. Ambedkar Road, Post box-11, Pune – 411 001 (Attention: Administrative Officer-Stores) should be either dropped at the Admin Department at NIV or sent through by Speed post / courier (with signature & seal in company letter head) latest by 28/09/2026 till 3.00P.M

Due Date to submit the offer/quotation: 28/9/2026 3:00 P.M.

Thanking you,

Sincerely,

Administrative Officer (Stores & Purchase)



icmr
INDIAN COUNCIL OF
MEDICAL RESEARCH
Serving the nation since 1911

NIV
NATIONAL INSTITUTE
OF VIROLOGY

आई सी एम आर - राष्ट्रीय विषाणु विज्ञान संस्थान

स्वास्थ्य अनुसंधान विभाग
स्वास्थ्य एवं परिवार कल्याण मंत्रालय, भारत सरकार

ICMR - NATIONAL INSTITUTE OF VIROLOGY

Department of Health Research
Ministry of Health & Family Welfare, Govt. of India

Bidders may refer to OM No. P-45021/2/2017-PP(BE-II)-Part(4) Vol.II dated 08th July 2025 for requirements vis-à-vis 'Make in India' policy

- a) Eligibility: The Bidder must be a Manufacturer or its authorized Agent.
- b) One Bid per Bidder: A firm shall submit only one bid either individually or as a partner of a joint venture. A firm that submits either individually or, as a member of a joint venture, more than one bid will cause all the proposals with the firms' participation to be disqualified.
- c) ICMR reserves the right to cancel the bid in part or full without assigning any reason and liability on the buyer. On such cancellation the decision of the DG, ICMR will be binding and final on the subject.
- d) You are requested to kindly submit your detailed quote inclusive of all breakups with discounts and all applicable taxes, duties etc., and complete address of your OEM.
- e) The price quoted should be upto **ICMR- National Institute of Virology** (consignee location) inclusive of packing and forwarding charges, freight and insurance. In case of local suppliers the prices quoted should be on "Free delivery basis" at ICMR-NIV Stores. No other charges except those mentioned clearly in the quotation will be paid.
- f) Prices shall be quoted in Indian Rupees only.
- g) Signed / E-sign & scanned quotes through email are acceptable.
- h) For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.
- i) **Payment Terms:** 100% payment shall be made after receipt of complete goods/Equipment in good condition, acceptance and successful installation of goods/Equipment. This payment is subject to recoveries, if any, either on account of statutory deduction/ taxes/ Liquidated Damages, if any and non-rectification of defects/ deficiencies not attended by the Supplier or otherwise.
- j) **Delivery Time:** Maximum within 3 weeks. However, please indicate the delivery period clearly in the Quote.
- k) **Penalty Clause:** Any delay in dispatching the material may attract penalty @ 0.5% per week subject to a maximum of 10% of the total value of order.
- l) **Insurance:** The supplier shall make all necessary arrangements for insuring the goods against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery.



icmr
INDIAN COUNCIL OF
MEDICAL RESEARCH
Serving the nation since 1911

NIV
NATIONAL INSTITUTE
OF VIROLOGY

आई सी एम आर - राष्ट्रीय विषाणु विज्ञान संस्थान

स्वास्थ्य अनुसंधान विभाग
स्वास्थ्य एवं परिवार कल्याण मंत्रालय, भारत सरकार

ICMR - NATIONAL INSTITUTE OF VIROLOGY

Department of Health Research
Ministry of Health & Family Welfare, Govt. of India

- m) Address of Consignee (Place of Delivery): **Watch & Ward ICMR-National Institute of Virology, 20-A, MCC 130/1 Sus Road, Pashan, Pune, Maharashtra 411021.**
- n) Validity of the quotation: Minimum 180 days validity from the date of quote to be provided.
- o) GST will be applicable as per the latest GoI notification.
- p) If the material is perishable in nature, sufficient dry ice/gel should be added, so that sustainability of the material remains for at least 10 days.
- q) Bidder is requested to give undertaking Certificate regarding land border "I/ We have read the clause issued by Government of India regarding restrictions on procurement from a bidder of a country which shares a land border with India; I/ We certify that the bidder is not from such a country or, if from such a country, have been registered with the Competent Authority"

Signature of the Bidder with seal

UNDERTAKING FOR REASONABLE PRICE ANNEXURE-I

This is to Certify that we have offered the possible reasonable prices vide our Quote No. _____ dated _____ in response to ICMR-NIV Enquiry No. _____, Dated _____ and we further undertake that we will not offer less than the offered rates during the validity period to any other State / Central / PSU / Autonomous Bodies / Universities / R&D Institutes / Pharmaceutical Laboratories / Public Limited Companies.

Place:

Date:

Sign. of Bidder with Seal

Annexure

Work: Painting of high-ceiling Reception Area and Staircase Railing at ICMR-NIV, Pashan Campus.

Lustre wall painting: 4200 Sq ft Oil Painting: 200 sq ft

Scope of Work:

1. Surface Protection & Site Preparation:
 - Covering of reception flooring, counters, staircase steps, glass panels, and lighting fixtures using heavy-duty polythene sheets (100+ micron) and masking tape prior to work commencement.
 2. Scaffolding Erection:
 - Provision and assembly of modular pipe scaffolding/mobile staging up to a working height of 30 ft (9.14 m) equipped with safety handrails, toe boards, and platform decking.
 3. Surface Preparation (Walls & Ceilings):
 - Scraping and mechanical sanding of existing luster paint to remove loose flakes, gloss finish, dirt, and efflorescence to ensure mechanical adhesion.
 - Filling cracks/defects using acrylic wall putty, followed by fine sanding to achieve a level surface.
 4. Surface Preparation (Staircase Railing - Steel/Wood):
 - De-rusting, wire-brushing, and degreasing of MS/steel railing surfaces (or sanding down old flaking paint on wooden handrails) to expose a clean, smooth substrate.
 - Application of one coat of Red Oxide Zinc Chromate Primer (for steel) or Wood Primer (for timber).
 5. Primer & Painting Execution:
 - Walls/Ceilings: One coat of solvent-thinnable alkali-resistant primer followed by two or more coats of premium solvent-based lustre paint of approved shade.
 - Staircase Railing: Two coats of high-gloss Synthetic Enamel / Oil Paint over primed railing to achieve a durable, washable finish.
 6. Post-Work Cleaning & Site Clearance:
 - Demobilization of scaffolding, removal of protective sheeting, cleaning paint drips from treads, risers, and floors, and safe disposal of debris.
- Primer Specification:

- Type: Solvent-thinnable interior undercoat / oil-base primer (alkali-resistant).
- Specific Gravity / Properties: High alkali resistance to seal the underlying coat, prevents bleeding, and ensures proper adhesion over existing lustre surfaces.
- Dilution & Application: Diluted with mineral turpentine oil (MTO) as per manufacturer specifications (typically 10-15%). Applied via brush or roller with a drying time of 6–8 hours before putty/topcoat application.
- Standard: Conforming to IS 109 (Specification for Ready Mixed Paint, Primer, Surfacer).
- Paint Specification (Lustre Paint):
 - Type: Premium solvent-based resin lustre paint (semi-gloss/satin sheen).
 - Properties: Washable, stain-resistant, non-yellowing film with characteristic sheen; high scrub resistance suitable for heavy foot-traffic areas.
 - VOC & Standards: Low VOC formulation meeting IS standard limits. Hard dry time within 16–24 hours per coat.
 - Standard: Conforming to IS 2932 (Specification for Enamel, Synthetic, and Exterior: Synthetic Resin Base).

Staircase Railing (MS / Wooden Surfaces)

- Metal Railing Primer Specification:
 - Type: Red Oxide Zinc Chromate Primer.
 - Properties: Anti-corrosive primer providing high rust inhibition on mild steel/iron surfaces.
 - Application: Applied in 1 coat after thorough manual/mechanical wire brushing and de-greasing. Dry to touch in 30 minutes; hard dry in 10–12 hours.
 - Standard: Conforming to IS 2074 (Ready Mixed Paint, Air Drying, Red Oxide-Zinc Chrome, Priming).
- Railing Oil Paint Specification:
 - Type: High-gloss Synthetic Enamel Paint.
 - Properties: Alkyd resin-based finish delivering a hard, mirror-like glossy coat resistant to abrasion, hand oils, and frequent cleaning.
 - Application: Applied in 2 coats using fine synthetic brushes or spray equipment. Minimum 18-hour interval between consecutive coats.
 - Standard: Conforming to IS 2932 (Specification for Enamel, Synthetic, Exterior/Interior).

Putty & Crack Filler Specification

- Type: Acrylic Wall Putty / Polymer-modified Mortar Paste.
- Properties: Water-resistant, white cement/acrylic copolymer base for filling cracks up to 3 mm and levelling substrate depressions.
- Standard: Conforming to IS 15477 for polymer-modified fillers.

Safety & Site Management Guidelines

- Height Safety: All workers operating above 6 ft must wear personal protective equipment (PPE), including full-body safety harnesses with double lanyards, helmets, and non-slip safety shoes.
- Operational Continuity: Scaffolding setup and dust-generating sanding operations should be scheduled during non-peak hours or over weekends to maintain uninterrupted reception area access.

Note: The payment will be made after submission of Invoice certified by Engineer in-Charge