

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-11-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	03-11-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम/Department Name	Department Of Health Research
संगठन का नाम/Organisation Name	Indian Council Of Medical Research (icmr)
कार्यालय का नाम/Office Name	Icmr National Institute For Research In Reproductive Health, Mumbai
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :sachdevagnirrh@icmr.gov.in Buyer Email id: harshanirrh@icmr.gov.in
कुल मात्रा/Total Quantity	50
वस्तु श्रेणी /Item Category	TC349 100ml Dimethyl sulphoxide DMSO , SF166 50NO HM Syringe driven Filters PVDF , PW012 5X100NO Sterile loop , GEN FB 10 L R S 0.5 10 ul Gentip , GEN FB 10 L R S 100 1000 ul Gentip , GEN FB 10 L R S 100 1250 ul Gentip , 21343 YST TEST KIT VTK2 20 CARDS , Cuvette for uv spectrophotometer , 546021 Centrifuge Tube with Conical Bottom Sterile 15ml , 546041G Centrifuge Tube with Conical Bottom Sterile 50ml , 352350 Falcon 70 um Cell Strainer , 99505 Filtermax rapid 500 mL Bottle Top Filter , 18091050 50 Reactions SuperScript IV First Strand Synthesis System , 335925 Liquid counting beads
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Dimethyl sulphoxide (DMSO), Sterile, HM Syringe-driven Filters PVDF, Sterile loop, 0.5?10l Aerosol Barrier Gentip, Natural, Racked, Low Retention, Sterile, 100-1000l Aerosol Barrier Gentip, Natural, Racked, Graduated, Sterile, 100-1250l Aerosol Barrier Gentip, Natural, Racked, Graduated, Sterile, YST TEST KIT VTK2 20 CARDS, Cuvette for uv spectrophotometer, Centrifuge Tube with Conical Bottom, Sterile, 15ml, Centrifuge Tube with Conical Bottom, Sterile, 50ml, Falcon 70 m Cell Strainer, Filtermax "rapid" 500 mL Bottle-Top Filter, SuperScript IV First-Strand Synthesis System, Liquid counting beads
	Searched String: Dimethyl sulphoxide (DMSO), Sterile Category not available on GeM for the text string uploaded by the buyer Searched String: HM Syringe-driven Filters PVDF

विड विवरण / Bid Details	Gas Chromatography Syringe, Syringe Filter, Bacterial / Viral Filters (V2)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: Sterile loop Inoculating Loop, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Hook and loop disc, Fastener for Consumer Goods - Synthetic Hook and Loop Tape as per IS 8156, Sterile Connecting Device, Surgical Sutures, HOLDER FOR PLATINUM WIRE LOOP, Endotracheal Tube - Sterile (Single Use), Electric sterilizer for inoculation loop, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1) Searched String: 0.5?10l Aerosol Barrier Gentip, Natural, Racked, Low Retention, Sterile Category not available on GeM for the text string uploaded by the buyer Searched String: 100-1000l Aerosol Barrier Gentip, Natural, Racked, Graduated, Sterile Category not available on GeM for the text string uploaded by the buyer Searched String: 100-1250l Aerosol Barrier Gentip, Natural, Racked, Graduated, Sterile Category not available on GeM for the text string uploaded by the buyer Searched String: YST TEST KIT VTK2 20 CARDS Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Nucleic Acid Amplification Test (NAAT) based PCR Diagnostic Kit for Human Samples, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, HIV ELISA Test Kits, H2S Vial Bacteriological Field Test kit, Rapid Antigen Test Kit for SARS - CoV - 2 / COVID - 19 Searched String: Cuvette for uv spectrophotometer UV - Visible Spectrophotometer (FSSAI), SPECTROPHOTOMETER, Raman Spectrophotometer System (Forensic use), Toner Cartridges / Ink Cartridges / Consumables for Printers, Ultra Violet (UV) Cabinet for Sterilization, Optical Fibre Cable for Networking, Portable UV Disinfection Box for smart phone and accessories, Artificial Turf, Electric Trap for insects (UV based Electric Zappers), FORENSIC ULTRA VIOLET LIGHT SOURCE-MEDIUM Searched String: Centrifuge Tube with Conical Bottom, Sterile, 15ml Centrifuge Tubes (V3), Sterile Hypodermic Syringe (V3), Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Blood Collection Tube, Laboratory Glassware - Narrow-Naked Boiling Flasks (V2) marked to IS 1381 (Part 1), Minifuge, Endotracheal Tube - Sterile (Single Use), Sterile Single-Use Insulin Syringes for Human Use Conforming to IS 12227, Blood Bags as per IS 15102, Monoblock Pump Searched String: Centrifuge Tube with Conical Bottom, Sterile, 50ml

बिड विवरण / Bid Details	Centrifuge Tubes (V3), Sterile Hypodermic Syringe (V3), Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Laboratory Glassware - Narrow-Naked Boiling Flasks (V2) marked to IS 1381 (Part 1), Blood Collection Tube, Minifuge, Endotracheal Tube - Sterile (Single Use), Sterile Single-Use Insulin Syringes for Human Use Conforming to IS 12227, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Blood Bags as per IS 15102
	Searched String: Falcon 70 m Cell Strainer Sweeping Broom (V5), Pole Mounted Stainless Steel Dustbin (V2), Urine Culture Bottle (V2), Decorative Mats - Mat Door Coir, Recirculating chiller, Sterilization Packaging Material, Square Head Bolts, Reinforced Concrete Fence Posts (V2) as per IS 4996, Box type PP Bag for Postal Deptt, Ratchet Type Torque Wrench Searched String: Filtermax "rapid" 500 mL Bottle-Top Filter Bottle for Chemical Laboratory, Plastic Wash Bottle, Hydrofluoric Acid, Isopropyl Alcohol (2 - Propanol), Rust Remover Solution, GLACIAL ACETIC ACID, Karl Fischer Reagent, Methyl acetate, Bromophenol Blue, Triethylamine Searched String: SuperScript IV First-Strand Synthesis System Category not available on GeM for the text string uploaded by the buyer Searched String: Liquid counting beads Glass Beads, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Plastic Beads Or Beads Toys (V2)-Toys, Sheet Counting Machine, Household Insecticides (V2), Currency Counting Machine (V2), Toy balloons or balls or Ball Counting, Professional Large Format Display (V2), Plastic Small Shapes Beads And Threads (Preschool Kit) (V2)-Toys, Micro/Semi-Micro/Analytical weighing balance
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Universal Pipette Tips (V3) • Centrifuge Tubes (V3) • Biochemistry Reagent Kit for Human Samples
बीओक्यू शीर्षक / BOQ Title	Purchase of Chemical and Consumbale for Medical Research BOQ 9
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	1.5 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	12 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	1 Year (s)
टर्नओवर पात्रता मानदंड / Turnover eligibility criteria	GeM verified turnover

बिड विवरण/Bid Details	
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ में है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	TC349 100ml Dimethyl sulphoxide DMSO
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	301300
मूल्यांकन पद्धति/ Evaluation Method	Group wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three financial years, ending on 31st March of the previous financial year, should be as indicated in the bid document. The turnover of the bidder shall be validated by the system based on the financial data available on the GeM portal. The average turnover shall be calculated based on the last three financial years where data is available; in case data is available for

only two of the last three financial years, the average shall be computed based on those two years. In case the date of constitution / incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial years after the date of constitution / incorporation shall be taken into account for this criterion. No separate documentary evidence is required to be uploaded by the bidder for this criterion, as the system shall derive and validate the turnover figures from the data available on the GeM portal.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evalu ation Sched ules	Esti mat ed Valu e	Item/Category	Consign ee/Rep orting Officer	Consignee Address	Q u a n t i t y
---	---	----------------------	--	--------------------------	--

1 2026-27/BIC/459	53100	Tc349 100ml Dimethyl Sulphoxide Dmso	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	2
		Sf166 50no Hm Syringe Driven Filters PvdF	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	2
2 2026-27/BIC/539	5000	Pw012 5x100no Sterile Loop	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
3 2026-27/BIC/543	40000	Gen Fb 10 L R S 0.5 10 UI Gentip	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	2
		Gen Fb 10 L R S 100 1000 UI Gentip	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	3
		Gen Fb 10 L R S 100 1250 UI Gentip	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
4 2026-27/BIC/545	21000	21343 Yst Test Kit Vtk2 20 Cards	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	3
5 2026-27/BIC/564	3000	Cuvette For Uv Spectrophotometer	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	2
6 2026-27/BIC/572	11500	546021 Centrifuge Tube With Conical Bottom Sterile 15ml	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	20
		546041g Centrifuge Tube With Conical Bottom Sterile 50ml	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	10
7 2026-27/BIC/573	15000	352350 Falcon 70 Um Cell Strainer	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
8 2026-27/BIC/574	60500	99505 Filtermax Rapid 500 Ml Bottle Top Filter	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
9 2026-27/BIC/649	59700	18091050 50 Reactions Superscript Iv First Strand Synthesis System	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1

10 2026- 27/BIC/ 647	3250 0	335925 Liquid Counting Beads	Harsha Samir Ambre	NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA 400012	1
-------------------------------	-----------	---------------------------------	--------------------------	--	---

TC349 100ml Dimethyl Sulphoxide DMSO

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	2	40

SF166 50NO HM Syringe Driven Filters PVDF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	2	40

PW012 5X100NO Sterile Loop

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	40

GEN FB 10 L R S 0.5 10 UI Gentip

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	2	40

GEN FB 10 L R S 100 1000 UI Gentip

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	3	40

GEN FB 10 L R S 100 1250 UI Gentip

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	40

21343 YST TEST KIT VTK2 20 CARDS**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	3	40

Cuvette For Uv Spectrophotometer**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	2	40

546021 Centrifuge Tube With Conical Bottom Sterile 15ml

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	20	40

546041G Centrifuge Tube With Conical Bottom Sterile 50ml

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	10	40

352350 Falcon 70 Um Cell Strainer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	40

99505 Filtermax Rapid 500 ML Bottle Top Filter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	40

18091050 50 Reactions SuperScript IV First Strand Synthesis System

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	40

335925 Liquid Counting Beads

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsha Samir Ambre	400012,NATIONAL INSTITUTE FOR RESEARCH IN REPRODUCTIVE AND CHILD HEALTH JEHANGIR MERWANJI STREET, PAREL MUMBAI 400012 MAHARASHTRA	1	40

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
3. Make in india specific authorisation certificate needs to be enclosed.
4. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.

3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is

contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---